

Department of Environmental Protection

jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Secretary

March 4, 2002

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Paul Ballentine, Plant Manager Louis Dreyfus Citrus, Inc. PO Box 770399 Winter Garden, Florida 34777-0399

Re: DEP File No. 0950053-008-AC, Modification of Permit No. 0950053-005-AC
Revision of Emission Limits and Pressed Peel Throughput Limits, Peel Dryers 6 & 7 and East/West Cooler(s)

Dear Mr. Ballentine:

Enclosed is one copy of the draft air construction permit modification for the existing Louis Dreyfus facility located at 355 Ninth Street, Winter Garden, Orange County. The <u>Technical Evaluation and Determination</u>, the Department's <u>Intent to Issue Air Construction Permit Modification</u> and the <u>Public Notice of Intent to Issue Air Construction Permit Modification</u> are also included.

The <u>Public Notice of Intent to Issue Air Construction Permit Modification</u> must be published one time only, as soon as possible, in the legal advertisement section of a newspaper of general circulation in the area affected, pursuant to the requirements Chapter 50, Florida Statutes. Proof of publication, i.e., newspaper affidavit, must be provided to the Department's Bureau of Air Regulation office within seven days of publication. Failure to publish the notice and provide proof of publication may result in the denial of the permit.

Please submit any written comments you wish to have considered concerning the Department's proposed action to Scott M. Sheplak, P.E., Administrator, Title V Section at the above letterhead address. If you have any questions, please call Mr. Edward J. Svec at 850/921-8985.

Sincerely,

Stm. Siple S. C. H. Fancy, P.E., Chief, Bureau of Air Regulation

CHF/es

Enclosures

"More Protection, Less Process"

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 1. Article Addressed to: Mr. Paul Ballentine, Plant Manager Louis Dreyfus Citrus, Inc. P.O. Box 770399 Winter Garden, Florida 34777-0399 	Registered Return Receipt for Merchandise Insured Mail C.O.D. Registered Restricted Delivery? Restricted Pesson Restricted Delivery? Restricted Pesson Restricted Delivery? Restricted Pesson Restricted Pess
2. Article Number (Copy from service label) 7000 0520 0020 9371 3315	_
Control of the second	10250s no Minero

N.

	U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)				
3315	Mr. Paul Baller	ntine, Plant Ma	nager		
<u>-</u> -	Postage	\$			
137	Certified Fee		Postmark		
20	Return Receipt Fee (Endorsement Required)		Here		
000	Restricted Delivery Fee (Endorsement Required)	<u> </u>			
	Total Postage & Fees	\$			
520	Recipient's Name ((Please Print Clearly) (To	be completed by mailer)		
	Mr. Paul Ballentine, Plant Manager				
7000	Street Act No. or BO Box No.				
70	Winter Garden,	Florida 34777	·-0399		
	PS Form 3800, Februa		See Reverse for Instructions		

.

In the Matter of an Application for Permit by:

Mr. Paul Ballentine, Plant Manager Louis Dreyfus Citrus, Inc. PO Box 770399 Winter Garden, Florida 34777-0399 DEP File No. 0950053-008-AC Modification of Permit No. 0950053-005-AC Orange County

INTENT TO ISSUE AIR CONSTRUCTION PERMIT MODIFICATION

The Department of Environmental Protection (Department) gives notice of its intent to issue an air construction permit modification (copy of draft permit modification attached) for the proposed project, detailed in the application specified above and the enclosed Technical Evaluation and Determination, for the reasons stated below.

The applicant applied on December 17, 2001, to the Department for an air construction permit modification for its existing citrus juice processing facility located at 355 Ninth Street, Winter Garden, Orange County. The modification is to provide for a revision to the emission limits from the two existing citrus peel dryers number 6 and 7 and the two pellet coolers, and a revision to the pressed peel throughput limitation on the coolers.

The Department has permitting jurisdiction under the provisions of Chapter 403, Florida Statutes (F.S.), and Florida Administrative Code (F.A.C.) Chapters 62-4, 62-210, and 62-212. The above actions are not exempt from permitting procedures. The Department has determined that an air construction permit modification is required to address the applicant's request.

The Department intends to issue this air construction permit modification based on the belief that reasonable assurances have been provided to indicate that operation of these emission units will not adversely impact air quality, and the emission units will comply with all appropriate provisions of Chapters 62-4, 62-204, 62-210, 62-212, 62-296, and 62-297, F.A.C.

Pursuant to Section 403.815, F.S., and Rule 62-110.106(7)(a)1., F.A.C., you (the applicant) are required to publish at your own expense the enclosed Public Notice of Intent to Issue Air Construction Permit Modification. The notice shall be published one time only in the legal advertisement section of a newspaper of general circulation in the area affected. Rule 62-110.106(7)(b), F.A.C., requires that the applicant cause the notice to be published as soon as possible after notification by the Department of its intended action. For the purpose of these rules, "publication in a newspaper of general circulation in the area affected" means publication in a newspaper meeting the requirements of Sections 50.011 and 50.031, F.S., in the county where the activity is to take place. If you are uncertain that a newspaper meets these requirements, please contact the Department at the address or telephone number listed below. The applicant shall provide proof of publication to the Department's Bureau of Air Regulation, at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, Florida 32399-2400 (Telephone: 850/488-0114; Fax 850/922-6979). You must provide proof of publication within seven days of publication, pursuant to Rule 62-110.106(5), F.A.C. No permitting action for which published notice is required shall be granted until proof of publication of notice is made by furnishing a uniform affidavit in substantially the form prescribed in section 50.051, F.S. to the office of the Department issuing the permit. Failure to publish the notice and provide proof of publication may result in the denial of the permit pursuant to Rules 62-110.106(9) & (11), F.A.C.

The Department will issue the final permit modification with its conditions unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments concerning the proposed permit issuance action for a period of fourteen (14) days from the date of publication of <u>Public Notice of Intent to Issue Air Permit</u>. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, FL 32399-2400. Any written comments filed shall be made available for public inspection. If written comments received result in a significant change in the proposed agency action, the Department shall revise the proposed permit modification and require, if applicable, another Public Notice.

Louis Dreyfus Citrus, Inc. DEP File No. 0950053-008-AC Modification of 0950053-005-AC Page 2 of 3

The Department will issue the permit modification with its conditions unless a timely petition for an administrative hearing is filed pursuant to sections 120.569 and 120.57 F.S., before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida, 32399-3000. Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3), however, any person who asked the Department for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.57 F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

Mediation is not available in this proceeding.

In addition to the above, a person subject to regulation has a right to apply for a variance from or waiver of the requirements of particular rules, on certain conditions, under Section 120.542 F.S. The relief provided by this state statute applies only to state rules, not statutes, and not to any federal regulatory requirements. Applying for a variance or waiver does not substitute or extend the time for filing a petition for an administrative hearing or exercising any other right that a person may have in relation to the action proposed in this notice of intent.

Louis Dreyfus Citrus, Inc. DEP File No. 0950053-008-AC Modification of 0950053-005-AC Page 3 of 3

The application for a variance or waiver is made by filing a petition with the Office of General Counsel of the Department, 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida 32399-3000. The petition must specify the following information: (a) The name, address, and telephone number of the petitioner; (b) The name, address, and telephone number of the attorney or qualified representative of the petitioner, if any; (c) Each rule or portion of a rule from which a variance or waiver is requested; (d) The citation to the statute underlying (implemented by) the rule identified in (c) above; (e) The type of action requested; (f) The specific facts that would justify a variance or waiver for the petitioner; (g) The reason why the variance or waiver would serve the purposes of the underlying statute (implemented by the rule); and (h) A statement whether the variance or waiver is permanent or temporary and, if temporary, a statement of the dates showing the duration of the variance or waiver requested.

The Department will grant a variance or waiver when the petition demonstrates both that the application of the rule would create a substantial hardship or violate principles of fairness, as each of those terms is defined in Section 120.542(2) F.S., and that the purpose of the underlying statute will be or has been achieved by other means by the petitioner.

Persons subject to regulation pursuant to any federally delegated or approved air program should be aware that Florida is specifically not authorized to issue variances or waivers from any requirements of any such federally delegated or approved program. The requirements of the program remain fully enforceable by the Administrator of the EPA and by any person under the Clean Air Act unless and until the Administrator separately approves any variance or waiver in accordance with the procedures of the federal program.

Executed in Tallahassee, Florida.

C. H. Fancy, P.E., Chief

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this Intent to Issue Air Construction
Permit Modification (including the Public Notice of Intent to Issue Air Construction Permit Modification, Technical
Evaluation and Determination, and the draft permit modification) was sent by certified mail (*) and copies were
mailed by U.S. Mail before the close of business on to the person(s) listed:

Mr. Paul Ballentine *

Mr. John B. Koogler, Ph.D., P.E.

Mr. Len Kozlov, P.E., DEP CD

Ms. Marie Driscoll, Orange County EPD

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to §120.52, Florida Statutes, with the designated Department Clerk, receipt of which is

hereby acknowledged.

-{/-(

PUBLIC NOTICE OF INTENT TO ISSUE AIR CONSTRUCTION PERMIT MODIFICATION

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

DEP File No. 0950053-008-AC

Louis Dreyfus Citrus, Inc.

Modification of Permit No. 0950053-005-AC

Orange County

The Department of Environmental Protection (Department) gives notice of its intent to issue an air construction permit to Louis Dreyfus Citrus, Inc., for its existing citrus juice processing facility located at 355 Ninth Street, Winter Garden, Orange County. The modification is to provide for a revision to the emission limits from the two existing citrus peel dryers number 6 and 7 and the two pellet coolers, and a revision to the pressed peel throughput limitation on the coolers. The applicant's mailing address is: PO Box 770399, Winter Garden, Florida 34777-0399. This modification will not result in an increase in emissions of air pollutants from the facility.

The Department will issue the final permit modification with its conditions unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments concerning the proposed permit issuance action for a period of fourteen (14) days from the date of publication of this Public Notice of Intent to Issue Air Construction Permit Modification. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blair Stone Road, Mail Station #5505, Tallahassee, FL 32399-2400. Any written comments filed shall be made available for public inspection. If written comments received result in a significant change in the proposed agency action, the Department shall revise the proposed permit modification and require, if applicable, another Public Notice.

The Department will issue the final permit modification with its conditions unless a timely petition for an administrative hearing is filed pursuant to sections 120.569 and 120.57 F.S., before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below.

Mediation is not available in this proceeding.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.57 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida, 32399-3000. Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under section 120.60(3) of the Florida Statutes must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3), however, any person who asked the Department for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.57 F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner, the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by rule 28-106.301

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

A complete project file is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at:

Dept. of Environmental Protection Bureau of Air Regulation Suite 4, 111 S. Magnolia Drive Tallahassee, Florida, 32301 Telephone: 850/488-0114

Fax: 850/922-6979

Dept. of Environmental Protection Central District Suite 232, 3319 Maguire Boulevard Orlando, Florida 32803-3767

Telephone: 407/894-7555

Air Program Section
Orange County Environmental
Protection Department
800 Mercy Drive, Suite 4
Orlando, Florida 32808
Telephone: 407/836-1400

The complete project file includes the application, technical evaluations, draft permit modification, and the information submitted by the responsible official, exclusive of confidential records under Section 403.111, F.S. Interested persons may contact the Administrator, Title V Section at 111 South Magnolia Drive, Suite 4, Tallahassee, Florida 32301, or call 850/488-0114, for additional information.

1 APPLICANT NAME AND ADDRESS

Louis Dreyfus Citrus, Inc. PO Box 770399 Winter Garden, Florida 34777-0399

Authorized Representative: Paul Ballentine, Plant Manager

2 FACILITY DESCRIPTION, PROJECT DETAILS AND RULE APPLICABILITY

The facility is an existing citrus juice processing facility. This permitting project is to provide for a revision to the emission limits from the two existing citrus peel dryers number 6 and 7 and the two pellet coolers, and a revision to the pressed peel throughput limitation on the coolers. The applicant requested an increase in short term allowable mass emissions, with a commensurate reduction in allowable throughput of peel, so that the net change is a zero. The Department included an equivalent emission limitation in units of pounds per ton of bone dry peel throughput, to provide an enforceable mechanism to link mass emissions to throughput. The applicant did not seek any relaxation in currently enforceable conditions limiting heat input or process throughput through these emissions units.

Emissions units addressed by this permit are citrus peel dryers number 6 and 7, collectively considered to be emissions unit 014; the east pellet cooler identified as emissions unit 012; and, the west pellet cooler identified as emissions unit 006.

There are no emissions increases associated with this project.

The proposed project is subject to preconstruction review requirements under the provisions of Chapter 403, F.S., and Chapters 62-4, 62-204, 62-210, 62-212, 62-296 and 62-297, F.A.C. The existing facility is located in an area designated, in accordance with Rule 62-204.340, F.A.C., as attainment or unclassifiable for the criteria pollutants ozone, PM₁₀, carbon monoxide, SO₂, nitrogen dioxide and lead. This facility is classified as a Major or Title V Source of air pollution because emissions of at least one regulated air pollutant exceeds 100 tons per year (TPY). At this facility potential emissions of PM/PM₁₀, NOx, SO₂, CO and VOC exceed 100 TPY.

This facility is not within an industry included in the list of the 28 Major Facility Categories per Table 62-212.400-1 of Chapter 62-212, F.A.C. Because emissions are greater than 250 TPY for at least one criteria pollutant, the facility is also an existing Major Facility with respect to Rule 62-212.400, Prevention of Significant Deterioration (PSD). There will be no net increase in emissions of air pollutants as a result of this permit modification. Therefore the project is not subject to PSD requirements of Rule 62-212.400, F.A.C.

This permit modification allows for the revision in emission and throughput limits for the peel dryers and pellet coolers as discussed above.

The current Title V permit shows that the applicant reported that this facility is not a major source of hazardous air pollutants (HAPs). This project is not subject to a case-by-case MACT determination, per Rule 62-204.800(10)(d)2, F.A.C., because it does not result in the construction or reconstruction of a major source of HAP emissions. This project is not subject to any requirements under the National Emissions Standards for Hazardous Air Pollutants, 40 CFR 61 or 63.

3 SOURCE IMPACT ANALYSIS

An impact analysis was not required for this project because it is not subject to the requirements of PSD.

4 EXCESS EMISSIONS

This permit does not change any authorization for excess emissions provided by other Department permits pursuant to Rule 62-210.700 F.A.C.

5 LIMITS AND COMPLIANCE REQUIREMENTS

The permit modification revises the current emission and throughput limits related to emissions from the two existing peel dryers and the pellet coolers. The limits and additional compliance requirements are detailed in the permit modification. The throughput limitation for the two coolers combined is revised downward to 50,000 tons of bone dry peel per consecutive 12 month period. Compliance with the limit will be demonstrated by maintaining a daily log of pellet production that includes the weight and moisture content of pellets produced each day. The daily log will be used to calculate the bone dry peel production for each calendar month and for the rolling 12 month total. The methods of demonstration of compliance and testing frequency of the modified emissions limits will remain unchanged from those specified by air construction permit 0950053-005-AC

6 PRELIMINARY DETERMINATION

Based on the foregoing technical evaluation of the application and additional information submitted by the applicant and other available information, the Department has made a preliminary determination that the proposed project will comply with all applicable state and federal air pollution regulations. The Department's preliminary determination is to issue the draft permit (permit modification) to allow revision of the emission and throughput limits from the two existing peel dryers and pellet coolers, subject to the terms and conditions of the draft permit.

7 FINAL DETERMINATION

DRAFT>

DETAILS OF THIS ANALYSIS MAY BE OBTAINED BY CONTACTING:

Edward J. Svec, Engineer IV
Department of Environmental Protection
Bureau of Air Regulation
Mail Station #5505
2600 Blair Stone Road
Tallahassee, Florida 32399-2400
Telephone: 850/488-0114



Department of Environmental Protection

Jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Secretary

DRAFT

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Paul Ballentine, Plant Manager Louis Dreyfus Citrus, Inc. PO Box 770399 Winter Garden, Florida 34777-0399

Re: DEP File No. 0950053-008-AC, Modification of Permit No. 0950053-005-AC Revision of Emission Limits and Pressed Peel Throughput Limits, Peel Dryers 6 & 7 and East/West Cooler(s)

The applicant, Louis Dreyfus Citrus, Inc., applied on December 17, 2001, to the Department for a modification to air construction permit number 0950053-005-AC for its existing citrus juice processing facility located at 355 Ninth Street, Winter Garden, Orange County. The modification is to provide for a revision to the emission limits from the two existing citrus peel dryers number 6 and 7 and the two pellet coolers, and a revision to the pressed peel throughput limitation on the coolers. The Department has reviewed the modification request. The referenced permit is hereby modified as follows:

Specific Condition 2.a shall be revised to read as follows:

- 2. The East and West Coolers are permitted a maximum combined input of:
 - a. 71,659 50,000 tons per consecutive twelve months of bone dry peel.

The limits applicable to peel dryers 6 and 7 and the East/West pellet coolers of Specific Condition 9 shall be revised to read as follows (the remainder of the table is unchanged and is not shown):

9. The following emissions limitations apply to the emissions units:

Dryer No. 6 & No. 7	Each Unit Lb/ton bone dry peel 1.4	Each Unit Lb/hr 13.1 19.6	Combined TPY 35.6
PM ₁₀	0.9	7.8 11.8	21.4
СО	14.2	130.7 195	355
NO_X	1.3	12.4 18.5	33.7
East/West Pellet Cooler(s)	Each Unit Lb/ton bone dry peel	Each Unit Lb/hr	Combined TPY
PM	0.11	1.0 1.5	2.8
VOC	1.4	13.4 19.2	35

A copy of this letter shall be filed with the referenced permit and shall become part of the permit. This permit modification is issued pursuant to Chapter 403, Florida Statutes.

Any party to this order (permit modification) has the right to seek judicial review of it under Section 120.68, F.S., by filing a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure with the clerk of the Department of Environmental Protection in the Office of General Counsel, Mail Station #35, 3900 Commonwealth Boulevard, Tallahassee, Florida, 32399-3000, and by filing a copy of the notice of appeal accompanied by the

"More Protection, Less Process"

Louis Dreyfus Citrus, Inc. DEP File No. 0950053-008-AC Modification of 0950053-005-AC Page 2 of 2

}_

applicable filing fees with the appropriate District Court of Appeal. The notice must be filed within thirty days after this order is filed with the clerk of the Department.

Executed in Tallahassee, Florida.

DRAFT

Howard L. Rhodes, Director Division of Air Resources Management

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this permit modification	was sent by
certified mail (*) and copies were mailed by U.S. Mail before the close of business on	to the
person(s) listed:	

Mr. Paul Ballentine *

Mr. John B. Koogler, Ph.D., P.E.

Mr. Len Kozlov, P.E., DEP CD

Ms. Marie Driscoll, Orange County EPD

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to §120.52, Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

DRAFT	 	
(Clerk)	(Date)	



Department of Environmental Protection

Jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Secretary

P.E. Certification Statement

Permittee:

DRAFT Permit No.: 0950053-008-AC

Louis Dreyfus Citrus, Inc.

Project type: Modification of Permit 0950053-005-AC

I HEREBY CERTIFY that the engineering features described in the above referenced application and subject to the proposed permit conditions provide reasonable assurance of compliance with applicable provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Chapters 62-4 and 62-204 through 62-297. However, I have not evaluated and I do not certify aspects of the proposal outside of my area of expertise (including but not limited to the electrical, mechanical, structural; hydrological, and geological features).

Scott M. Sheplak, P.E.

03/04/0

Registration Number: 0048866

Permitting Authority:

Department of Environmental Protection Bureau of Air Regulation 111 South Magnolia Drive, Suite 4 Tallahassee, Florida 32301

Telephone: 850/921-9532

Fax: 850/922-6979

Memorandum

Florida Department of Environmental Protection

TO:

Clair Fancy

THRU:

Scott Sheplak

FROM:

Edward Svec

DATE:

March 1, 2002

SUBJECT:

Louis Dreyfus Citrus, Inc., Project 0950053-008-AC

Modification of Permit 0950053-005-AC

Attached for approval and signature is a modification of an existing permit for the Dreyfus citrus juice processing facility. This permitting project is to provide for a revision to the emission limits for from the two existing citrus peel dryers, and a revision to the pressed peel throughput limitation on the coolers. The changes will result in no emissions increases.

I recommend your approval and signature.

March 1, 2002 is day 74 of the 90 day timeclock.

Attachments

/es