

CITY OF ST. CLOUD, FLORIDA

2901 SEVENTEENTH STREET • ST. CLOUD, FLORIDA 34769

RECEIVED PHONE:
(407) 892-2161

DEC 18 1995

BUREAU OF
AIR REGULATION

December 12, 1995

Mr. John C. Brown (MS 5505)
Department of Environmental Protection
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Dear Mr. Brown:

Thank - you for your letter of November 30, 1995 advising the City of the status of Florida's Acid Rain Program.

The City's is not a source subject to the Acid Rain Program based on the **exemption** provided under **40CFR 72.6 (b) (2)** which reads as follows:

"(b) The following types of units are not affected units subject to the requirements of the Acid Rain Program:"

"(2) Any unit that commenced commercial operation before November 15, 1990 and that did not, as of November 15, 1990, and does not currently, serve a generator with a nameplate capacity of greater than 25 MW".

The City of St. Cloud has seven (7) diesel generators all of the units commenced commercial operation before November 15, 1990 and none of the units serve a generator with a nameplate capacity of greater than 25 MW.

Should you have any questions or comments regarding this information please call Byron Knibbs (407-957-7209) or myself (407-957-7258).


Sincerely,

K. Taylor
Rate & Financial Analyst

c: Byron Knibbs, Electric Utility Director
J. Paul Wetzel, City Manager

File:c/plant/dep-12-95

AN EQUAL OPPORTUNITY EMPLOYER



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

*Be proud,
What a great name
for this program!*

ELECTRIC UTILITIES DIRECTOR
CITY OF ST. CLOUD

12-04-95P01:56 RCVD

RECEIVED
DEC 05 1995

November 30, 1995

Dear Applicant:

Florida's Acid Rain Program has been approved by EPA. Therefore, you should mail the original and three copies of the Phase II Permit Applications and any other applicable forms such as the Repowering Extension Plan to:

Mr. John C. Brown (MS 5505)
Department of Environmental Protection
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Applications (Acid Rain Parts) are due no later than January 1, 1996.

In preparing the forms you should pay close attention to Chapter 62-214, F.A.C., effective July 6, 1995. Rules 62-214.310, 330 and 350 need special emphasis.

Additionally, please note the following:

- a. Forms must be submitted in four copies.
- b. Only the forms dated July 1, 1995, are acceptable.
- c. The certification statement on the form cannot be changed. It must be verbatim as printed on the form.
- d. A copy of the Certificate of Representation should be submitted pursuant to Rule 62-214.350(2), F.A.C.
- e. The form should not be altered in any way, since each condition is required by federal and state rules.

"Protect, Conserve and Manage Florida's Environment and Natural Resources"


Printed on recycled paper.

Applicant
November 30, 1995
Page Two

Forms are available at this office, by writing to me or by calling (904) 488-1344. Please ask for Sandra or Barbara if you request the forms by telephone. They are available both in hard copy and on diskette.

If you receive this letter and are not a source subject to the Acid Rain Program, please advise the Department accordingly and indicate the basis of your statement.

Sincerely,


John C. Brown, Jr., P.E.
Administrator
Air Permitting and Standards

JCB/sk