

Florida Department of
Environmental Protection

Memorandum

TO: Joseph Kahn, Division of Air Resource Management
THROUGH: Trina L. Vielhauer, Bureau of Air Regulation *TV*
Jonathan Holtom, Title V Section *J.H.*
FROM: Yousry Attalla, Title V Section *YHA.*
DATE: February 27, 2009
SUBJECT: Air Permit No. 0970043-015-AV
Kissimmee Utility Authority
Cane Island Power Park
CAIR Part Revision

The final permit for this project is attached for your approval and signature, which revises the Title V permit to include the CAIR Part form as a new section added to the existing Title V air operation permit for the above referenced facility.

The attached final determination identifies issuance of the combined draft/proposed permit, summarizes the publication process, and provides the Department's response to comments (if any) on the draft permit. There are no pending petitions for administrative hearings or extensions of time to file a petition for an administrative hearing.

I recommend your approval of the attached final permit for this project.

Attachments

NOTICE OF FINAL PERMIT

In the Matter of an
Application for Permit by:

Kissimmee Utility Authority
1701 West Carroll Street
Kissimmee, Florida 34742-3219


Air Permit No. 0970043-015-AV
Cane Island Power Park
CAIR Part Revision Project
Osceola County, Florida

Designated Representative:
Jay Butters, Manager of Power Production

Enclosed is final permit No. 0970043-015-AV. This Title V air operation permit revision is being issued to incorporate the Clean Air Interstate Rule (CAIR) provisions into Title V permit No. 0970043-013-AV. The existing facility is located at 6075 Old Tampa Highway in Intercession City, Osceola County, Florida. The UTM coordinates are Zone 17, 449.8 East, and 3127.9 North. The Latitude is 28° 16' 40" North and the Longitude is 81° 31' 01" West. This permit is issued pursuant to Chapter 403, Florida Statutes.

Any party to this order has the right to seek judicial review of it under Section 120.68 of the Florida Statutes by filing a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure with the clerk of the Department of Environmental Protection in the Office of General Counsel (Mail Station #35, 3900 Commonwealth Boulevard, Tallahassee, Florida, 32399-3000) and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The notice must be filed within 30 days after this order is filed with the clerk of the Department.

Executed in Tallahassee, Florida.



Trina Vielhauer, Chief
Bureau of Air Regulation

TLV/jh/yha


CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this Notice of Final Permit (including the Final Permit and Final Determination), or a link to these documents available electronically on a publicly accessible server, was sent by electronic mail with received receipt requested to the persons listed below:

- Mr. Jay Butters, Kissimmee Utility Authority: jbutters@kua.com
- Mr. Larry Mattern, Kissimmee Utility Authority: lmattern@kua.com
- Ms. Katy Forney, U.S. EPA Region 4: forney.kathleen@epamail.epa.gov
- Ms. Ana Oquendo, EPA Region 4: oquendo.ana@epamail.epa.gov
- Mr. Alan Zahm, Central District Office: alan.zahm@dep.state.fl.us
- Ms. Barbara Friday, DEP BAR: barbara.friday@dep.state.fl.us (for posting with U.S. EPA, Region 4)
- Ms. Victoria Gibson, DEP BAR: victoria.gibson@dep.state.fl.us (for reading file)

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to Section 120.52(7), Florida Statutes, with the designated agency clerk, receipt of which is hereby acknowledged.



(Clerk) (Date)

FINAL DETERMINATION

PERMITTEE:

Jay Butters, Manager of Power Production
Kissimmee Utility Authority
1701 West Carroll Street
Kissimmee, Florida 34742-3219

PERMITTING AUTHORITY

Florida Department of Environmental Protection (Department)
Division of Air Resource Management
Bureau of Air Regulation, Title V Section
2600 Blair Stone Road, MS #5505
Tallahassee, Florida 32399-2400

PROJECT

Air Permit No. 0970043-015-AV
Cane Island Power Park

The purpose of this Title V air operation permit revision project is to incorporate the Clean Air Interstate Rule (CAIR) provisions into Title V permit No. 0970043-013-AV

NOTICE AND PUBLICATION

The Department distributed an Intent to Issue Permit package on June 25, 2008. The applicant published the Public Notice of Intent to Issue in the Orlando Sentinel on July 3, 2008. The Department received the proof of publication on July 10, 2008.

COMMENTS

No comments on the draft/proposed permit were received from the US EPA Region 4 Office. No comments were received from the public during the 30-day public comment period.

DEPARTMENT INITIATED CHANGES

Changes initiated by the Department were made in this final permit.

STATEWIDE FORMAT CHANGES

1. As a result of a recent rule change to Rule 62-213.420(1)(a)2., F.A.C., the Renewal Application Due Date for Permit No. 0970043-013-AV as shown on the placard page of the permit is changed from July 5, 2009 to May 20, 2009. {The rule change requires the renewal application to be submitted 225 days prior to expiration instead of the previous 180 days.}
2. A cover page, a Table of Contents and placard page are added to the final permit package.

CONCLUSION

The final action of the Department is to issue the final permit with the changes noted above.

STATEMENT OF BASIS

Kissimmee Utility Authority
Cane Island Power Park
Facility ID No. 0970043
Osceola County
Title V Air Operation Permit Revision
Final Permit Project No. 0970043-015-AV

FACILITY DESCRIPTION

This facility consists of three fossil fuel-fired combustion turbine electric generating units, a cooling tower, three distillate oil storage tanks and ancillary equipment.

Emissions Unit 001 is a 40 MW General Electric Model LM-6000PA simple-cycle combustion turbine with an electrical generator set. Emission Unit 002 is a General Electric Model PG7111(EA) combustion turbine with electrical generator set and an unfired heat recovery steam generator (HRSG) with a steam-electric generator. Emissions Unit 002 produces 80 MW during simple-cycle operation and 120 MW during combined-cycle operation. Each combustion turbine fires natural gas as the primary fuel with very low sulfur distillate oil ($\leq 0.05\%$ sulfur by weight) as a backup fuel. Both units have simple-cycle stacks. Unit 002 also has a separate HRSG stack for combined-cycle operation.

Emissions Unit 003 is a nominal 167 MW stationary gas combustion turbine-electrical generator burning natural gas with very low sulfur fuel oil as backup; a supplemental gas-fired HRSG to raise sufficient steam to achieve 250 MW in combined-cycle operation; an 80-90 MW steam electric generator; a 44 mmBtu/hr heat input duct burner; a selective catalytic reduction unit and ancillary equipment; ammonia storage; a 130-foot stack; and a 100-foot bypass stack for simple-cycle operation.

Support facilities for Unit 003 include a cooling tower, water and wastewater facilities, water storage tanks, storm water detention pond, 230 KV transmission line, and a 1.0 million gallon storage tank for back-up distillate fuel oil. Nitrogen oxides (NO_x) emissions are controlled by Dry Low NO_x (DLN) combustors and wet injection under simple-cycle operation. NO_x emissions are controlled by DLN and wet injection and selective catalytic reduction (SCR) when operating in combined-cycle mode. Inherently clean fuels and good combustion practices are employed to control all pollutants. Because a continuous emissions monitoring system (CEMS) is used to demonstrate compliance for NO_x , a compliance assurance monitoring (CAM) plan is not required for the SCR system. Site Certification for this Unit 003 was approved on November 22, 1999.

Emissions Unit 004, 007 and 008 are storage tanks for the very low sulfur back-up fuel oil. Emissions Unit 005 is the duct burner for Emission Unit 003 and Emission Unit 006 is the cooling tower.

Based on the Title V Air Permit Revision Application received on October 17, 2001, this facility is a major source of hazardous air pollutants (HAP).

PROJECT REVIEW

On May 27, 2008, the applicant submitted a CAIR Part Form in order to incorporate the Clean Air Interstate Rule provisions into Title V Air Operation Permit No. 0970043-013-AV.

The CAIR Part Form is now a part of this permit and has been incorporated as Section V, CAIR Part Form. This section identifies the units that must comply with the standard requirements and special provisions set forth in the CAIR Part Form.

CONCLUSION

This project revises Title V air operation permit No. 0970043-013-AV. This Title V Air Operation Permit Revision is issued under the provisions of Chapter 403, Florida Statutes (F.S.), and Chapters 62-4, 62-210 and 62-213, Florida Administrative Code (F.A.C.). In accordance with the terms and conditions of this permit, the above named permittee is hereby authorized to operate the facility as shown on the application and approved drawings, plans, and other documents, on file with the permitting authority.

Kissimmee Utility Authority

Cane Island Power Park

Facility ID No. 0970043

Osceola County

Title V Air Operation Permit Revision

Final Permit Project No. 0970043-015-AV

(1st Revision of Title V Air Operation Permit No. 0970043-013-AV)

Permitting Authority:

State of Florida

Department of Environmental Protection

Division of Air Resource Management

Bureau of Air Regulation

Title V Section

Mail Station #5505

2600 Blair Stone Road

Tallahassee, Florida 32399-2400

Telephone: (850) 488-0114

Fax: (850) 921-9533

Title V Air Operation Permit Renewal**Final Permit No. 0970043-015-AV****Table of Contents**

<u>Section</u>	<u>Page Number</u>
Placard Page.....	1
I. Facility Information.....	2
A. Facility Description.....	
B. Summary of Emissions Unit ID No(s). and Brief Description(s).....	
C. Relevant Documents.....	
II. Facility-wide Conditions.....	4
III. Emissions Unit(s) and Conditions	
A. Emissions Unit 001, Simple-Cycle Combustion Turbine, Unit 1.....	7
B. Emissions Unit 002, Combined-Cycle Combustion Turbine, Unit 2.....	12
C. Common Conditions.....	17
D. NSPS Common Conditions.....	23
E. Emissions Unit 003, Combined-Cycle Combustion Turbine, Unit 3.....	28
Emissions Unit 005, Duct Burner	
F. Emissions Unit 004, Distillate Fuel Oil Storage Tank (one million gallon).....	37
IV. Acid Rain Part	
A. Acid Rain, Phase II.....	38
V. Clean Air Interstate Rule Part.....	39



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

Permittee:

Jay Butters, Manager of Power Production
Kissimmee Utility Authority
1701 West Carroll Street
Kissimmee, FL 34742

FINAL Permit No. 0970043-015-AV
Facility ID No. 0970043
Site Name: Cane Island Power Park
SIC No.: 4911
Project: Title V CAIR Part Revision


The purpose of this permit is for the revision of Title V Air Operation Permit No. 0970043-013-AV to incorporate the Clean Air Interstate Rule (CAIR) Part as an enforceable section of the permit. This facility is located at 6075 Old Tampa Highway, Intercession City, Osceola County, Florida. The UTM Coordinates are Zone 17, 449.8 East, and 3127.9 North. The Latitude is 28° 16' 40" North and the Longitude is 81° 31' 01" West.

This Title V air operation permit is issued under the provisions of Chapter 403, Florida Statutes (F.S.), and Florida Administrative Code (F.A.C.) Chapters 62-4, 62-210, 62-213 and 62-214. The above named permittee is hereby authorized to perform the work and operate the facility shown on the application and approved drawings, plans, and other documents, attached hereto or on file with the permitting authority, in accordance with the terms and conditions of this permit. The facility holds ORIS code 7238 under Phase II of the federal Acid Rain Program.

Referenced attachments made a part of this permit:

Appendix U-1, List of Unregulated Emissions Units and/or Activities
Appendix I-1, List of Insignificant Emissions Units and/or Activities
Table 1-1, Summary of Air Pollutant Standards and Terms
Table 2-1, Summary of Compliance Requirements
Appendix TV-4, Title V Conditions (version dated 02/12/02)
Appendix SS-1, Stack Sampling Facilities (version dated 10/07/96)
Appendix GG, 40 CFR 60 - NSPS Subpart GG for Stationary Gas Turbines
Appendix YYYYY, 40 CFR 63 NESHAP - Subpart YYYYY for Combustion Turbines
Table 297.310-1, Calibration Schedule (version dated 10/07/96)
Figure 1 - Summary Report-Gaseous and Opacity Excess Emission and Monitoring System Performance Report (version dated 7/96)
Alternate Sampling Procedure, ASP No. 97-B-01
BACT Determination dated April 7, 1993
Order extending permits dated March 18, 1999

Effective Date: January 1, 2009
Revision Effective Date: February 27, 2009
Renewal Application Due Date: May 20, 2009
Expiration Date: December 31, 2009


Joseph Kahn, Director
Division of Air Resource Management

TLV/jh/yha

SECTION V. CAIR PART FORM
CLEAN AIR INTERSTATE RULE PROVISIONS

Clean Air Interstate Rule (CAIR).

Operated by: Kissimmee Utility Authority
Plant: Cane Island Power Park
ORIS Code: 007238

The emissions units below are regulated under the Clean Air Interstate Rule.

EU No.	EPA Unit ID#	Brief Description
001	001	40 MW Simple Cycle Combustion Turbine
002	002	120 MW Combined Cycle Combustion Turbine
003	003	Combined Cycle Combustion Turbine with Duct burner

1. Clean Air Interstate Rule Application. The Clean Air Interstate Rule Part Form submitted for this facility is a part of this permit. The owners and operators of these CAIR units as identified in this form must comply with the standard requirements and special provisions set forth in the CAIR Part Form (DEP Form No. 62-210.900(1)(b)) dated March 16, 2008, which is attached at the end of this section. [Chapter 62-213, F.A.C. and Rule 62-210.200, F.A.C.]

SECTION V. CAIR PART FORM
CLEAN AIR INTERSTATE RULE PROVISIONS

Plant Name (from STEP 1)	Cane Island Power Park
--------------------------	------------------------

STEP 3

Read the standard requirements.

CAIR NO_x ANNUAL TRADING PROGRAM

CAIR Part Requirements.

- (1) The CAIR designated representative of each CAIR NO_x source and each CAIR NO_x unit at the source shall:
 - (i) Submit to the DEP a complete and certified CAIR Part form under 40 CFR 96.122 and Rule 62-296.470, F.A.C., in accordance with the deadlines specified in Rule 62-213.420, F.A.C.; and
 - (ii) [Reserved];
- (2) The owners and operators of each CAIR NO_x source and each CAIR NO_x unit at the source shall have a CAIR Part included in the Title V operating permit issued by the DEP under 40 CFR Part 96, Subpart CC, and operate the source and the unit in compliance with such CAIR Part.

Monitoring, Reporting, and Recordkeeping Requirements.

- (1) The owners and operators, and the CAIR designated representative, of each CAIR NO_x source and each CAIR NO_x unit at the source shall comply with the monitoring, reporting, and recordkeeping requirements of 40 CFR Part 96, Subpart HH, and Rule 62-296.470, F.A.C.
- (2) The emissions measurements recorded and reported in accordance with 40 CFR Part 96, Subpart HH, shall be used to determine compliance by each CAIR NO_x source with the following CAIR NO_x Emissions Requirements.

NO_x Emission Requirements.

- (1) As of the allowance transfer deadline for a control period, the owners and operators of each CAIR NO_x source and each CAIR NO_x unit at the source shall hold, in the source's compliance account, CAIR NO_x allowances available for compliance deductions for the control period under 40 CFR 96.154(a) in an amount not less than the tons of total NO_x emissions for the control period from all CAIR NO_x units at the source, as determined in accordance with 40 CFR Part 96, Subpart HH.
- (2) A CAIR NO_x unit shall be subject to the requirements under paragraph (1) of the NO_x Requirements starting on the later of January 1, 2009, or the deadline for meeting the unit's monitor certification requirements under 40 CFR 96.170(b)(1) or (2) and for each control period thereafter.
- (3) A CAIR NO_x allowance shall not be deducted for compliance with the requirements under paragraph (1) of the NO_x Requirements, for a control period in a calendar year before the year for which the CAIR NO_x allowance was allocated.
- (4) CAIR NO_x allowances shall be held in, deducted from, or transferred into or among CAIR NO_x Allowance Tracking System accounts in accordance with 40 CFR Part 96, Subparts FF and GG.
- (5) A CAIR NO_x allowance is a limited authorization to emit one ton of NO_x in accordance with the CAIR NO_x Annual Trading Program. No provision of the CAIR NO_x Annual Trading Program, the CAIR Part, or an exemption under 40 CFR 96.105 and no provision of law shall be construed to limit the authority of the state or the United States to terminate or limit such authorization.
- (6) A CAIR NO_x allowance does not constitute a property right.
- (7) Upon recordation by the Administrator under 40 CFR Part 96, Subpart EE, FF, or GG, every allocation, transfer, or deduction of a CAIR NO_x allowance to or from a CAIR NO_x unit's compliance account is incorporated automatically in any CAIR Part of the source that includes the CAIR NO_x unit.

Excess Emissions Requirements.

If a CAIR NO_x source emits NO_x during any control period in excess of the CAIR NO_x emissions limitation, then:

- (1) The owners and operators of the source and each CAIR NO_x unit at the source shall surrender the CAIR NO_x allowances required for deduction under 40 CFR 96.154(d)(1) and pay any fine, penalty, or assessment or comply with any other remedy imposed, for the same violations, under the Clean Air Act or applicable state law; and
- (2) Each ton of such excess emissions and each day of such control period shall constitute a separate violation of 40 CFR Part 96, Subpart AA, the Clean Air Act, and applicable state law.

Recordkeeping and Reporting Requirements.

- (1) Unless otherwise provided, the owners and operators of the CAIR NO_x source and each CAIR NO_x unit at the source shall keep on site at the source each of the following documents for a period of 5 years from the date the document is created. This period may be extended for cause, at any time before the end of 5 years, in writing by the DEP or the Administrator.
 - (i) The certificate of representation under 40 CFR 96.113 for the CAIR designated representative for the source and each CAIR NO_x unit at the source and all documents that demonstrate the truth of the statements in the certificate of representation; provided that the certificate and documents shall be retained on site at the source beyond such 5-year period until such documents are superseded because of the submission of a new certificate of representation under 40 CFR 96.113 changing the CAIR designated representative.
 - (ii) All emissions monitoring information, in accordance with 40 CFR Part 96, Subpart HH, of this part, provided that to the extent that 40 CFR Part 96, Subpart HH, provides for a 3-year period for recordkeeping, the 3-year period shall apply.
 - (iii) Copies of all reports, compliance certifications, and other submissions and all records made or required under the CAIR NO_x Annual Trading Program.
 - (iv) Copies of all documents used to complete a CAIR Part form and any other submission under the CAIR NO_x Annual Trading Program or to demonstrate compliance with the requirements of the CAIR NO_x Annual Trading Program.
- (2) The CAIR designated representative of a CAIR NO_x source and each CAIR NO_x unit at the source shall submit the reports required under the CAIR NO_x Annual Trading Program, including those under 40 CFR Part 96, Subpart HH.

SECTION V. CAIR PART FORM
CLEAN AIR INTERSTATE RULE PROVISIONS

Plant Name (from STEP 1)	Cane Island Power Park
--------------------------	------------------------

**STEP 3,
Continued**

Liability.

- (1) Each CAIR NO_x source and each CAIR NO_x unit shall meet the requirements of the CAIR NO_x Annual Trading Program.
- (2) Any provision of the CAIR NO_x Annual Trading Program that applies to a CAIR NO_x source or the CAIR designated representative of a CAIR NO_x source shall also apply to the owners and operators of such source and of the CAIR NO_x units at the source.
- (3) Any provision of the CAIR NO_x Annual Trading Program that applies to a CAIR NO_x unit or the CAIR designated representative of a CAIR NO_x unit shall also apply to the owners and operators of such unit.

Effect on Other Authorities.

No provision of the CAIR NO_x Annual Trading Program, a CAIR Part, or an exemption under 40 CFR 96.105 shall be construed as exempting or excluding the owners and operators, and the CAIR designated representative, of a CAIR NO_x source or CAIR NO_x unit from compliance with any other provision of the applicable, approved State Implementation Plan, a federally enforceable permit, or the Clean Air Act.

CAIR SO₂ TRADING PROGRAM

CAIR Part Requirements.

- (1) The CAIR designated representative of each CAIR SO₂ source and each CAIR SO₂ unit at the source shall:
 - (i) Submit to the DEP a complete and certified CAIR Part form under 40 CFR 96.222 and Rule 62-296.470, F.A.C., in accordance with the deadlines specified in Rule 62-213.420, F.A.C.; and
 - (ii) [Reserved];
- (2) The owners and operators of each CAIR SO₂ source and each CAIR SO₂ unit at the source shall have a CAIR Part included in the Title V operating permit issued by the DEP under 40 CFR Part 96, Subpart CCC, for the source and operate the source and each CAIR unit in compliance with such CAIR Part.

Monitoring, Reporting, and Recordkeeping Requirements.

- (1) The owners and operators, and the CAIR designated representative, of each CAIR SO₂ source and each SO₂ CAIR unit at the source shall comply with the monitoring, reporting, and recordkeeping requirements of 40 CFR Part 96, Subpart HHH, and Rule 62-296.470, F.A.C.
- (2) The emissions measurements recorded and reported in accordance with 40 CFR Part 96, Subpart HHH, shall be used to determine compliance by each CAIR SO₂ source with the following CAIR SO₂ Emission Requirements.

SO₂ Emission Requirements.

- (1) As of the allowance transfer deadline for a control period, the owners and operators of each CAIR SO₂ source and each CAIR SO₂ unit at the source shall hold, in the source's compliance account, a tonnage equivalent in CAIR SO₂ allowances available for compliance deductions for the control period, as determined in accordance with 40 CFR 96.254(a) and (b), not less than the tons of total sulfur dioxide emissions for the control period from all CAIR SO₂ units at the source, as determined in accordance with 40 CFR Part 96, Subpart HHH.
- (2) A CAIR SO₂ unit shall be subject to the requirements under paragraph (1) of the Sulfur Dioxide Emission Requirements starting on the later of January 1, 2010 or the deadline for meeting the unit's monitor certification requirements under 40 CFR 96.270(b)(1) or (2) and for each control period thereafter.
- (3) A CAIR SO₂ allowance shall not be deducted, for compliance with the requirements under paragraph (1) of the SO₂ Emission Requirements, for a control period in a calendar year before the year for which the CAIR SO₂ allowance was allocated.
- (4) CAIR SO₂ allowances shall be held in, deducted from, or transferred into or among CAIR SO₂ Allowance Tracking System accounts in accordance with 40 CFR Part 96, Subparts FFF and GGG.
- (5) A CAIR SO₂ allowance is a limited authorization to emit sulfur dioxide in accordance with the CAIR SO₂ Trading Program. No provision of the CAIR SO₂ Trading Program, the CAIR Part, or an exemption under 40 CFR 96.205 and no provision of law shall be construed to limit the authority of the state or the United States to terminate or limit such authorization.
- (6) A CAIR SO₂ allowance does not constitute a property right.
- (7) Upon recordation by the Administrator under 40 CFR Part 96, Subpart FFF or GGG, every allocation, transfer, or deduction of a CAIR SO₂ allowance to or from a CAIR SO₂ unit's compliance account is incorporated automatically in any CAIR Part of the source that includes the CAIR SO₂ unit.

Excess Emissions Requirements.

If a CAIR SO₂ source emits SO₂ during any control period in excess of the CAIR SO₂ emissions limitation, then:

- (1) The owners and operators of the source and each CAIR SO₂ unit at the source shall surrender the CAIR SO₂ allowances required for deduction under 40 CFR 96.254(d)(1) and pay any fine, penalty, or assessment or comply with any other remedy imposed, for the same violations, under the Clean Air Act or applicable state law; and
- (2) Each ton of such excess emissions and each day of such control period shall constitute a separate violation of 40 CFR Part 96, Subpart AAA, the Clean Air Act, and applicable state law.

SECTION V. CAIR PART FORM
CLEAN AIR INTERSTATE RULE PROVISIONS

Plant Name (from STEP 1) Cane Island Power Park

**STEP 3,
Continued**

Recordkeeping and Reporting Requirements.

- (1) Unless otherwise provided, the owners and operators of the CAIR SO₂ source and each CAIR SO₂ unit at the source shall keep on site at the source each of the following documents for a period of 5 years from the date the document is created. This period may be extended for cause, at any time before the end of 5 years, in writing by the Department or the Administrator.
 - (i) The certificate of representation under 40 CFR 96.213 for the CAIR designated representative for the source and each CAIR SO₂ unit at the source and all documents that demonstrate the truth of the statements in the certificate of representation, provided that the certificate and documents shall be retained on site at the source beyond such 5-year period until such documents are superseded because of the submission of a new certificate of representation under 40 CFR 96.213 changing the CAIR designated representative.
 - (ii) All emissions monitoring information, in accordance with 40 CFR Part 96, Subpart HHH, of this part, provided that to the extent that 40 CFR Part 96, Subpart HHH, provides for a 3-year period for recordkeeping, the 3-year period shall apply.
 - (iii) Copies of all reports, compliance certifications, and other submissions and all records made or required under the CAIR SO₂ Trading Program.
 - (iv) Copies of all documents used to complete a CAIR Part form and any other submission under the CAIR SO₂ Trading Program or to demonstrate compliance with the requirements of the CAIR SO₂ Trading Program.
- (2) The CAIR designated representative of a CAIR SO₂ source and each CAIR SO₂ unit at the source shall submit the reports required under the CAIR SO₂ Trading Program, including those under 40 CFR Part 96, Subpart HHH.

Liability.

- (1) Each CAIR SO₂ source and each CAIR SO₂ unit shall meet the requirements of the CAIR SO₂ Trading Program.
- (2) Any provision of the CAIR SO₂ Trading Program that applies to a CAIR SO₂ source or the CAIR designated representative of a CAIR SO₂ source shall also apply to the owners and operators of such source and of the CAIR SO₂ units at the source.
- (3) Any provision of the CAIR SO₂ Trading Program that applies to a CAIR SO₂ unit or the CAIR designated representative of a CAIR SO₂ unit shall also apply to the owners and operators of such unit.

Effect on Other Authorities.

No provision of the CAIR SO₂ Trading Program, a CAIR Part, or an exemption under 40 CFR 96.205 shall be construed as exempting or excluding the owners and operators, and the CAIR designated representative, of a CAIR SO₂ source or CAIR SO₂ unit from compliance with any other provision of the applicable, approved State Implementation Plan, a federally enforceable permit, or the Clean Air Act.

CAIR NO_x OZONE SEASON TRADING PROGRAM

CAIR Part Requirements.

- (1) The CAIR designated representative of each CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit at the source shall:
 - (i) Submit to the DEP a complete and certified CAIR Part form under 40 CFR 96.322 and Rule 62-296.470, F.A.C., in accordance with the deadlines specified in Rule 62-213.420, F.A.C.; and
 - (ii) [Reserved];
- (2) The owners and operators of each CAIR NO_x Ozone Season source required to have a Title V operating permit or air construction permit, and each CAIR NO_x Ozone Season unit required to have a Title V operating permit or air construction permit at the source shall have a CAIR Part included in the Title V operating permit or air construction permit issued by the DEP under 40 CFR Part 96, Subpart CCCC, for the source and operate the source and the unit in compliance with such CAIR Part.

Monitoring, Reporting, and Recordkeeping Requirements.

- (1) The owners and operators, and the CAIR designated representative, of each CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit at the source shall comply with the monitoring, reporting, and recordkeeping requirements of 40 CFR Part 96, Subpart HHHH, and Rule 62-296.470, F.A.C.
- (2) The emissions measurements recorded and reported in accordance with 40 CFR Part 96, Subpart HHHH, shall be used to determine compliance by each CAIR NO_x Ozone Season source with the following CAIR NO_x Ozone Season Emissions Requirements.

NO_x Ozone Season Emission Requirements.

- (1) As of the allowance transfer deadline for a control period, the owners and operators of each CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit at the source shall hold, in the source's compliance account, CAIR NO_x Ozone Season allowances available for compliance deductions for the control period under 40 CFR 96.354(a) in an amount not less than the tons of total NO_x emissions for the control period from all CAIR NO_x Ozone Season units at the source, as determined in accordance with 40 CFR Part 96, Subpart HHHH.
- (2) A CAIR NO_x Ozone Season unit shall be subject to the requirements under paragraph (1) of the NO_x Ozone Season Emission Requirements starting on the later of May 1, 2009 or the deadline for meeting the unit's monitor certification requirements under 40 CFR 96.370(b)(1),(2), or (3) and for each control period thereafter.
- (3) A CAIR NO_x Ozone Season allowance shall not be deducted, for compliance with the requirements under paragraph (1) of the NO_x Ozone Season Emission Requirements, for a control period in a calendar year before the year for which the CAIR NO_x Ozone Season allowance was allocated.
- (4) CAIR NO_x Ozone Season allowances shall be held in, deducted from, or transferred into or among CAIR NO_x Ozone Season Allowance Tracking System accounts in accordance with 40 CFR Part 96, Subparts FFFF and GGGG.
- (5) A CAIR NO_x Ozone Season allowance is a limited authorization to emit one ton of NO_x in accordance with the CAIR NO_x Ozone Season Trading Program. No provision of the CAIR NO_x Ozone Season Trading Program, the CAIR Part, or an exemption under 40 CFR 96.305 and no provision of law shall be construed to limit the authority of the state or the United States to terminate or limit such authorization.
- (6) A CAIR NO_x Ozone Season allowance does not constitute a property right.
- (7) Upon recordation by the Administrator under 40 CFR Part 96, Subpart EEEE, FFFF or GGGG, every allocation, transfer, or deduction of a

DEP Form No. 62-210.900(1)(b) - Form
Effective: 3/16/08

4

SECTION V. CAIR PART FORM
CLEAN AIR INTERSTATE RULE PROVISIONS

CAIR NO_x Ozone Season allowance to or from a CAIR NO_x Ozone Season unit's compliance account is incorporated automatically in any CAIR Part of the source that includes the CAIR NO_x Ozone Season unit.

Plant Name (from STEP 1) Cane Island Power Park
--

**STEP 3,
Continued**

Excess Emissions Requirements.

If a CAIR NO_x Ozone Season source emits NO_x during any control period in excess of the CAIR NO_x Ozone Season emissions limitation, then:

(1) The owners and operators of the source and each CAIR NO_x Ozone Season unit at the source shall surrender the CAIR NO_x Ozone Season allowances required for deduction under 40 CFR 96.354(d)(1) and pay any fine, penalty, or assessment or comply with any other remedy imposed, for the same violations, under the Clean Air Act or applicable state law; and

(2) Each ton of such excess emissions and each day of such control period shall constitute a separate violation of 40 CFR Part 96, Subpart AAAAA, the Clean Air Act, and applicable state law.

Recordkeeping and Reporting Requirements.

(1) Unless otherwise provided, the owners and operators of the CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit at the source shall keep on site at the source each of the following documents for a period of 5 years from the date the document is created. This period may be extended for cause, at any time before the end of 5 years, in writing by the DEP or the Administrator.

(i) The certificate of representation under 40 CFR 96.313 for the CAIR designated representative for the source and each CAIR NO_x Ozone Season unit at the source and all documents that demonstrate the truth of the statements in the certificate of representation; provided that the certificate and documents shall be retained on site at the source beyond such 5-year period until such documents are superseded because of the submission of a new certificate of representation under 40 CFR 96.113 changing the CAIR designated representative.

(ii) All emissions monitoring information, in accordance with 40 CFR Part 96, Subpart HHHH, of this part, provided that to the extent that 40 CFR Part 96, Subpart HHHH, provides for a 3-year period for recordkeeping, the 3-year period shall apply.

(iii) Copies of all reports, compliance certifications, and other submissions and all records made or required under the CAIR NO_x Ozone Season Trading Program.

(iv) Copies of all documents used to complete a CAIR Part form and any other submission under the CAIR NO_x Ozone Season Trading Program or to demonstrate compliance with the requirements of the CAIR NO_x Ozone Season Trading Program.

(2) The CAIR designated representative of a CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit at the source shall submit the reports required under the CAIR NO_x Ozone Season Trading Program, including those under 40 CFR Part 96, Subpart HHHH.

Liability.

(1) Each CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit shall meet the requirements of the CAIR NO_x Ozone Season Trading Program.

(2) Any provision of the CAIR NO_x Ozone Season Trading Program that applies to a CAIR NO_x Ozone Season source or the CAIR designated representative of a CAIR NO_x Ozone Season source shall also apply to the owners and operators of such source and of the CAIR NO_x Ozone Season units at the source.

(3) Any provision of the CAIR NO_x Ozone Season Trading Program that applies to a CAIR NO_x Ozone Season unit or the CAIR designated representative of a CAIR NO_x Ozone Season unit shall also apply to the owners and operators of such unit.

Effect on Other Authorities.


No provision of the CAIR NO_x Ozone Season Trading Program, a CAIR Part, or an exemption under 40 CFR 96.305 shall be construed as exempting or excluding the owners and operators, and the CAIR designated representative, of a CAIR NO_x Ozone Season source or CAIR NO_x Ozone Season unit from compliance with any other provision of the applicable, approved State Implementation Plan, a federally enforceable permit, or the Clean Air Act.

STEP 4

Certification (for designated representative or alternate designated representative only)

Read the certification statement; provide name, title, owner company name, phone, and e-mail address; sign, and date.

I am authorized to make this submission on behalf of the owners and operators of the CAIR source or CAIR units for which the submission is made. I certify under penalty of law that I have personally examined, and am familiar with, the statements and information submitted in this document and all its attachments. Based on my inquiry of those individuals with primary responsibility for obtaining the information, I certify that the statements and information are to the best of my knowledge and belief true, accurate, and complete. I am aware that there are significant penalties for submitting false statements and information or omitting required statements and information, including the possibility of fine or imprisonment.

Name Jay A. Butters	Title Manager of Power Production
Company Owner Name Kissimmee Utility Authority	
Phone (407)933-9583	E-mail Address jbutters@kua.com
Signature 	Date 5/27/08

Friday, Barbara

To: jbutters@kua.com
Cc: lmattern@kua.com; Forney.Kathleen@epamail.epa.gov; Oquendo.Ana@epamail.epa.gov; Zahm, Alan; Gibson, Victoria; Attalla, Yousry; Holtom, Jonathan
Subject: KUA CANE ISLAND POWER PARK; 0970043-015-AV
Attachments: 0970043015AVCAIRNoticeofFinalPermit.pdf

Dear Sir/ Madam:

Attached is the official **Notice of Final Permit** for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send". **We must receive verification that you are able to access the documents.** Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

Click on the following link to access the permit project documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0970043.015.AV.F_pdf.zip

Attention: Yousry Attalla

Owner/Company Name: KISSIMMEE UTILITY AUTHORITY
Facility Name: KUA CANE ISLAND POWER PARK
Project Number: 0970043-015-AV
Permit Status: FINAL
Permit Activity: PERMIT REVISION
Facility County: OSCEOLA

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp> .

Permit project documents are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Barbara Friday

Bureau of Air Regulation

Division of Air Resource Management (DARM)

Friday, Barbara

From: Exchange Administrator
Sent: Wednesday, March 04, 2009 9:07 AM
To: Friday, Barbara
Subject: Delivery Status Notification (Relay)
Attachments: ATT427395.txt; KUA CANE ISLAND POWER PARK; 0970043-015-AV

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

jbutters@kua.com
lmattern@kua.com

Friday, Barbara

From: Jay Butters [JBUTTERS@kua.com]
Sent: Wednesday, March 04, 2009 10:00 AM
To: Friday, Barbara
Cc: Larry Mattern; amy.deese@fmpa.com
Subject: RE: KUA CANE ISLAND POWER PARK; 0970043-015-AV

Received and able to access the documents.

Thanks,

Jay Butters

Manager of Power Production

Kissimmee Utility Authority

1701 West Carroll Street

Kissimmee, FL 34742

Office (407) 933-9853

Cell (407) 973-0739

Fax (407) 846-6485

jbutters@kua.com

From: Friday, Barbara [mailto:Barbara.Friday@dep.state.fl.us]
Sent: Wednesday, March 04, 2009 9:06 AM
To: Jay Butters
Cc: Larry Mattern; Forney.Kathleen@epamail.epa.gov; Oquendo.Ana@epamail.epa.gov; Zahm, Alan; Gibson, Victoria; Attalla, Yousry; Holtom, Jonathan
Subject: KUA CANE ISLAND POWER PARK; 0970043-015-AV

Dear Sir/ Madam:

Attached is the official **Notice of Final Permit** for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send". **We must receive verification that you are able to access the documents.** Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

Click on the following link to access the permit project documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0970043.015.AV.F_pdf.zip

Attention: Yousry Attalla

Owner/Company Name: KISSIMMEE UTILITY AUTHORITY

Facility Name: KUA CANE ISLAND POWER PARK

Project Number: 0970043-015-AV

Permit Status: FINAL

Permit Activity: PERMIT REVISION

Facility County: OSCEOLA

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other

project documents using the “*Air Permit Documents Search*” website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp> .

Permit project documents are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Barbara Friday

Bureau of Air Regulation

Division of Air Resource Management (DARM)

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.

Friday, Barbara

From: Larry Mattern [LMATTERN@kua.com]
To: undisclosed-recipients
Sent: Wednesday, March 04, 2009 9:08 AM
Subject: Read: KUA CANE ISLAND POWER PARK; 0970043-015-AV

Your message

To: LMATTERN@kua.com
Subject:

was read on 3/4/2009 9:08 AM.

Friday, Barbara

From: Mail Delivery System [MAILER-DAEMON@mseive01.rtp.epa.gov]
Sent: Wednesday, March 04, 2009 9:07 AM
To: Friday, Barbara
Subject: Successful Mail Delivery Report
Attachments: Delivery report; Message Headers

This is the mail system at host mseive01.rtp.epa.gov.

Your message was successfully delivered to the destination(s) listed below. If the message was delivered to mailbox you will receive no further notifications. Otherwise you may still receive notifications of mail delivery errors from other systems.

The mail system

<Forney.Kathleen@epamail.epa.gov>: delivery via 127.0.0.1[127.0.0.1]:10025: 250 OK, sent 49AE8AE6_27626_5171_1 910A644396

<Oquendo.Ana@epamail.epa.gov>: delivery via 127.0.0.1[127.0.0.1]:10025: 250 OK, sent 49AE8AE6_27626_5171_1 910A644396

Friday, Barbara

From: System Administrator
To: Attalla, Yousry; Gibson, Victoria; Zahm, Alan
Sent: Wednesday, March 04, 2009 9:07 AM
Subject: Delivered:KUA CANE ISLAND POWER PARK; 0970043-015-AV

Your message

To: jbutters@kua.com
Cc: lmattern@kua.com; Forney.Kathleen@epamail.epa.gov; Oquendo.Ana@epamail.epa.gov;
Zahm, Alan; Gibson, Victoria; Attalla, Yousry; Holtom, Jonathan
Subject: KUA CANE ISLAND POWER PARK; 0970043-015-AV
Sent: 3/4/2009 9:06 AM

was delivered to the following recipient(s):

Attalla, Yousry on 3/4/2009 9:07 AM
Gibson, Victoria on 3/4/2009 9:07 AM
Zahm, Alan on 3/4/2009 9:07 AM

Friday, Barbara

From: Attalla, Yousry
To: Friday, Barbara
Sent: Wednesday, March 04, 2009 9:23 AM
Subject: Read: KUA CANE ISLAND POWER PARK; 0970043-015-AV

Your message

To: jbutters@kua.com
Cc: lmattern@kua.com; Forney.Kathleen@epamail.epa.gov; Oquendo.Ana@epamail.epa.gov;
Zahm, Alan; Gibson, Victoria; Attalla, Yousry; Holtom, Jonathan
Subject: KUA CANE ISLAND POWER PARK; 0970043-015-AV
Sent: 3/4/2009 9:06 AM

was read on 3/4/2009 9:23 AM.

Friday, Barbara

From: Gibson, Victoria
To: Friday, Barbara
Sent: Wednesday, March 04, 2009 10:00 AM
Subject: Read: KUA CANE ISLAND POWER PARK; 0970043-015-AV

Your message

To: jbutters@kua.com
Cc: lmattern@kua.com; Forney.Kathleen@epamail.epa.gov; Oquendo.Ana@epamail.epa.gov;
Zahm, Alan; Gibson, Victoria; Attalla, Yousry; Holtom, Jonathan
Subject: KUA CANE ISLAND POWER PARK; 0970043-015-AV
Sent: 3/4/2009 9:06 AM

was read on 3/4/2009 10:00 AM.

Friday, Barbara

From: System Administrator
To: Holtom, Jonathan
Sent: Wednesday, March 04, 2009 9:06 AM
Subject: Delivered:KUA CANE ISLAND POWER PARK; 0970043-015-AV

Your message

To: jbutters@kua.com
Cc: lmattern@kua.com; Forney.Kathleen@epamail.epa.gov; Oquendo.Ana@epamail.epa.gov;
Zahm, Alan; Gibson, Victoria; Attalla, Yousry; Holtom, Jonathan
Subject: KUA CANE ISLAND POWER PARK; 0970043-015-AV
Sent: 3/4/2009 9:06 AM

was delivered to the following recipient(s):

Holtom, Jonathan on 3/4/2009 9:06 AM

Friday, Barbara

From: Holtom, Jonathan
To: Friday, Barbara
Sent: Wednesday, March 04, 2009 9:16 AM
Subject: Read: KUA CANE ISLAND POWER PARK; 0970043-015-AV

Your message

To: ibutters@kua.com
Cc: lmattern@kua.com; Forney.Kathleen@epamail.epa.gov; Oquendo.Ana@epamail.epa.gov;
Zahm, Alan; Gibson, Victoria; Attalla, Yousry; Holtom, Jonathan
Subject: KUA CANE ISLAND POWER PARK; 0970043-015-AV
Sent: 3/4/2009 9:06 AM

was read on 3/4/2009 9:16 AM.