

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOTICE OF FINAL PERMIT AMENDMENT

In the Matter of an
Application for Permit Amendment


Mr. Dennis Space, General Manager
Okeelanta Power Limited Partnership
Post Office Box 8
South Bay, Florida 3347693

DEP File No. 0990332-004-AC
PSD-FL-196D

Enclosed is a letter that amends Permit Number PSD-FL-196C. This letter amends the construction permit for Okeelanta Power's cogeneration facility to specify another procedure to show compliance with the sulfuric acid mist emission standard.

Any party to this order (permit) has the right to seek judicial review of the permit pursuant to Section 120.68, F.S., by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Legal Office; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 (thirty) days from the date this Notice is filed with the Clerk of the Department.

Executed in Tallahassee, Florida.


for C.H. Fancy, P.E., Chief
Bureau of Air Regulation

CERTIFICATE OF SERVICE


The undersigned duly designated deputy agency clerk hereby certifies that this NOTICE OF FINAL PERMIT AMENDMENT (including the FINAL permit amendment) was sent by certified mail (*) and copies were mailed by U.S. Mail before the close of business on 4/15/97 to the person(s) listed:


Mr. Dennis Space, Okeelanta Power L.P.*
David Knowles, SC
Isidore Goldman, SED
James Stormer, PBCPHU

Brian Beals, EPA
John Bunyak, NPS
David Buff, Golder Associates
David Dee, Landers & Parsons

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to §120.52(7), Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.


(Clerk) 4/15/97
(Date)



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

April 16, 1997

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Dennis V. Space, General Manager
Okeelanta Power Limited Partnership
Post Office Box: 8
South Bay, Florida 33493

Re: FINAL Permit Modification No. 0990332-004-AC
PSD-FL-106D

Dear Mr. Space:

The Department has reviewed Osceola Power's December 5, 1996 and March 25, 1997 letters requesting that the sulfuric acid mist emission standard and EPA Method 8 testing requirement be removed from the construction permit for your new cogeneration boilers located near South Bay in Palm Beach County.

In response to this request, the Department is retaining the sulfuric acid mist emission standard and adopting the modified Method 8 test procedure as described in the memorandum of December 19, 1995 from Jim Wright of Clean Air Engineering to Michelle Griffin. The permit is hereby amended as follows:

Specific Condition No. 21.b.

From:

<u>EPA Method *</u>	<u>For Determination of</u>
8	Sulfuric Acid Mist

To:

<u>EPA Method *</u>	<u>For Determination of</u>
8 (modified) **	Sulfuric Acid Mist

** As described in Clean Air Engineering memo dated December 19, 1995, Wright to Griffin

Mr. Dennis Space
April 16, 1997
Page 2

A copy of this letter shall be filed with the referenced permit and shall become part of the permit.

Sincerely,

A handwritten signature in cursive script that reads "Howard L. Rhodes". The signature is written in black ink and is positioned above the typed name.

Howard L. Rhodes, Director
Division of Air Resources
Management

HLR/wb/t

your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1. Addressee's Address
- 2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:
 MR. DENNIS SPACE
 Okeelanta Power, L.A.
 Post Office Box 8
 South Bay, FL 33476

4a. Article Number
 P265 659 195

4b. Service Type
 Registered Certified
 Express Mail Insured
 Return Receipt for Merchandise COD

7. Date of Delivery
 7-23-97

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)

Thank you for using Return Receipt Service.

Domestic Return Receipt

P. 265 659 195

US Postal Service
Receipt for Certified Mail

No Insurance Coverage Provided.
 Do not use for International Mail (See reverse)

Sent to	MR. DENNIS SPACE
Street & Number	P.O. Box 8
Post Office, State, & ZIP Code	South Bay, FL 33476
Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	7-23-97
	Okeelanta 196D.

PS Form 3800, April 1995

Florida Department of
Environmental Protection

Memorandum

CLAIR

TO: Howard L. Rhodes
THRU: for Clair Fancy JKP
Al Linero
FROM: Willard Hanks *wh*
DATE: April 16, 1997
SUBJECT: Osceola and Okeelanta Power LP
Sulfuric Acid Mist Emissions

Attached for approval and signature are letters that will amend the construction permits for Osceola and Okeelanta Power's cogeneration plants located near Pahokee and South Bay in Palm Beach County. The amendment authorizes sulfuric acid mist emissions to be determined by a modified EPA Method 8 test. Interference from ammonia in the gas stream prevents the use of the standard EPA Method 8 specified in the permit to measure sulfuric acid mist emissions. The facilities checked with the Emission Monitoring Section who indicated that permit revisions rather than the alternate standard or procedure process as provided for in Rule 62-297, F.A.C., was the proper way to handle these requests.

I recommend your approval and signature of the amendments to allow a different method to determine sulfuric acid mist emissions.

CHF/wh

Attachment

RECEIVED

APR 18 1997

BUREAU OF
AIR REGULATION



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

April 16, 1997

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Dennis V. Space, General Manager
Okeelanta Power Limited Partnership
Post Office Box 8
South Bay, Florida 33493

Re: FINAL Permit Modification No. 0990332-004-AC
PSD-FL-196D

Dear Mr. Space:

The Department has reviewed Okeelanta Power's December 5, 1996 and March 25, 1997 letters requesting that the sulfuric acid mist emission standard and EPA Method 8 testing requirement be removed from the construction permit for your new cogeneration boilers located near South Bay in Palm Beach County.

In response to this request, the Department is retaining the sulfuric acid mist emission standard and adopting the modified Method 8 test procedure as described in the memorandum of December 19, 1995 from Jim Wright of Clean Air Engineering to Michelle Griffin. The permit is hereby amended as follows:

Specific Condition No. 20.b.

From:

<u>EPA Method *</u>	<u>For Determination of</u>
8	Sulfuric Acid Mist

To:

<u>EPA Method *</u>	<u>For Determination of</u>
8 (modified) **	Sulfuric Acid Mist

** As described in Clean Air Engineering memo dated December 19, 1995, Wright to Griffin

Fold at line over top of envelope to

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1. Addressee's Address
- 2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:
 Dennis Space, Gen. Mgr.
 Okelanda Power, LP
 P O Box 8
 South Bay, FL 33493

4a. Article Number
 P265 659 205

4b. Service Type
 Registered Certified
 Express Mail Insured
 Return Receipt for Merchandise COD

7. Date of Delivery
 5-13-97

5. Received By: (Print Name)
 P. Bourc

8. Addressee's Address (Only if requested and fee is paid)

6. Signature (Addressee or Agent)
 P. Bourc

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.

P 265 659 205

US Postal Service
Receipt for Certified Mail
 No Insurance Coverage Provided.
 Do not use for International Mail (See reverse)

Sent to Dennis Space	
Street & Number Okelanda Power	
Post Office, State, & Zip Code South Bay, FL	
Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date 0990332-004-AC 5-13-97 PSD-FL-1962	

PS Form 3800, April 1995