

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

7001 0320 0001 3692 4057

OFFICIAL USE

Postage \$	Postmark Here
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
PS <small>© January 2004</small>	See Reverse for Instructions

T
 Se Ms. Farzie Shelton, Manager
 Environmental Affairs
 City of Lakeland Department of Electric
 Utilities
 501 East Lemon Street
 Lakeland, Florida 33801-5050

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. <p>1. Article Addressed to:</p> <p>Ms. Farzie Shelton, Manager Environmental Affairs City of Lakeland Department of Electric Utilities 501 East Lemon Street Lakeland, Florida 33801-5050</p>	<p>A. Signature <input type="checkbox"/> Agent <input checked="" type="checkbox"/> <i>Farzie Shelton</i> <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) _____ C. Date of Delivery <u>11/23/05</u></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>2. Article Number (Transfer from service label) <u>7001 0320 0001 3692 4057</u></p>	<p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>

UNITED STATES POSTAL SERVICE



440022

First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd , MS 5505
Tallahassee, FL 32399-2400

RECEIVED
NOV 29 2005

BUREAU OF AIR REGULATION



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

November 17, 2005

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Ms. Farzie Shelton, Manager Environmental Affairs
City of Lakeland Department of Electric Utilities
501 East Lemon Street
Lakeland, Florida 33801-5050

Re: C.D. McIntosh, Jr. Power Plant – Pulverizer Enhancements

The Department has reviewed your letter dated November 14, 2005 providing notice of tests planned after pulverizer component changes to one of the four pulverizers at McIntosh Unit 3. Your submittal indicates that you expect no increases in coal throughput and that resulting changes to boiler emissions would be slight decreases. Testing will be performed on Number 31 Mill to include air flow, coal flow, air/fuel ratios, velocities and profiles as well as fuel distribution and fineness. Mill capacity would then be calculated and corrected for fines, Hardgrove Grinding Index and moisture content. Test methods would follow procedures by the American Society of Mechanical Engineers and the American Society of Testing and Materials.

The Department is agreeable to the City's approach, but cautions that making such enhancements are not permitted pending the Department's review of the test data. Furthermore, should the City elect to pursue similar enhancements, the Department will require that a permit be issued. The type of permit and magnitude of FDEP's preconstruction review will depend upon the test data and adequacy of the City's submittals to provide the Department with the reasonable assurance it needs to issue an appropriate permit.

Should you have questions on this matter, or wish to discuss it further, please contact me at the above address, or Michael Halpin at 850/921-9519.

Trina Vielhauer, Bureau Chief
Division of Air Resource Management

/mph

cc: Ken Kosky, Golder
Joel Smolen, DEP-SWD

"More Protection, Less Process"

Printed on recycled paper.