

602 McKean Street  
Auburndale, FL 33823-4070  
Tel. 863-965-5000



**CUTRALE.**  
CITRUS JUICES USA, INC.

May 14, 2002

**Ms. Cindy Phillips, P.E.**  
FDEP BUREAU OF AIR REGULATION  
MS5505  
2600 Blair Stone Road  
Tallahassee, Fl. 32399-2400

**RECEIVED**

MAY 16 2002

BUREAU OF AIR REGULATION

**Mr. Doug Neeley**  
AIR, PESTICIDES, AND TOXICS MANAGEMENT DIVISION  
USEPA Region IV  
61 Forsyth Street, SW  
Atlanta, GA 30303-8960

RE: Clean Air Act Section 112(j) Notification Information  
Cutrale Citrus Juices USA, Inc. -Auburndale  
Title V Permit No. 1050023-002-AV

**Dear Ms. Phillips:**

The purpose of this letter is to provide information relative to Section 112(j) of the Clean Air Act as amended in 1990 which pertains to the development of Maximum Achievable Control Technology (MACT) standards. Section 112(j) requires that owners of a major source of hazardous air pollutants (HAPs) in an affected industry source category submit the information listed below to the permitting authority (i.e. the State of Florida) with a copy submitted to the United States Environmental Protection Agency (USEPA).

Cutrale Citrus Juices USA is submitting this Part 1 notification information without necessarily having determined that certain units, such as, but not limited to, the process heaters which serve its peel drying system or other process heater units at the facility, are subject to the Process Heaters or other MACT category. Cutrale Citrus Juices USA is submitting information about these units as a precaution and reserves the right to contest that these units are subject to a MACT category. See, "NESHAPS for Source Categories: General Provisions; and Requirements for Control Technology Determinations for Major Sources in Accordance with Clean Air Act Sections 112(g) and 112(j)," 67 Fed. Reg. 16,582, 16,591 (April 5, 2002) (Final Rule) (stating that "If the section 112(j) deadline arrives before you can determine ... applicability, you should submit a Part 1 [notification] ....").

The Code of Federal Regulations, at 40 C.F.R. §63.53(a), directs that the following information is to be submitted in a Part 1 notification to the permitting authority:



Page 2

1. The name, address (physical location), and brief description of the major source (facility);
2. An identification of the relevant industry source category(ies);
3. A list of the emission units belonging to the relevant industry source category(ies); and
4. An identification of any affected sources for which a Section 112(g) MACT determination has been made.

Subject to the conditions outlined herein, Cutrale Citrus Juices USA, Inc. hereby provides the following facility-specific information for each of these items:

1. **Name:** Cutrale Citrus Juices USA, Inc.  
**Address:** 602 McKean Street, Auburndale, Florida  
**Source Description:**  
The existing industrial complex includes citrus processing and juice extracting, packaging, warehousing, and distribution. Fruit is graded and carried to an extractor room where the juice is removed and pumped to either carton filling, cold storage, aseptic storage or to evaporators for concentrate production.  
  
The plant contains 2 citrus peel feed Dryers, 3 citrus pellet mills (including associated 3 pellet, bulk cooling reels, and one vertical cooler), a cogeneration facility (with 2 combustion turbines and 2 duct burners), and an extended aeration biological wastewater treatment system.
2. **Relevant Industry Source Categories:** Depending on the final form of the applicability portion of the MACT standard, the following industry source categories may be applicable to sources at the facility:  
Combustion Turbines; Industrial, Commercial, and Industrial Boilers and Indirect-fired Process Heaters; Organic Liquids Distribution (non-gasoline); Paint Stripping Operations, Plastic Parts (surface coating); and Reciprocating Internal Combustion Engines.
3. **List of the Emission Units Belonging to the Relevant Industry Source Categories:** This list is dependent on the final form of the applicability portion on the specific MACT standard:



**Page 3**

<b>Facility Emission Source</b>	<b>Potentially Relevant Industry Source Category</b>
Cogeneration Facility	Combustion Turbines
Duct Burner System	Industrial, Commercial, and Industrial Boilers and Indirect-fired Process Heaters
Truck Engine Operations	Reciprocating Internal Combustion Engines
Diesel emergency generators	Reciprocating Internal Combustion Engines
Citrus Oils Handling and Storage	Organic Liquids Distribution (non-Gasoline)
Plastic Parts (Surface Coating)	Bottling

**4. Previous Section 112(g) MACT Determinations: None.**


If you have any questions concerning the information provided, please contact Ed Priest at (352) 728-7887.

Sincerely,  
Cutrale Citrus Juices USA, Inc.

Aaron P. Corkum  
Auburndale Plant Manager

Cc: Ken Given, P.E.- Air Testing & Consulting

602 McKean Street  
Auburndale, FL 33823-4070  
Tel. 863-965-5000



**CUTRALE.**  
CITRUS JUICES USA, INC.

May 14, 2002

**Ms. Cindy Phillips, P.E.**  
FDEP BUREAU OF AIR REGULATION  
MS5505  
2600 Blair Stone Road  
Tallahassee, Fl. 32399-2400

**RECEIVED**

**MAY 16 2002**

**BUREAU OF AIR REGULATION**

**Mr. Doug Neeley**  
AIR, PESTICIDES, AND TOXICS MANAGEMENT DIVISION  
USEPA Region IV  
61 Forsyth Street, SW  
Atlanta, GA 30303-8960

RE: Clean Air Act Section 112(j) Notification Information  
Cutrale Citrus Juices USA, Inc. -Auburndale  
Title V Permit No. 1050023-002-AV

**Dear Ms. Phillips:**

The purpose of this letter is to provide information relative to Section 112(j) of the Clean Air Act as amended in 1990 which pertains to the development of Maximum Achievable Control Technology (MACT) standards. Section 112(j) requires that owners of a major source of hazardous air pollutants (HAPs) in an affected industry source category submit the information listed below to the permitting authority (i.e. the State of Florida) with a copy submitted to the United States Environmental Protection Agency (USEPA).

Cutrale Citrus Juices USA is submitting this Part 1 notification information without necessarily having determined that certain units, such as, but not limited to, the process heaters which serve its peel drying system or other process heater units at the facility, are subject to the Process Heaters or other MACT category. Cutrale Citrus Juices USA is submitting information about these units as a precaution and reserves the right to contest that these units are subject to a MACT category. See, "NESHAPS for Source Categories: General Provisions; and Requirements for Control Technology Determinations for Major Sources in Accordance with Clean Air Act Sections 112(g) and 112(j)," 67 Fed. Reg. 16,582, 16,591 (April 5, 2002) (Final Rule) (stating that "If the section 112(j) deadline arrives before you can determine ... applicability, you should submit a Part 1 [notification] ....").

The Code of Federal Regulations, at 40 C.F.R. §63.53(a), directs that the following information is to be submitted in a Part 1 notification to the permitting authority:



Page 2

1. The name, address (physical location), and brief description of the major source (facility);
2. An identification of the relevant industry source category(ies);
3. A list of the emission units belonging to the relevant industry source category(ies); and
4. An identification of any affected sources for which a Section 112(g) MACT determination has been made.

Subject to the conditions outlined herein, Cutrale Citrus Juices USA, Inc. hereby provides the following facility-specific information for each of these items:

1. **Name:** Cutrale Citrus Juices USA, Inc.

**Address:** 602 McKean Street, Auburndale, Florida

**Source Description:**

The existing industrial complex includes citrus processing and juice extracting, packaging, warehousing, and distribution. Fruit is graded and carried to an extractor room where the juice is removed and pumped to either carton filling, cold storage, aseptic storage or to evaporators for concentrate production.

The plant contains 2 citrus peel feed Dryers, 3 citrus pellet mills (including associated 3 pellet, bulk cooling reels, and one vertical cooler), a cogeneration facility (with 2 combustion turbines and 2 duct burners), and an extended aeration biological wastewater treatment system.

2. **Relevant Industry Source Categories:** Depending on the final form of the applicability portion of the MACT standard, the following industry source categories may be applicable to sources at the facility:

Combustion Turbines; Industrial, Commercial, and Industrial Boilers and Indirect-fired Process Heaters; Organic Liquids Distribution (non-gasoline); Paint Stripping Operations, Plastic Parts (surface coating); and Reciprocating Internal Combustion Engines.

3. **List of the Emission Units Belonging to the Relevant Industry Source Categories:** This list is dependent on the final form of the applicability portion on the specific MACT standard:



**Page 3**

<b>Facility Emission Source</b>	<b>Potentially Relevant Industry Source Category</b>
Cogeneration Facility	Combustion Turbines
Duct Burner System	Industrial, Commercial, and Industrial Boilers and Indirect-fired Process Heaters
Truck Engine Operations	Reciprocating Internal Combustion Engines
Diesel emergency generators	Reciprocating Internal Combustion Engines
Citrus Oils Handling and Storage	Organic Liquids Distribution (non-Gasoline)
Plastic Parts (Surface Coating)	Bottling

**4. Previous Section 112(g) MACT Determinations: None.**

If you have any questions concerning the information provided, please contact Ed Priest at (352) 728-7887.

Sincerely,  
Cutrale Citrus Juices USA, Inc.

Aaron P. Corkum  
Auburndale Plant Manager


Cc: Ken Given, P.E.- Air Testing & Consulting




**CITRALE.**  
 CITRUS JUICES U.S.A., INC.  
 602 McKean Street  
 Auburndale, FL 33823

RETURN RECEIPT  
 REQUESTED

**CERTIFIED MAIL**



7001 1940 0001 9467 3466



**Ms. Cindy Phillips, P.E.**  
 FDEP BUREAU OF AIR REGULATION  
 MS5505  
 2600 Blair Stone Road  
 Tallahassee, Fl. 32399-2400

CERTIFIED MAIL WITH RETURN RECEIPT

32399-2400

