

# Florida Department of Environmental Protection

Rick Scott Governor

Jennifer Carroll Lt. Governor

Herschel T. Vinyard Jr. Secretary

Bob Martinez Center 2600 Blair Stone Road Tallahassee. Florida 32399-2400

#### **ADMINISTRATIVE CORRECTION**

In the Matter of an Administrative Correction:

Mr. Holland Thompson, Environmental Superintendant Mosaic Fertilizer, LLC 13830 Circa Crossing Drive Lithia, Florida 33547 Air Permit No. 1050046-032-AC Administrative Correction to: Original Air Permit No. 1050046-029-AC Mosaic Fertilizer, LLC, Bartow Facility No. 3 Phosphate Fertilizer Plant Polk County, Florida

**Project**: Enclosed is an administrative correction to Permit No. 1050046-029-AC (PSD-FL-255A) issued on May 25, 2011 for the revised emissions limit at the No. 3 Phosphate Fertilizer Plant. The existing plant is located in Polk County at 3200 Highway 60 West in Bartow, Florida. This action corrects a content error in the Facility Description in Section 1 as attached.

Final Action: This administrative correction is issued pursuant to Rule 62-210.360, Florida Administrative Code (F.A.C.) and Chapter 403, Florida Statutes (F.S.). This corrective action does not alter the effective dates of the existing permit. The Department of Environmental Protection (Department) will consider the above noted action final unless a timely petition for an administrative hearing is filed pursuant to Sections 120.569 and 120.57, F.S. Mediation under Section 120.573, F.S. is not available for this proposed action.

Petitions: A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative hearing in accordance with Sections 120.569 and 120.57, F.S. The petition must contain the information set forth below and must be filed with (received by) the Department's Agency Clerk in the Office of General Counsel of the Department of Environmental Protection, 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida 32399-3000. Petitions filed by the applicant or any of the parties listed below must be filed within 14 days of receipt of this permitting action. Petitions filed by any other person must be filed within 14 days of receipt of this permitting action. A petitioner shall mail a copy of the petition to the applicant at the address indicated above, at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under Sections 120.569 and 120.57, F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention (in a proceeding initiated by another party) will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205, F.A.C.

A petition that disputes the material facts on which the Permitting Authority's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address, and telephone number of the petitioner; the name, address and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) A statement of when and how each petitioner received notice of the agency action or proposed decision; (d) A statement of all disputed issues of material fact. If there are none, the petition must so state; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes

#### ADMINISTRATIVE CORRECTION

the petitioner contends require reversal or modification of the agency's proposed action including an explanation of how the alleged facts relate to the specific rules or statutes; and, (g) A statement of the relief sought by the petitioner, stating precisely the action the petitioner wishes the agency to take with respect to the agency's proposed action. A petition that does not dispute the material facts upon which the Permitting Authority's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301, F.A.C.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the permitting authority's final action may be different from the position taken by it in this permitting action. Persons whose substantial interests will be affected by any such final decision of the permitting authority on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

Appeal: Any party to this order has the right to seek judicial review of it under Section 120.68 of the Florida Statutes by filing a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure with the clerk of the Department of Environmental Protection in the Office of General Counsel (Mail Station #35, 3900 Commonwealth Boulevard, Tallahassee, Florida, 32399-3000) and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The notice must be filed within 30 days after this order is filed with the clerk of the Department.

Executed in Tallahassee, Florida.

leffery F. Koerner, Program Administrator

Office of Permitting and Compliance Division of Air Resource Management

#### **CERTIFICATE OF SERVICE**

The undersigned duly designated deputy agency clerk hereby certifies that either this Administrative Correction, or a link to this document made available electronically on a publicly accessible server, was sent by electronic mail with received receipt requested before the close of business on 8-18-11 to the persons listed below.

Mr. Holland Thompson, Mosaic Fertilizer, LLC (holland.thompson@mosaicco.com)

Mr. David G. Buff, P.E., Golder Associates, Inc. (dbuff@golder.com)

Ms. Cindy Zang-Torres, DEP Southwest District Office (cindy.zhang-torres@dep.state.fl.us)

Ms. Kathleen Forney, EPA Region 4 (forney.kathleen@epa.gov)

Ms. Heather Abrams, EPA Region 4 (abrams.heather@epa.gov)

Ms. Lynn Scearce, DEP OPC Reading File (<a href="mailto:lynn.scearce@dep.state.fl.us">lynn.scearce@dep.state.fl.us</a>)

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to §120.52(7), Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

(Clerk)

(Date)

#### ADMINISTRATIVE CORRECTION

As shown below, this permitting action corrects Table 1A (Revised) in Condition 1. Additions are denoted with <u>double-underline</u> and deletions are denoted with <u>strikethrough</u>.

#### **FACILITY DESCRIPTION**

The existing No. 3 Phosphate Fertilizer Plant with a design capacity of 3000 tons per day processes <u>produces</u> ammonium phosphate products: monoammonium phosphate (MAP) and diammonium phosphate (DAP). The dryer has a design heat input rate of 40 MMBtu per hour and is fired by natural gas or fuel oil with a maximum sulfur content of 1.5 percent. Process gas streams have the following dedicated control equipment:

- Reactor has venturi scrubbers and a cyclonic scrubber.
- Dryer is controlled by a venturi scrubber and a eyelone cyclonic scrubber.
- Granulator is controlled by a venturi scrubber and a cyclonic scrubber.
- Cooler has venturi scrubbers and a cyclonic scrubber.

The reactor dryer process has a dedicated packed bed tail gas scrubber while the dryer reactor, granulator, and cooler processes share a packed bed tail gas scrubber. Following treatment by the packed bed tail gas scrubbers, the gas streams are emitted to the atmosphere through a common stack.

POINT		AIRS ID	STATUS A				SW: TAMPA			
	1 atis	NAME MOSAIC	FERTILIZER - BARTO	W FACILITY		1000	VTY POLI	(		
OWNER	COM	PANY MOSAIC	FERTILIZER, LLC							
AIR Permit # Permit Office Project Name Type/Sub/Des					Project # 032		CRA Reference #			
		TAL (HEADQUARTERS)				Agency Action Pending OGC				
		MOSAIC FERTILIZER Desc Admin. correction to 1050046-029-AC (revise emission limit)								
		AC /20   Administrative Permit Corre			ion			Lo	gged 08/04/2011	Ī
Rece	ived	08/04/2011	Issued	Exp	oires [		Applicat	ion Action	MODIFICATION	
	Fee	0.00	Fee Reco	1	) ၊	Dele		Override	CORRECTION	
					Party		·			
Role	APPLICANT			Beç	Begin 08/04/2011			End		
Name	LARSON, ROB Company MOSAIC FERTILIZER, LLC							LLC		
Address	ess 13830 CIRCA CROSSING DRIVE  LITHIA State FL Zip 33547 Country									
City									Country	$\overline{\Box}$
Phone	863-5	34-9615	Fax 863-534	9684	Grand.					

1050046 - 032-AC

-make file

# Memorandum

# Florida Department of Environmental Protection

TO:

Jeff Koerner, Office of Permitting and Computance

THROUGH:

Greg DeAngelo, Office of Permitting and Compliance

FROM:

Marilyn Koletzke, Office of Permitting and Compliance

DATE:

August 18, 2011

SUBJECT:

Administrative Correction

Project No. 1050046-032-AC

Mosaic Fertilizer, LLC, Bartow Facility, No. 3 Phosphate Fertilizer Plant Correction of Original Permit No. 1050046-029-AC (PSD-FL-255A)

Attached for your review is an administrative correction to original Permit No. 1050046-029-AC (PSD-FL-255A) for the Mosaic Fertilizer, LLC, Bartow Facility. This permitting action corrects an error in the process control description to the original permit. I recommend your approval of the attached draft permit package.

Attachments

JFK/gpd/mk

# Scearce, Lynn

From:

Scearce, Lynn

Sent:

Thursday, August 18, 2011 4:12 PM

To:

'holland.thompson@mosaicco.com'

Cc:

'dbuff@golder.com'; 'Zhang-Torres'; 'forney.kathleen@epa.gov'; 'abrams.heather@epa.gov'; Koletzke, Marilyn; DeAngelo, Gregory; 'lynn.scearce@dep.state.fl.us'; Friday, Barbara

Subject:

Mosaic Fertilizer, LLC, Bartow Facility, No. 3 Phosphate Fertilizer Plant, 1050046-032-AC,

Administrative Correction

Attachments:

1050046-032-AC, Administrative Correction, signature page 8-18-11 pdf

Tracking:

Recipient

Delivery

of read

'holland.thompson@mosaicco.com'

'dbuff@golder.com' **Zhang Torres** 

'forney kathleen@epa.gov' 'abrams.heather@epa.gov'

Koletzke, Marilyn

DeAngelo, Gregory 'lynn.scearce@dep.state.fl.us'

Friday, Barbara

Zhang-Torres

Delivered: 8/18/2011 4:12 PM

Read: 8/18/2011 4:44 PM

Read: 8/18/2011 4:47 PM

Read: 8/19/2011 8:04 AM

# Dear Mr. Thompson:

Attached is the official Notice of an Administrative Correction for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send".

Note: We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent email transmissions to verify accessibility of the document(s).

Owner/Company Name: MOSAIC FERTILIZER, LLC

Facility Name: MOSAIC FERTILIZER - BARTOW FACILITY

Project Number: 1050046-032-AC

Permit Status: ADMIN

Permit Activity: ADMIN CORRECTION

Facility County: POLK

Click on the following link to access the permit project documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf permit zip files/1050046.032.AC.A pdf.zip

The Office of Permitting and Compliance is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "Air Permit Documents Search" website at http://www.dep.state.fl.us/air/emission/apds/default.asp.

Permit project documents addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Office of Permitting and Compliance.

Note: The attached document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site: <a href="http://www.adobe.com/products/acrobat/readstep.html">http://www.adobe.com/products/acrobat/readstep.html</a>.

Regards,
Lynn Scearce
Office of Permitting and Compliance (OPC)
Division of Air Resources Management
850-717-9025

# Scearce, Lvnn

From:

Scearce, Lynn

Sent: To:

Thursday, August 18, 2011 4:43 PM

'holland.thompson@mosaicco.com'

Cc:

'dbuff@golder.com', 'Zhang-Torres', 'forney.kathleen@epa.gov', 'abrams.heather@epa.gov', Koletzke, Marilyn; DeAngelo, Gregory; 'lynn scearce@dep.state.fl.us'; Friday, Barbara

Subject:

RE: Mosaic Fertilizer, LLC, Bartow Facility, No. 3 Phosphate Fertilizer Plant, 1050046-032-AC.

Administrative Correction

Please review this revised Administrative Correction electronic file. Click on the following link to access the permit project documents: http://ARM-

PERMIT2K.dep.state.fl.us/adh/prod/pdf permit zip files/1050046.032.AC.A pdf.zip

Lvnn Scearce Permitting and Compliance Section Division of Air Resource Management - DEP 2600 Blairstone Road, Mail Stop 5505 Phone: 850-717-9025

From: Scearce, Lynn

Sent: Thursday, August 18, 2011 4:12 PM To: 'holland.thompson@mosaicco.com'

Cc: 'dbuff@golder.com'; 'Zhang-Torres'; 'forney.kathleen@epa.gov'; 'abrams.heather@epa.gov'; Koletzke, Marilyn;

DeAngelo, Gregory; 'lynn.scearce@dep.state.fl.us'; Friday, Barbara

Subject: Mosaic Fertilizer, LLC, Bartow Facility, No. 3 Phosphate Fertilizer Plant, 1050046-032-AC, Administrative

Correction

### Dear Mr. Thompson:

Attached is the official Notice of an Administrative Correction for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send".

Note: We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent email transmissions to verify accessibility of the document(s).

Owner/Company Name: MOSAIC FERTILIZER, LLC

Facility Name: MOSAIC FERTILIZER - BARTOW FACILITY

Project Number: 1050046-032-AC

Permit Status: ADMIN

Permit Activity: ADMIN CORRECTION

Facility County: POLK

Click on the following link to access the permit project documents: <a href="http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf">http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf</a> permit zip\_files/1050046.032.AC.A pdf.zip

The Office of Permitting and Compliance is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "Air Permit Documents Search" website at <a href="http://www.dep.state.fl.us/air/emission/apds/default.asp">http://www.dep.state.fl.us/air/emission/apds/default.asp</a>.

Permit project documents addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Office of Permitting and Compliance.

Note: The attached document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site: <a href="http://www.adobe.com/products/acrobat/readstep.html">http://www.adobe.com/products/acrobat/readstep.html</a>>.

Regards,
Lynn Scearce
Office of Permitting and Compliance (OPC)
Division of Air Resources Management
850-717-9025

# Scearce, Lynn

From:

Buff, Dave [DBuff@GOLDER.com] Thursday, August 18, 2011 4:49 PM

Sent: To:

Scearce, Lynn

Subject:

RE: Mosaic Fertilizer, LLC, Bartow Facility, No. 3 Phosphate Fertilizer Plant, 1050046-032-AC,

Administrative Correction

Thanks Lynn, got it!

David A. Buff, P.E., Q.E.P. | Principal Engineer | Golder Associates Inc.

6026 NW 1st Place, Gainesville, Florida, USA 32607

Tel: +1 (352) 336-5600 ext. 21145 Fax: +1 (352) 336-6603 | Cell: +1 352 514-5600 |

E: dbuff@golder.com | www.golder.com

#### Work Safe, Home Safe

This email transmission is confidential and may contain proprietary information for the exclusive use of the intended recipient. Any use, distribution or copying of this transmission, other than by the intended recipient, is strictly prohibited. If you are not the intended recipient, please notify the sender and delete all copies. Electronic media is susceptible to unauthorized modification, deterioration, and incompatibility. Accordingly, the electronic media version of any work product may not be relied upon.

Please consider the environment before printing this email.

**From:** Scearce, Lynn [mailto:Lynn.Scearce@dep.state.fl.us]

**Sent:** Thursday, August 18, 2011 4:43 PM **To:** holland.thompson@mosaicco.com

Cc: Buff, Dave; Zhang-Torres; forney.kathleen@epa.gov; abrams.heather@epa.gov; Koletzke, Marilyn; DeAngelo,

Gregory; Scearce, Lynn; Friday, Barbara

Subject: RE: Mosaic Fertilizer, LLC, Bartow Facility, No. 3 Phosphate Fertilizer Plant, 1050046-032-AC, Administrative

Correction

Please review this revised Administrative Correction electronic file. Click on the following link to access the permit project documents: <a href="http://ARM-">http://ARM-</a>

PERMIT2K.dep.state.fl.us/adh/prod/pdf permit zip files/1050046.032.AC.A pdf.zip

Lynn Scearce Permitting and Compliance Section Division of Air Resource Management – DEP 2600 Blairstone Road, Mail Stop 5505

Phone: 850-717-9025

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Herschel T. Vinyard Jr. is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on this link to the DEP Customer Survey. Thank you in advance for completing the survey.

From: Scearce, Lynn

**Sent:** Thursday, August 18, 2011 4:12 PM **To:** 'holland.thompson@mosaicco.com'

Cc: 'dbuff@golder.com'; 'Zhang-Torres'; 'forney.kathleen@epa.gov'; 'abrams.heather@epa.gov'; Koletzke, Marilyn;

DeAngelo, Gregory; 'lynn.scearce@dep.state.fl.us'; Friday, Barbara

Subject: Mosaic Fertilizer, LLC, Bartow Facility, No. 3 Phosphate Fertilizer Plant, 1050046-032-AC, Administrative

Correction

### Dear Mr. Thompson:

Attached is the official **Notice of an Administrative Correction** for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send".

Note: We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

Owner/Company Name: MOSAIC FERTILIZER, LLC

Facility Name: MOSAIC FERTILIZER - BARTOW FACILITY

Project Number: 1050046-032-AC

Permit Status: ADMIN

Permit Activity: ADMIN CORRECTION

Facility County: POLK

Click on the following link to access the permit project documents: http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf permit zip files/1050046.032.AC.A pdf.zip

The Office of Permitting and Compliance is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "Air Permit Documents Search" website at <a href="http://www.dep.state.fl.us/air/emission/apds/default.asp">http://www.dep.state.fl.us/air/emission/apds/default.asp</a>.

Permit project documents addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Office of Permitting and Compliance.

Note: The attached document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site: <a href="http://www.adobe.com/products/acrobat/readstep.html">http://www.adobe.com/products/acrobat/readstep.html</a>>.

# Scearce, Lynn

From:

Microsoft Exchange

To: Sent: holland.thompson@mosaicco.com Thursday, August 18, 2011 4:12 PM

Subject:

Relayed: Mosaic Fertilizer, LLC, Bartow Facility, No. 3 Phosphate Fertilizer Plant,

1050046-032-AC, Administrative Correction

# Delivery to these recipients or distribution lists is complete, but delivery notification was not sent by the destination:

holland.thompson@mosaicco.com

Subject: Mosaic Fertilizer, LLC, Bartow Facility, No. 3 Phosphate Fertilizer Plant, 1050046-032-AC, Administrative

Correction

Sent by Microsoft Exchange Server 2007