

AFFIDAVIT OF PUBLICATION

THE LEDGER

Lakeand, Polk County, Florida

Case No

STATE OF FLORIDA)
COUNTY OF POLK)

Before the undersigned authority personally appeared Sandra Beeler, who on oath says that she is the Inside Sales Supervisor of The Ledger, a daily newspaper published at Lakeland in Polk County, Florida; that the attached copy of advertisement, being a

Public Notice

in the matter of DEP File No. 1050051-009-AC (PSD)-FL-278)

in the

Court, was published in said newspaper in the issues of

12-21; 2000

Affiant further says that said The Ledger is a newspaper published at Lakeland, in said Polk County, Florida, and that the said newspaper has heretofore been continuously published in said Polk County, Florida, daily, and has been entered as second class matter at the post office in Lakeland, in said Polk County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that he has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.

Signed: Sandra Beeler
Sandra Beeler
Inside Sales Supervisor
Who is personally known to me.

Sworn to and subscribed before me this 26TH

day of DECEMBER A.D. 2000

Patricia Ann Rouse
Notary Public

PATRICIA ANN ROUSE



(Seal)

My Commission Expires

Attach Notice Here

PUBLIC NOTICE OF INTENT TO ISSUE AIR CONSTRUCTION PERMIT

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DEP File No. 1050051-009-AC (PSD-FL-278)
Fluoride Chemical Plant
US Agri-Chemicals Corporation
Polk County

The Department of Environmental Protection (Department) gives notice of its intent to issue an air construction permit to US Agri-Chemicals Corporation to increase the sulfuric acid and phosphoric acid production capability within the complex and to increase the processing rate of the Phosphoric Acid Tank Farm at its Ft. Meade Chemical Plant. The plant is located at 3275 State Rd. 630 West, Ft. Meade, Polk County.

A Best Available Control Technology (BACT) determination was required for sulfur dioxide (SO₂), sulfuric acid mist (SAM), nitrogen oxides (NO_x) and fluorides (F) pursuant to Rule 62-212.400, F.A.C. and 40 CFR 52.21, Prevention of Significant Deterioration (PSD). The applicant's name and address are US Agri-Chemicals Corporation, 3225 State Rd. 630 West, Ft. Meade, Florida 33841.

The physical production capability of the existing Sulfuric Acid Plants Nos. 1 and 2 will be increased to 3000 tons per day to match the previously permitted production rates. The production rate of the existing Phosphoric Acid Trains A and B will be increased from 44 to 50 tons per hour (P₂O₅) input, each. A proportional increase will result in the processing rate of the Phosphoric Acid Tank Farm. Sulfur dioxide and sulfuric acid mist emissions from the sulfuric acid plants will be controlled by the double absorption process and mist eliminators, respectively.

The BACT emission limits for SO₂ and SAM are proposed to be 3.5 and 0.17 pounds per ton of sulfuric acid respectively. SAM emissions will be controlled by the use of scrubbers using process pond water. The BACT fluoride emission limit is proposed to be 0.017 pounds per ton of P₂O₅ input. This is equal to the lowest value to date.

An air quality impact analysis for sulfur dioxide and nitrogen oxides was conducted. Emissions from the facility will not significantly contribute to or cause a violation of any state or federal ambient air quality standards. The maximum predicted NO_x impacts were insignificant so no PSD Class II increment consumption analysis was required for NO_x. The maximum predicted SO₂ PSD Class II increments in the vicinity of the project consumed by all sources in the area, including the project, will be as follows:

	Increment Consumed (ug/m ³)	Allowable Increment (ug/m ³)	Increment Consumed (Percent)
SO ₂			
3-hour	250	512	51
24-hour	63	127	69
Annual	0	20	0

The Department will issue the Final Air Construction Permit in accordance with the conditions of the Draft Air Construction Permit unless a response is received in accordance with the following procedures results in a different decision or significant change of terms or conditions. The permitting authority has determined that an Air Construction Permit is required.

The Department will accept written comments and requests for a public meeting concerning the proposed permit issuance action for a period of 30 (thirty) days from the date of publication of "PUBLIC NOTICE OF INTENT TO ISSUE AIR CONSTRUCTION PERMIT." Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Bow Stone Road, Mail Station #5606, Tallahassee, FL 32399-2400. Any written comments filed shall be made available for public inspection. If written comments received result in a significant change in the proposed agency action, the Department shall revise the proposed permit and require, if applicable, another Public Notice.

The Department will issue the permit with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to sections 120.569 and 120.571 F.S., before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below.

Mediation is not available in this proceeding.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under sections 120.569 and 120.571 of the Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 3500 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida, 32309-3000. Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of the notice of intent. Petitions filed by any persons other than those entitled to written notice under section 120.50(3) of the Florida Statutes must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under section 120.60(3), however, any person who asked the Department for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under sections 120.569 and 120.571 F.S., or to intervene in the proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of this presiding officer upon the filing of a motion in compliance with Rule 28-106.205 of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's action is based must contain the following information: (a) the name and address of each agency affected and each agency's file or identification number, if known; (b) the name, address, and telephone number of the petitioner, the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination; (c) a statement of how and when petitioner received notice of the agency action or proposed action; (d) a statement of all disputed issues of material fact; if there are none, the petition must so indicate; (e) a concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) a statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action; and (g) a statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Department's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in the notice. Persons whose substantial interests will be affected by any such decision of the Department on the application have the right to petition to become a party to the proceeding in accordance with the requirements set forth above.

A complete project file is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at:

Department of Environmental Protection Bureau of Air Regulation 111 S. Magnolia Drive, Suite 4 Tallahassee, Florida 32301 Telephone: 850/488-0114 Fax: 850/922-6979	Department of Environmental Protection Southwest District Office 3804 Coconut Palm Drive Tampa, Florida 33619 Telephone: 815-744-6100 Fax: 813/744-0458
--	--

The complete project file includes the application, technical evaluations, Draft Permit, and the information submitted by the responsible official, exclusive of confidential records under Section 403.111, F.S. Interested persons may contact the Administrator, New Resource Review Section at 111 South Magnolia Drive, Suite 4, Tallahassee, Florida 32301, or call 850/488-0114, for additional information.

869 - 12-21; 2000

BUREAU OF AIR REGULATION

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Received by (Please Print Clearly) _____ B. Date of Delivery <u>11-05-00</u>
1. Article Addressed to: Mr. Phong T. Vo, Gen. Mgr. Engineering and Technical Services U. S. Agri-Chemical Corp 3225 State Rd. 630 West Ft. Meade, FL 33841	C. Signature <u>[Signature]</u> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input type="checkbox"/> No If YES, enter delivery address below: _____
2. Article Number (Copy from service label) 7099 3400 0000 1453 0142	3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes

PS Form 3811, July 1999 Domestic Return Receipt 102595-99-M-1789

U.S. Postal Service
CERTIFIED MAIL RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

Article Sent To:
 Mr. Phong T. Vo, Gen. Mgr.


Postage	\$	US Agri-Chem.
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Postage & Fees	\$	

Postmark Here

Name (Please Print Clearly) (to be completed by mailer)
 Mr. Phong T. Vo, Gen. Mgr.
 Street, Apt. No., or PO Box No.
 3225 State Rd 630 West
 City, State, ZIP+4
 Ft. Meade, FL 33841

PS Form 3800, July 1999 See Reverse for Instructions

7099 3400 0000 1453 0142



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

March 3, 2000

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Steven J. Susick, P.E.
General Manager, E&TS
U.S. Agri-Chemicals Corp.
3225 State Road 630 West
Fort Meade, Florida 33841

Re: DEP File No. 1050051-009-AC, PSD-FL-278
Sulfuric Acid Plants No. 1 and 2

Dear Mr. Susick:

The Department has received your response to our November 3, 1999 incompleteness letter to you regarding an air construction permit for modification to the existing Sulfuric Acid Plants No. 1 and 2. The response was received on February 2, 2000. In order to expedite the application, we need the additional information listed below:

1. Rule 62-4.050(3), F.A.C. requires that all applications for a Department permit must be certified by a professional engineer registered in the State of Florida. This requirement also applies to responses to Department requests for additional information of an engineering nature. Please resubmit the response including the certification as required by Rule 62-4.050(3), F.A.C.
2. Please resubmit the appropriate pages of the application to reflect the sulfuric acid mist (SAM) emissions of 0.12 lb/ton. Also, redo the table for net emissions increase based on the new limit for SAM. The original application was based on 0.15 lb/ton.
3. Please show all the calculations for the net emissions increase for SO₂ and NO_x based on the data submitted in the response letter.
4. The actual emissions for SO₂ and SAM submitted with the response for the last five years indicate that the stack testing was probably conducted under optimum conditions. The low emissions are probably not a true indicator of the day to day emissions from the plants. Please submit an analysis of SO₂ emissions based on the CEM readings. The analysis should be done for the years 1998 and 1999, and should include monthly range of SO₂ emissions for both plants during those two years.

"More Protection, Less Process"

Printed on recycled paper.

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:
 Steven G. Susick, PE
 US Agri-Chem
 3225 State Rd-630 West
 Ft. Meade, FL
 33841-9799

4a. Article Number
 Z 031 392 001

4b. Service Type

<input type="checkbox"/> Registered	<input checked="" type="checkbox"/> Certified
<input type="checkbox"/> Express Mail	<input type="checkbox"/> Insured
<input type="checkbox"/> Return Receipt for Merchandise	<input type="checkbox"/> COD

7. Date of Delivery
 11-11-99 CR

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature (Addressee or Agent)
 X *[Signature]*

Thank you for using Return Receipt Service.

Z 031 392 001

US Postal Service
Receipt for Certified Mail
 No Insurance Coverage Provided.
 Do not use for International Mail (See reverse)

Sent to <i>Steve Susick</i>	
Street & Number <i>US Agri Chem</i>	
Post Office, State, & Zip Code <i>Ft. Meade FL</i>	
Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date <i>1050051-009-AC 11-4-99</i> <i>PSD-FI-278</i>	

PS Form 3800 April 1995



Jeb Bush
Governor

Department of Environmental Protection

Marjory Stoneman Douglas Building
3900 Commonwealth Boulevard
Tallahassee, Florida 32399-3000

David B. Struhs
Secretary

November 3, 1999

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Steven J. Susick, P.E.
General Manager, E&TS
U.S. Agri-Chemicals Corp.
3225 State Road 630 West
Fort Meade, Florida 33841-9799

Re: DEP File No. 1050051-009-AC, PSD-FL-278
Sulfuric Acid Plants No. 1 and 2

Dear Mr. Susick:

We received the referenced application on October 18, 1999. We are providing our comments based on the initial review of the application. Any additional comments from EPA and the U.S. Fish and Wildlife Service will be forwarded to you after we receive them.

We appreciate that the plants were previously permitted to increase production to 3,000 tons per day of sulfuric acid. Apparently they were not actually modified to achieve that rate. Please provide estimates of past actual annual production and maximum daily production. Please provide more specific information regarding the type of catalyst to be used and the approximate amounts to be introduced into the various converters.

We did locate the application submitted in 1984. It is helpful but obviously not up to date. Please note that the background information has changed substantially with respect to the impacts of industry on the surrounding PSD Class II areas and the nearest PSD Class I (Chassahowitzka) area. Analyses need to be performed that demonstrate that the project will not cause or contribute to violations of any ambient air quality standards or increments. The techniques by which these demonstrations are made have changed substantially. The latest approved EPA and National Park Service methodologies need to be employed.

We appreciate your plan to comply with the SO₂ emissions rates equal to the determination made for Farmland. We still require that your proposal be based on an analysis of all the methods available for reducing SO₂ emissions and that more stringent controls be excluded on the basis of cost and other impacts. Therefore we need more details regarding the technologies that were rejected and the rationale for their rejection.

"Protect, Conserve and Manage Florida's Environment and Natural Resources"


Printed on recycled paper.

Mr. Steven J. Susick
November 3, 1999
Page 2 of 2

If the value of 3.5 lb/ton of sulfuric acid was a Lowest Achievable Emission Rate (LAER), we could agree that it would not be necessary to conduct further cost analysis. However LAER would be on the order of 1-2 lb/ton so we need additional analysis. We also need a similar analysis for sulfuric acid mist (SAM) emissions. Please send a table containing results of annual SO₂ and SAM tests conducted during the past five years.

We will be happy to meet and discuss the details with you and your staff. Mr. Syed Arif, P.E. will be responsible for the technical review of the application. He may be contacted at 850/921-9528. You may discuss the modeling requirements with Mr. Cleve Holladay at 850/921-8689.


Sincerely,

A handwritten signature in cursive script, appearing to read "A. A. Linero", followed by the date "11/3".

A. A. Linero, P.E., Administrator
Bureau of Air Regulation

AAL/sa

Cc: Bill Thomas, DEP SWD
Gregg Worley, EPA Region IV
John Bunyak, NPS



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

July 21, 2000

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Phong T. Vo
General Manager, E&TS
U.S. Agri-Chemicals Corp.
3225 State Road 630 West
Fort Meade, Florida 33841

Re: DEP File No. 1050051-009-AC, PSD-FL-278
Sulfuric and Phosphoric Acid Plant Production Increases

Dear Mr. Vo:

This letter addresses the modeling information sent with your June 23, 2000 response to the Department's March 3, 2000 incompleteness letter to you regarding an air construction permit for the above referenced project. In order to expedite the application, we need the additional information listed below:

1. The modeling information supplied does not give the Department reasonable assurance that the Ambient Air Quality Standard (AAQS) for the SO₂ 24-hour averaging time will not be violated. At least five of the 24-hour AAQS modeling output files sent with this letter (AQS87S24.OUT, AQS89S24.OUT, AQS89G.OUT, AQS90G24.OUT, and AQS91G24.OUT with highest values of 260, 276, 256, 295, and 246 ug/m³, respectively) show highest values, which, when combined with a background concentration, are greater than the 260 ug/m³ standard. No high second high values (HSH) were calculated with these modeling runs. HSH values should have been calculated since the highest-first high values are projected to be greater than the AAQS. The Department has performed some additional modeling which predicts HSH values greater than 260 ug/m³. The project is not permissible with the requested emission limits if it is predicted to significantly contribute to any projected exceedances of the HSH. Please provide detailed and appropriate modeling information that will give the Department reasonable assurance the 24-hour SO₂ AAQS will not be violated. Any additional modeling should include emissions from FPC Bartow, FPC Bayboro and FPC Higgins. These are sources within 100 km of the project, which have allowable emissions much greater than the corresponding 20-D emissions.

The Department will resume processing this application after receipt of the requested information. Rule 62-4.050(3), F.A.C. requires that all applications for a Department permit must be certified by a professional engineer registered in the State of Florida. This requirement also applies to responses to Department requests for additional information of an engineering nature.

"More Protection, Less Process"

Printed on recycled paper.

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1. Addressee's Address
- 2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

Seven J. Susick, PE
 General Manager, E+TS
 US Agri-Chemicals Corp.
 3225 State Road 630 West
 Fort Meade, FL 33541

4a. Article Number

Z 031 391 875

4b. Service Type

- Registered
- Express Mail
- Return Receipt for Merchandise
- Certified
- Insured
- COD

7. Date of Delivery

3-8-00

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)

X *[Signature]*

Thank you for using Return Receipt Service.

PS Form 3811, December 1994

102595-98-B-0229

Domestic Return Receipt

Z 031 391 875

US Postal Service
Receipt for Certified Mail

No Insurance Coverage Provided.
 Do not use for International Mail (See reverse)

PS Form 3800, April 1995

Sent to	
Steven Susick	
Street & Number	
US Agri Chemicals Corp.	
Post Office, State, & ZIP Code	
3225 State Road 630W Fort Meade, FL	
Postage	\$ 33841
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	3-3-00
1050051-009-4c	
PSD-FL-275	



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

July 20, 2000

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Phong T. Vo
General Manager, E&TS
U.S. Agri-Chemicals Corp.
3225 State Road 630 West
Fort Meade, Florida 33841

Re: DEP File No. 1050051-009-AC, PSD-FL-278
Sulfuric and Phosphoric Acid Plant Production Increases

Dear Mr. Vo:

The Department has received your response to our incompleteness letter to you regarding an air construction permit for modification to the existing Sulfuric Acid Plants No. 1 and 2. The response was received on June 23, 2000. In response to our inquiry, you have decided to request an increase in the permitted phosphoric acid production rate of the existing plants. The Department will combine both the sulfuric and phosphoric acid plant production increases into one project. In order to expedite the application, we need the additional information listed below:

1. The application contains only a summary of fluoride stack test data. Please submit the detailed test reports for the 1998 and 1999 annual fluoride stack tests containing data on production rates, stack flows, scrubber conditions, etc. for each test run. Please redo Appendix A of the application by showing actual emissions in terms of lb F/ton P_2O_5 . Also, include additional three years of stack test data summary, if available, for fluoride emissions.
2. Please state the reasons for asking 1.0 lb/hr F emission limit from the Tank Farm area. This emission limit is more than double the actual emissions average submitted with the application.
3. Please submit engineering design data for the venturi scrubbers currently utilized for fluoride control. The data should include at a minimum the design capability; the stated efficiency of the control equipment and the performance curves for the venturi scrubbers.
4. Please provide the cost evaluation of a cross-flow packed scrubber for fluorides control by itself. The cost effectiveness presented in the application is an incremental cost approach that inflated the cost figures.

"More Protection, Less Process"

Printed on recycled paper.

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Received by (Please Print Clearly)	B. Date of Delivery 7-25-00
1. Article Addressed to: Mr. Phong T. Vo General Manager, E&TS U.S. Agrichemicals Corp. 3225 SR 630 West Fort Meade, FL 33841	C. Signature <input checked="" type="checkbox"/> <i>[Signature]</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee	
2. Article Number (Copy from service label) Z 031 392 034	D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No	
PS Form 3811, July 1999	3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.	
Domestic Return Receipt	4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes	

PS Form 3811, July 1999

Domestic Return Receipt


102595-99-M-1789


Z 031 392 034

US Postal Service
Receipt for Certified Mail
 No Insurance Coverage Provided.
 Do not use for International Mail (See reverse)

Sent to	
Mr. Phong T. Vo	
Street & Number	
3225 ST 630 West	
Post Office, State, & ZIP Code	
Bartow, FL 33841	
Postage	\$ 33
Certified Fee	140
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	125
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$ 298
Postmark or Date	JUL 22 2000

PS Form 3800 April 1995





Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

P.E. Certification Statement

Permittee:
US Agri-Chemicals Corporation
Ft. Meade Chemical Plant

DEP File No. 1050051-009-AC
Permit No. PSD-FL-278

Project type: Permit for the construction /modification of the Ft. Meade Chemical Plant to increase production rate of the existing Sulfuric Acid Plants Nos. 1 and 2 to 3000 tons per day, each; increase the production rate of the existing Phosphoric Acid Trains A and B from 44 to 50 tons per hour P_2O_5 input, each; and a proportional increase in the processing rate of the Phosphoric Acid Tank Farm. Sulfur dioxide and sulfuric acid mist emissions from the sulfuric acid plants will be controlled by the double absorption process and mist eliminators, respectively. Fluoride emissions from the phosphoric acid trains will be controlled by the use of scrubbers using process pond water. An air quality impact analysis was required for sulfur dioxide and nitrogen oxides.

I HEREBY CERTIFY that the engineering features described in the above referenced application and subject to the proposed permit conditions provide reasonable assurance of compliance with applicable provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Chapters 62-4 and 62-204 through 62-297. However, I have not evaluated and I do not certify aspects of the proposal outside of my area of expertise (including but not limited to the electrical, mechanical, structural, hydrological, and geological features).

Syed Arif 10/31/00
Syed Arif, P.E. Date
Registration Number: 51861

Department of Environmental Protection
Bureau of Air Regulation
New Source Review Section
111 South Magnolia Drive, Suite 4
Tallahassee, Florida 32301
Phone (850) 488-0114
Fax (850) 922-6979

"More Protection, Less Process"

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Received by (Please Print Clearly)	B. Date of Delivery 7-24-00
1. Article Addressed to: Mr. Phong T. Vo Gen. Mgr., E&TS U.S. Agri-Chemicals Corp. 3225 State Rd. 630 W. Fort Meade, FL 33841	C. Signature X <i>Phong T. Vo</i> <div style="float: right;"> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee </div>	
2. Article Number (Copy from service label) <u>Z 031 392 031</u>	D. Is delivery address different from item 1? If YES, enter delivery address below: <div style="float: right;"> <input type="checkbox"/> Yes <input type="checkbox"/> No </div>	
PS Form 3811, July 1999	3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.	
Domestic Return Receipt	4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes	
102595-99-M-1789		

Z 031 392 031

US Postal Service
Receipt for Certified Mail
 No Insurance Coverage Provided.
 Do not use for International Mail (See reverse)

Sent to	<i>Mr. Phong T. Vo</i>
Street & Number	<i>3225 State Rd 630 W</i>
Post Office, State, & ZIP Code	<i>Fort Meade FL 33841</i>
Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	<i>7/20/00</i> <i>U.S. Agri-Chemicals</i>

PS Form 3800, April 1995



KOGLER & ASSOCIATES

ENVIRONMENTAL SERVICES

4014 NW THIRTEENTH STREET
GAINESVILLE, FLORIDA 32609
352/377-5822 • FAX/377-7158

KA 173-00-02

January 26, 2001

RECEIVED

JAN 29 2001

BUREAU OF AIR REGULATION

Mr. Syed Arif, P.E.
Florida Department of
Environmental Protection
Twin Towers Office Building
2600 Blair Stone Rd
Tallahassee, FL 32399-2400

Subject: Additional Information on Fluorides Monitoring
U.S. Agri-Chemicals Corp.
File No. 1050051-009-AC, PSD-FL-278

Dear Mr. Arif:

The following additional comments are submitted to satisfy FDEP/EPA review of the fluorides monitoring data submitted to you last week. As previously indicated, air dispersion modeling for fluorides was not necessary for the proposed project as actual ambient air concentration data for the plant is available.

The fluorides monitoring data submitted to FDEP is from an ambient monitor located inside USAC's northern property boundary (see attached map). The Regional Planning Council has required the ambient fluoride monitoring as a condition of the Gyp Stack expansion approval. The ongoing monitoring program will continue for several more years, in accordance with the conditions imposed by the Regional Planning Council. In this instance, the available ambient fluoride data facilitate an ambient air assessment for the proposed project.

The monitor is a model G2DT, dual filter tape unit from Research Appliance Company. Eight 3-hour samples (24-hour period) are collected once a month by a qualified lab technician. Pembroke Labs, which is certified by HRS and FDEP, analyzes the tape in accordance with NIOSH Method 212, using a pre-approved Quality Control Protocol.

The sampling results (see attached table) indicate the date of the sample, the sample weight and the corresponding ambient air fluoride concentration as a 24-hour average. For purposes of the current review, the tabulated ambient concentration level was compared with the 24-hour Ambient Reference Concentration (ARC) level of 6 micrograms per cubic meter, previously used as a guideline by the Department to determine adverse impacts of fluorides. It should be noted that all of the tabulated concentration levels are well below the ARC. It is our understanding that the FDEP no longer uses ARCs as part of a permit application review. However, this comparison is made herein specifically to satisfy EPA's concerns.

Mr. Syed Arif, P.E.
Florida Department of
Environmental Protection


January 26, 2001

Regarding Class I area SO₂ modeling, the rationale used in the modeling was accepted for the proposed project by Ellen Porter and John Notar of the National Park Service.

If you have any questions, please do not hesitate to call Pradeep Raval or me.

Very truly yours,

KOOGLER & ASSOCIATES

A handwritten signature in black ink, appearing to read 'J. Koogler', written over a circular scribble.

John B. Koogler, Ph.D., P.E.

JBK:par
Enc.

c: J. Girardin, USAC
R. Brunk, USAC
S. Kriv, EPA
C. Halladay

USAC Gyp Stack Expansion Ambient Gaseous Fluorides Monitoring

NOTES:

1. BDL = Below Detection Level (5 ug or 2.1 ppb)
2. Florida DEP 24-hr No Threat Level is 6 ug/m3
3. Lab results and ambient concentrations are presented as a daily average.

sample date	lab result ug	concentration ug/m3
7/11/96	10.5	3.4
7/12/96	BDL	
7/13/96	BDL	
7/14/96	BDL	
7/15/96	5.5	1.8
7/16/96	BDL	
7/17/96	BDL	
7/18/96	BDL	
8/6/96	BDL	
8/7/96	BDL	
8/8/96	BDL	
8/9/96	BDL	
8/10/96	BDL	
8/11/96	BDL	
8/12/96	BDL	
8/13/96	BDL	
9/5/96	BDL	
9/6/96	BDL	
9/7/96	BDL	
9/8/96	BDL	
9/9/96	BDL	
9/10/96	BDL	
9/11/96	BDL	
9/12/96	BDL	
10/16/96	5.5	1.8
11/21/96	BDL	
12/17/96	BDL	
1/27/97	5.1	1.6
2/5/97	5.5	1.7
3/4/97	BDL	
4/20/97	BDL	
5/27/97	BDL	
6/3/97	5.4	1.7
7/18/97	5.7	1.7
8/6/97	BDL	
9/17/97	BDL	
10/9/97	BDL	
11/4/97	BDL	
12/1/97	BDL	
1/28/98	BDL	
2/12/98	BDL	

USAC Gyp Stack Expansion Ambient Gaseous Fluorides Monitoring

NOTES:

1. BDL = Below Detection Level (5 ug or 2.1 ppb)
2. Florida DEP 24-hr No Threat Level is 6 ug/m³
3. Lab results and ambient concentrations are presented as a daily average.

sample date	lab result ug	concentration
		ug/m ³
3/13/98	5.4	1.7
4/2/98	BDL	
5/4/98	BDL	
6/22/98	BDL	
7/16/98	6.4	2.0
8/12/98	7.6	2.3
9/15/98	5.6	1.7
10/8/98	BDL	
11/17/98	BDL	
12/30/98	BDL	
1/27/99	BDL	
2/25/99	BDL	
3/10/99	BDL	
4/22/99	5.5	1.7
5/24/99	5.1	1.6
6/1/99	BDL	
7/14/99	5.4	1.7
8/26/99	BDL	
9/23/99	5.1	1.6
1/20/00	5	1.5
2/18/00	BDL	
3/14/00	BDL	
4/5/00	BDL	
4/6/00	BDL	
5/3/00	5.6	1.7
5/4/00	BDL	
6/14/00	BDL	
6/15/00	BDL	
7/13/00	BDL	
7/14/00	BDL	
8/21/00	BDL	
8/22/00	BDL	
9/18/00	5.1	1.6
9/19/00	BDL	
10/17/00	BDL	
10/18/00	BDL	
11/15/00	5.1	1.6
11/16/00	BDL	



KOGLER & ASSOCIATES
ENVIRONMENTAL SERVICES

4014 NW THIRTEENTH STREET
GAINESVILLE, FLORIDA 32609
352/377-5822 • FAX/377-7158

KA 173-00-02

January 17, 2001

RECEIVED

JAN 18 2001

BUREAU OF AIR REGULATION

Mr. Syed Arif, P.E.
Florida Department of
Environmental Protection
Twin Towers Office Building
2600 Blair Stone Rd
Tallahassee, FL 32399-2400

Subject: Response to EPA Comments
U.S. Agri-Chemicals Corp.
File No. 1050051-009-AC, PSD-FL-278

Dear Mr. Arif:

We have reviewed EPA's comments dated December 15, 2000, regarding the above referenced project. Our responses are in the order of the issues raised.

ITEM 1: Pre-construction Ambient Fluoride Monitoring

Regarding pre-construction fluorides monitoring, USAC does have some available data. Enclosed is the summary of the ambient fluorides monitoring data from 1996-present, collected in conjunction with USAC's Gyp Stack Expansion. It should be noted that on a daily basis, over 75 percent of the lab results indicate fluoride levels below detection level, and over 93 percent are within 10 percent of the detection level. All of the ambient concentration levels summarized are well below the 24-hr FDEP Reference Air Concentration level of 6 micrograms per cubic meter.

ITEM 2: Additional Fluoride Impacts

The potential fluoride emissions at the existing USAC facility will increase as a result of the proposed project. However, the actual fluoride emission increases are not expected to be significant. As the current ambient fluoride concentration levels are below detection levels and as actual emissions will likely remain unchanged, no adverse impacts are expected on soils, vegetation, wildlife and visibility.

ITEM 3: Class I Area PSD Modeling Protocol

Regarding Class I area SO₂ modeling, the rationale used in the modeling was discussed with Ellen Porter and John Notar of the National Park Service.


Mr. Syed Arif, P.E.
Florida Department of
Environmental Protection

January 17, 2001

If you have any questions, please do not hesitate to call Pradeep Raval or me.

Very truly yours,

KOOGLER & ASSOCIATES

A handwritten signature in black ink, consisting of several overlapping loops and a long horizontal stroke extending to the right.

John B. Koogler, Ph.D., P.E.

JBK:par
Enc.

c: J. Girardin, USAC
R. Brunk, USAC
C. Hilladary
B. Shonora, SW Dist,
EDA
NPS

USAC Gyp Stack Expansion Ambient Gaseous Fluorides Monitoring

NOTES:

1. BDL = Below Detection Level (5 ug or 2.1 ppb)
2. Florida DEP 24-hr No Threat Level is 6 ug/m3
3. Lab results and ambient concentrations are presented as a daily average.

sample date	lab result ug	concentration
		ug/m3
7/11/96	10.5	3.4
7/12/96	BDL	
7/13/96	BDL	
7/14/96	BDL	
7/15/96	5.5	1.8
7/16/96	BDL	
7/17/96	BDL	
7/18/96	BDL	
8/6/96	BDL	
8/7/96	BDL	
8/8/96	BDL	
8/9/96	BDL	
8/10/96	BDL	
8/11/96	BDL	
8/12/96	BDL	
8/13/96	BDL	
9/5/96	BDL	
9/6/96	BDL	
9/7/96	BDL	
9/8/96	BDL	
9/9/96	BDL	
9/10/96	BDL	
9/11/96	BDL	
9/12/96	BDL	
10/16/96	5.5	1.8
11/21/96	BDL	
12/17/96	BDL	
1/27/97	5.1	1.6
2/5/97	5.5	1.7
3/4/97	BDL	
4/20/97	BDL	
5/27/97	BDL	
6/3/97	5.4	1.7
7/18/97	5.7	1.7
8/6/97	BDL	
9/17/97	BDL	
10/9/97	BDL	
11/4/97	BDL	
12/1/97	BDL	
1/28/98	BDL	
2/12/98	BDL	

USAC Gyp Stack Expansion Ambient Gaseous Fluorides Monitoring

NOTES:

1. BDL = Below Detection Level (5 ug or 2.1 ppb)
2. Florida DEP 24-hr No Threat Level is 6 ug/m3
3. Lab results and ambient concentrations are presented as a daily average.

sample date	lab result ug	concentration
		ug/m3
3/13/98	5.4	1.7
4/2/98	BDL	
5/4/98	BDL	
6/22/98	BDL	
7/16/98	6.4	2.0
8/12/98	7.6	2.3
9/15/98	5.6	1.7
10/8/98	BDL	
11/17/98	BDL	
12/30/98	BDL	
1/27/99	BDL	
2/25/99	BDL	
3/10/99	BDL	
4/22/99	5.5	1.7
5/24/99	5.1	1.6
6/1/99	BDL	
7/14/99	5.4	1.7
8/26/99	BDL	
9/23/99	5.1	1.6
1/20/00	5	1.5
2/18/00	BDL	
3/14/00	BDL	
4/5/00	BDL	
4/6/00	BDL	
5/3/00	5.6	1.7
5/4/00	BDL	
6/14/00	BDL	
6/15/00	BDL	
7/13/00	BDL	
7/14/00	BDL	
8/21/00	BDL	
8/22/00	BDL	
9/18/00	5.1	1.6
9/19/00	BDL	
10/17/00	BDL	
10/18/00	BDL	
11/15/00	5.1	1.6
11/16/00	BDL	

U.S. Agri-Chemicals Corporation
3225 State Road 630 West
Fort Meade, FL 33841-9799
941 285 8121

US
Agri-Chemicals

A Sinochem Company

RECEIVED

JAN 04 2001

BUREAU OF AIR REGULATION

December 27, 2000

Mr. Al Linero
Florida Department of
Environmental Protection
Bureau of Air Regulation
111 S. Magnolia Drive, Suite 4
Tallahassee, FL 32301

RE: Affidavit of Publication
DEP File No. 1050051-009-AC, PSD-FL-278

Dear Sir:

Enclosed please find the Affidavit of Publication attesting to the publication of the Notice of Intent to Issue for the above listed project.

If you have any questions regarding this submittal, please contact me at (863) 285-8121 ext. 279.

Sincerely:



Ronald L. Brunk, Manager
Environmental Engineering

xc: J. Girardin
P. Raval, Koogler and Associates

A. Linero
C. Markley
D. Shuman, SCD
EPA
NPS



AFFIDAVIT OF PUBLICATION

THE LEDGER

Lakeland, Polk County, Florida

Case No

STATE OF FLORIDA)
COUNTY OF POLK)

Before the undersigned authority personally appeared Sandra Beeler, who on oath says that she is the Inside Sales Supervisor of The Ledger, a daily newspaper published at Lakeland in Polk County, Florida; that the attached copy of advertisement, being a

Public Notice

in the matter of... DEP File No. 1050051-009-AC (PSD)-FL-278)

in the

Court, was published in said newspaper in the issues of

12-21; 2000

Affiant further says that said The Ledger is a newspaper published at Lakeland, in said Polk County, Florida, and that the said newspaper has heretofore been continuously published in said Polk County, Florida, daily, and has been entered as second class matter at the post office in Lakeland, in said Polk County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that he has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.

Signed

Sandra Beeler
Inside Sales Supervisor
Who is personally known to me.

Sworn to and subscribed before me this 20TH

day of DECEMBER A.D. 2000

Patricia Ann Rouse
Notary Public

PATRICIA ANN ROUSE



(Seal)

My Commission Expires.....

Attach Notice Here

PUBLIC NOTICE		NOTICE OF APPLICANT FOR TAX DEFERMENT (CHAPTER 197.21, FLORIDA STATUTES) NOTICE IS HEREBY GIVEN THAT SAUL A CO AS CUSTOMER OF THE POLK COUNTY DEPARTMENT OF ENVIRONMENTAL PROTECTION HAS APPLIED FOR A TAX DEFERMENT CERTIFICATE FOR THE CERTIFICATE NUMBER 1050051-009-AC (PSD)-FL-278 OF THE PROPERTY AND THE INTEREST THEREIN LOCATED AT THE FOLLOWING ADDRESS: POLK COUNTY, FLORIDA
The Department of Environmental Protection has issued a construction permit to US Agriculture, Inc. for the construction of a new production facility within the boundaries of the parcel of land known as Tract 1050051-009-AC (PSD)-FL-278 in the City of Lakeland, Polk County, Florida. The physical production capacity of the facility is 2000 tons per day to match the production of H2SO4 existing at the site. A proportional increase will result in a 10% increase in the total sulfuric acid production capacity of the facility. The BACT emission limits for SO2, H2SO4, and HCl are 250, 60, and 0 respectively. These are in accordance with the requirements of the Florida Department of Environmental Protection. The BACT emission limits are the most stringent applicable to the facility. An air quality impact analysis was performed for the facility. The analysis indicates that the facility will not significantly contribute to the degradation of air quality. The maximum ground level concentration of sulfuric acid is 0.1 micrograms per cubic meter. The maximum ground level concentration of sulfur dioxide is 0.1 micrograms per cubic meter. The maximum ground level concentration of hydrogen chloride is 0.1 micrograms per cubic meter. The maximum ground level concentration of particulate matter is 0.1 micrograms per cubic meter. The maximum ground level concentration of sulfuric acid is 0.1 micrograms per cubic meter. The maximum ground level concentration of sulfur dioxide is 0.1 micrograms per cubic meter. The maximum ground level concentration of hydrogen chloride is 0.1 micrograms per cubic meter. The maximum ground level concentration of particulate matter is 0.1 micrograms per cubic meter.		CERTIFICATE NUMBER 1050051-009-AC (PSD)-FL-278 YEARS OF ISSUANCE 5/7/98
The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department.		
The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department.		
The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department.		
The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department.		
The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department.		
The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department.		
The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department. The Department will issue the permit if the applicant complies with the conditions of the permit. The applicant must provide a performance guarantee to the Department.		

RECEIVED
JAN 04 2001
BUREAU OF AIR REGULATION

AFFIDAVIT OF PUBLICATION

THE LEDGER

Lakeand, Polk County, Florida

Case No

STATE OF FLORIDA)
COUNTY OF POLK)

Before the undersigned authority personally appeared Sandra Beeler, who on oath says that she is the Inside Sales Supervisor of The Ledger, a daily newspaper published at Lakeand in Polk County, Florida; that the attached copy of advertisement, being a

Public Notice

in the matter of... DEP File No. 1050051-009-AC (PSD)-FL-278)

in the

Court, was published in said newspaper in the issues of

12-21-2000

Affiant further says that said The Ledger is a newspaper published at Lakeand, in said Polk County, Florida, and that the said newspaper has heretofore been continuously published in said Polk County, Florida, daily, and has been entered as second class matter at the post office in Lakeand, in said Polk County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that he has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.

Signed Sandra Beeler
Sandra Beeler
Inside Sales Supervisor
Who is personally known to me.

Sworn to and subscribed before me this 26th

day of DECEMBER A.D. 2000

Patricia Ann Rouse
Notary Public

PATRICIA ANN ROUSE



(Seal)

My Commission Expires

Attach Notice Here

PUBLIC NOTICE OF INTENT TO ISSUE AIR CONSTRUCTION PERMIT

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DEP File No. 1050051-009-AC (PSD)-FL-278)
US Air-Chemical Plant
Polk County

The Department of Environmental Protection (Department) grants the construction permit to US Air-Chemical Corporation to increase the sulfuric acid production capability within the complex and to increase the sulfuric acid plant Form or its Fl Meade Chemical Plant. The plant is located at Meade, Polk County.

A Best Available Control Technology (BACT) determination was required for sulfuric acid plant (SAM), nitrogen oxides (NO_x) and Ammonia (NH₃) pursuant to 40 CFR 52.21 Prevention of Significant Deterioration (PSD). The applicant is US Air-Chemical Corporation, 3225 State Rd. 500 West, Ft. Meade, Florida 32834.

The physical production capability of the existing Sulfuric Acid Plant is 1.5 to 3000 tons per day to match the previously permitted production rate of existing Phosphoric Acid Plants A and B will be increased from 40 to 50 tons per day. A proportional increase will result in the processing rate of the Phosphoric Acid and Sulfuric acid plant emissions from the sulfuric acid plant will be controlled by process and fuel variations, respectively.

The BACT emission limits for SO₂ and SAM are proposed to be 3.5 and 1.0 lb per million Btu (MMBtu) respectively. These are the lowest values to date at the facility. The BACT fluoride emission limit is proposed to be 0.012 pounds per million Btu (MMBtu) the lowest value to date.

An air quality impact analysis for sulfur dioxide and nitrogen oxides was conducted. The facility will not significantly contribute to or cause a violation of any air quality standards. The maximum predicted NO_x impacts were negligible. A consumption analysis was required for NO_x. The maximum predicted SO₂ in vicinity of the project consumed by all sources in the area, including the facility, is:

	Increased Capabilities (t/yr)	Allowable Increment (t/yr)
SO ₂		
37 Hour	259	512
24 Hour	63	91
Annual	0	20

The Department will issue the Final Air Construction Permit in accordance with the Draft Air Construction Permit unless a response received in accordance with the requirements in a different decision or significant change of terms or conditions is determined that an Air Construction Permit is required.

The Department will accept written comments and requests for a public hearing on the proposed permit issuance action for a period of 30 (thirty) days from the date of this PUBLIC NOTICE OF INTENT TO ISSUE AIR CONSTRUCTION PERMIT. Written comments should be submitted to the Bureau of Air Regulation at 2000 State Road West, Tallahassee, Florida 32399-2400. Any written comments filed shall be made available for public review. Comments received will result in a significant change in the proposed permit if the Department determines that a public hearing is required. The Department will issue the permit with the attached conditions unless an administrative hearing is held pursuant to sections 120.569 and 120.5715. The procedures for petitioning for a hearing are set forth below.

Mediation is not available in this proceeding.

A person whose substantial interests are affected by the proposed permit action for public hearing proceeding (petitioner) under sections 120.569 and 120.5715, may file a petition with the Bureau of Air Regulation at 2000 State Road West, Tallahassee, Florida 32399-2400. Petitions filed by the permit applicant or its agent must be filed within fourteen days of receipt of the notice of intent to issue the permit. Petitions filed by other persons must be filed within fourteen days of the date of publication of the public notice or within fourteen days of the date of the address notified below of the filing. The failure of any person to file a petition within the time period shall constitute a waiver of that person's right to be heard in the proceeding (hearing) under sections 120.569 and 120.5715, of the Florida Administrative Code.

A petitioner who files a petition may file a petition within fourteen days of the date of publication. A petitioner shall mail a copy of the petition to the address notified below of the filing. The failure of any person to file a petition within the time period shall constitute a waiver of that person's right to be heard in the proceeding (hearing) under sections 120.569 and 120.5715, of the Florida Administrative Code.

A petition that disputes the material facts on which the Department's decision is based shall include the following information: (a) the name and address of each agency or individual who has a substantial interest in the proceeding; (b) the name, address, and telephone number of the petitioner's representative; (c) the address for service purposes during the course of the proceeding; and (d) any other substantial interests which are affected by the agency determination. A petitioner who files a petition shall also include the following information: (1) a statement of the specific facts upon which the petitioner received notice of the agency action or proposed action; (2) a statement of the petitioner's position on the material facts; (3) a statement of the petitioner's position on the material facts alleged, including the specific facts the petitioner is disputing; (4) a statement of the petitioner's position on the material facts the petitioner is disputing; (5) a statement of the petitioner's position on the material facts the petitioner is disputing; and (6) a statement of the petitioner's position on the material facts the petitioner is disputing.

A petition that does not dispute the material facts upon which the Department's decision is based shall include the following information: (a) the name and address of each agency or individual who has a substantial interest in the proceeding; (b) the name, address, and telephone number of the petitioner's representative; (c) the address for service purposes during the course of the proceeding; and (d) any other substantial interests which are affected by the agency determination. A petitioner who files a petition shall also include the following information: (1) a statement of the petitioner's position on the material facts; (2) a statement of the petitioner's position on the material facts; (3) a statement of the petitioner's position on the material facts; and (4) a statement of the petitioner's position on the material facts.

A complete project file is available for public inspection during normal business hours, Monday through Friday, except legal holidays, at the Department of Environmental Protection, Bureau of Air Regulation, 2000 State Road West, Tallahassee, Florida 32399-2400. Telephone: 904/488-0114. Fax: 904/488-0970.

The complete project file includes the application, technical data, and other information submitted by the responsible official, exclusive of confidential information. Interested persons may contact the Administrator, Bureau of Air Regulation, 2000 State Road West, Tallahassee, Florida 32399, or call 904/488-0114 for more information.

1869 - 12-21-2000

BUREAU OF AIR REGULATION