## RECEIVED

OCT 31 1995

BUREAU OF AIR REGULATION

**MEMORANDUM** 

T0:

Martin Costello, FDEP

FROM:

Pradeep Raval

DATE:

October 30, 1995

SUBJECT:

Extension of 90 Day Time Limit

IMC-Agrico Company

This is a follow up to our telephone conversation today regarding waiver of the 90 day limit for IMC-Agrico Company's application for permit amendments.

As it is anticipated that the pending issues on this subject will be resolved soon, the attached waiver extension is granted until November 30, 1995.

If you have any questions, please give me a call.

par. enc.





## Florida Department of Environmental Protection

Northeast District

1 Auton Chiles

Covernor

Tacksonville, Florida 32256-7577

Virginia B. Wetherell Socretary

WAIVER OF 90 DAY TIME LIMIT UNDER SECTIONS 120.60(2) and 403.0876, FLORIDA STATUTES

License (Permit, Certification) Applicat	ion No. See Attachment I
Applicant's Name: IMC-Agrico Company	
The undersigned has read Sections 120.600 Statutes, and fully understands the application.	(2) and 403.0876, Florida icant's rights under that
With regard to the above referenced licen application, the applicant hereby with furtherstanding of (his) (her) (its) rights and 403.0876, Florida Statutes, waives the 120.60(2) and 403.0876, Florida Statutes, approved or denied by the State of Florida Environmental Regulation within the 90 day Sections 120.60(2) and 403.0876, Florida Statutes and voluntarily by the application of the state of Florida Department Regulation.	all knowledge and under Sections 120.60(2) e right under Sections to have the application a Department of y time period prescribed in Statutes. Said waiver is ent, is in (his) (her) (its) coercion by anyone
This waiver shall expire on the $30$ th da	y of November 1995.
The undersigned is authorized to make this applicant.  SIGNATURE  NAME (PLES	waiver on behalf of the
John B. Koo	gler, Ph.D., P.E.

## LIST OF PERMIT AMENDMENTS SUBJECT TO WAIVER OF THE 90 DAY TIME LIMIT

Item Unit/Operation	Construction Permit No.		
NEW WALES PLANT			
1. SAP 1 1. SAP 2 1. SAP 3 1. SAP 4 1. SAP 5	AC53-192221 AC53-192221 AC53-192221 AC53-192221 AC53-192221		
SOUTH PIERCE PLANT			
1. SAP 10 1. SAP 11	AC53-199112 AC53-199112		
NICHOLS PLANT			
1. DAP Dryer 2. SAP 1	AC53-232681 AC53-230355		



### RECEIVED

SEP 27 1995

Bureau of Air Regulation

#### **MEMORANDUM**

T0:

Marty Costello, FDEP

FROM:

Pradeep Raval

DATE:

September 26, 1995

SUBJECT:

Extension of 90 Day Time Limit

IMC-Agrico Company

This is a follow up to our telephone conversation today regarding waiver of the  $90\,$  day limit for IMC-Agrico Company's application for permit amendments.

As it is anticipated that the pending issues on this subject will be resolved soon, the attached waiver extension is granted until October 30, 1995.

If you have any questions, please give me a call.

par. enc.



## LIST OF PERMIT AMENDMENTS SUBJECT TO WAIVER OF THE 90 DAY TIME LIMIT

Item Unit/Operation	Construction Permit No.			
NEW WALES PLANT	NEW WALES PLANT			
1. SAP 1 1. SAP 2 1. SAP 3 1. SAP 4 1. SAP 5	AC53-192221 AC53-192221 AC53-192221 AC53-192221 AC53-192221			
SOUTH PIERCE PLANT				
1. SAP 10 1. SAP 11	AC53-199112 AC53-199112			
NICHOLS PLANT				
1. DAP Dryer 2. SAP 1	AC53-232681 PSD-FL-204 AC53-230355 PSD-FL-204			



## Lawton Chiles Covernor

## Florida Department of Environmental Protection

Northeast District 7825 Baymeadows Way, Suite B200 Jacksonville, Florida 32256-7577

License (Permit, Certification) Application No. See Attachment 1

Virginia B. Wetherell Secretary

WAIVER OF 90 DAY TIME LIMIT UNDER SECTIONS 120.60(2) and 403.0876, FLORIDA STATUTES

Applicant's Name:IMC-Agric	co Company	
statutes, and fully understa	etions 120.60(2) and 403.0876, ands the applicant's rights und	der chac
application, the applicant hunderstanding of (his) (her) and 403.0876, Florida Statut 120.60(2) and 403.0876, Flor approved or denied by the Statut Environmental Regulation with Sections 120.60(2) and 403.0 made freely and voluntarily	erenced license (permit, certifiereby with full knowledge and (its) rights under Sections I es, waives the right under Section at the statutes, to have the applicate of Florida Department of hin the 90 day time period present of Florida Statutes. Said when the applicant, is in (his) my pressure or coercion by any rida. Department of Environment	t20.60(2) tions lication escribed in aiver is (her) (its
This waiver shall expire on	the 30th day of October	<u>1995</u> .
The undersigned is authorized applicant.	SIGNATURE  NAME (PLEASE TYPE OR PRIN	<u>.</u>
	John B. Koogler, Ph.D., P.E.	

#### **MEMORANDUM**

T0:

Marty Costello, FDEP

FROM:

Pradeep Raval

DATE:

August 24, 1995

SUBJECT:

Extension of 90 Day Time Limit

IMC-Agrico Company

This is a follow up to our conversation yesterday regarding waiver of the 90 day limit for all the IMC-Agrico Company permit amendment applications.

As it is anticipated that the pending issues on this subject will be resolved soon, a waiver extension is granted until September 30, 1995.

If you have any questions, please give me a call.

par. enc.



## LIST OF PERMIT AMENDMENTS SUBJECT TO WAIVER OF THE 90 DAY TIME LIMIT

Item Unit/Operation	Construction Permit No.		
NEW WALES PLANT			
1. SAP 1 1. SAP 2 1. SAP 3 1. SAP 4 1. SAP 5	AC53-192221 AC53-192221 AC53-192221 AC53-192221 AC53-192221		
SOUTH PIERCE PLANT			
1. SAP 10 1. SAP 11	AC53-199112 AC53-199112		
NICHOLS PLANT			
1. DAP Dryer 2. SAP 1		SD-FL-204 SD-FL-204	



Governor

## Florida Department of Environmental Protection

Northeast District 7825 Baymeadows Way, Suite B200 Jacksonville, Florida 32256-7577

License (Permit, Certification) Application No. See Attachment 1

Virginia B. Wetherell Secretary

WAIVER OF 90 DAY TIME LIMIT
UNDER SECTIONS 120.60(2) and 403.0876, FLORIDA STATUTES

Applicant's Name: IMC-Agrico Company			
The undersigned has read Sections 120 Statutes, and fully understands the a section.	.60(2) and 403.0876, Florida pplicant's rights under that		
With regard to the above referenced license (permit, certification) application, the applicant hereby with full knowledge and understanding of (his) (her) (its) rights under Sections 120.60(2) and 403.0876, Florida Statutes, waives the right under Sections 120.60(2) and 403.0876, Florida Statutes, to have the application approved or denied by the State of Florida Department of Environmental Regulation within the 90 day time period prescribed in Sections 120.60(2) and 403.0876, Florida Statutes. Said waiver is made freely and voluntarily by the applicant, is in (his) (her) (its) self-interest, and without any pressure or coercion by anyone employed by the State of Florida Department of Environmental Regulation.			
This waiver shall expire on the 30th	day of <u>September</u> 1995.		
The undersigned is authorized to make applicant.  SIGNA NAME	\$6		
John J	B. Koogler, Ph.D., P.E.		



KA 124-95-02

RECEIVED

August 21, 1995

AUG 23 1995

Mr. Clair H. Fancy Florida Department of Environmental Protection Twin Towers Office Building 2600 Blair Stone Road Tallahassee, FL 32399-2400 Bureau of Air Regulation

Subject:

Additional Information for Permit Amendment Request

IMC-Agrico Company

Dear Mr. Fancy:

This is in response to your letter dated June 7, 1995, and discussions last week between Martin Costello and Pradeep Raval regarding the permit amendments for several IMC-Agrico sources. The information provided below is in the order of the amendments evaluated by FDEP.

#### NEW WALES PLANT

#### Sulfuric Acid Plants 1-5, PSD-FL-170

1. Please provide the EPA Suggested Emissions Netting Procedure (page A. 44 of NSR Workshop Manual), to demonstrate that net emissions of NOx were below the significant levels at the time of the proposed modifications from PSD-FL-170.

#### **RESPONSE:**

Using an abbreviated version of the netting procedure outlined in the NSR Workshop Manual, utilized by FDEP in PSD-FL-170, the revised net NOx emissions increase based on 1991-1994 emission data available from source sampling (average for the period) is as follows:

#### Actual Emissions

SAP 1: N0x = 985,500 tpy acid x 0.079 lb N0x/ton acid x ton/2000lbs = 38.9 tpy

SAP 2: N0x = 985,500 tpy acid x 0.083 lb N0x/ton acid x ton/2000lbs = 40.9 tpy

SAP 3: NOx = 985,500 tpy acid x 0.072 lb NOx/ton acid x ton/2000lbs

= 35.5 tpy

SAP 4: N0x = 1,003,750 tpy acid x 0.073 lb N0x/ton acid x ton/2000lbs

= 36.6 tpy

SAP 5: NOx = 1,003,750 tpy acid x 0.079 lb NOx/ton acid x ton/2000lbs

= 39.6 tpy

#### Proposed Emissions

Assume that the emissions from all five plants reflect the highest NOx emission rate from above (1991-1994 test data reference period),

SAP 1-5: 
$$NOx = 5.292,500$$
 tpy acid x 0.083 lb NOx/ton acid x ton/2000lbs = 219.6 tpy

#### Net Emissions

As there were no other contemporaneous NOx emissions, the net emissions increase is simply the difference in the actual and proposed emissions:

SAP 1-5: 
$$NOx = 219.6 - (38.9 + 40.9 + 35.5 + 36.6 + 39.6)$$
 tpy = 28.1 tpy

This net emissions increase is less than the PSD significant emission level of 40 tpy.


#### DAP 2 East & West Trains

The request for amendment of AC53-118671, for DAP 2 (East & West Trains), is hereby withdrawn.

#### SOUTH PIERCE PLANT

#### Sulfuric Acid Plants 10 & 11, PSD-FL-179

Using FDEP's abbreviated netting procedure (conducted above), the revised net NOx emissions increase based on 1991-1994 emission data available from source sampling (average for the period) is as follows:





Mr. Clair H. Fancy Florida Department of Environmental Protection August 21, 1995 Page 3

#### Actual Emissions

SAP 10:  $NOx = 730,000 \text{ tpy acid } x 0.092 \text{ lb } NOx/ton acid x ton/2000lbs}$ 

= 33.6 tpy

SAP 11: N0x = 730,000 tpy acid x 0.086 lb N0x/ton acid x ton/2000lbs

= 31.4 tpy

#### Proposed Emissions

Assume that the emissions from both plants reflect the highest NOx emission rate from above (1991-1994 test data reference period),

SAP 10-11: N0x = 1,971,000 tpy acid x 0.092 lb N0x/ton acid x ton/2000lbs = 90.7 tpy

#### Net Emissions

As there were no other contemporaneous NOx emissions, the net emissions increase is simply the difference in the actual and proposed emissions:

SAP 10-11: NOx =  $90.7 \cdot (33.6 + 31.4)$  tpy = 25.7 tpy

This net emissions increase is less than the PSD significant emission level of 40 tpy.

#### NICHOLS PLANT

#### DAP Dryer, AC53-232681, PSD-FL-204

The request for amendment of AC53-232681, for the DAP Plant, is hereby withdrawn, except for clarification of Specific Condition No. 5.

As worded currently, SC No. 5 requires performance testing for ammonia and subsequent air dispersion modeling of the emissions to demonstrate compliance with the FDEP Air Reference Concentration (FARC). IMC-Agrico, FDEP and EPA staff are all aware of the shortcomings of the draft ammonia sampling method and it's positive bias for a source such as the DAP plant. In response to FDEP's suggestion, IMC-Agrico is willing to conduct the required (one-time) ammonia sampling. However, it is requested that the requirement to conduct air dispersion modeling be deleted from SC No. 5 as that effort is not justified given the bias in the ammonia emission rate measurement.





Furthermore, FDEP's air toxics guidance indicates that a FARC can be exceeded so long as the pollutant emissions are controlled using BACT. In the case of the DAP Plant, the pollution controls presently in place constitute BACT pursuant to FDEP's BACT determination for PSD-FL-204.

Given the reasons stated above, it is requested that no sampling be required for ammonia. If a one-time test is required, then no subsequent air dispersion modeling should be required.

If you have any questions, please call Pradeep Raval or me.

Very truly yours,

KOOGLER & ASSOCIATES

John B. Koogler, Ph.D., P.E.

JBK:par

c: Dave Turley, IMC-Agrico Jerry Girardin, IMC-Agrico Gerald Kissel, FDEP Tampa



**MEMORANDUM** 

RECFIVED

JUN 27 - 3

Bureau of

Air Regulation

T0:

Marty Costello, FDEP

FROM:

Pradeep Raval

DATE:

June 22, 1995

SUBJECT:

Extension of 90 Day Time Limit

This is a follow up to our conversation this week regarding waiver of the 90 day limit for IMC-Agrico Company's application for permit amendments.

As it is anticipated that the pending issues on this subject will be resolved soon, the attached waiver extension is granted until August 30, 1995.

If you have any questions, please give me a call.

par. enc.



# Lawton Chiles

Covernor

# Florida Department of Environmental Protection

Northeast District 7825 Baymeadows Way, Suite B200 Jacksonville, Florida 32256-7577

Virginia B. Wetherell Secretary

WAIVER OF 90 DAY TIME LIMIT UNDER SECTIONS 120.60(2) and 403.0876, FLORIDA STATUTES

License (Permit, Certification)	Application No. See Attachment 1
Applicant's Name: IMC-Agrico Com	pany
Statutes, and fully understands section.	s 120.60(2) and 403.0876, Florida the applicant's rights under that
application, the applicant hereby understanding of (his) (her) (it and 403.0876, Florida Statutes, 120.60(2) and 403.0876, Florida approved or denied by the State Environmental Regulation within Sections 120.60(2) and 403.0876, made freely and voluntarily by the self-interest, and without any premployed by the State of Florida Regulation.	waives the right under Sections 120.60(2) waives the right under Sections Statutes, to have the application of Florida Department of the 90 day time period prescribed in Florida Statutes. Said waiver is me applicant, is in (his) (her) (its) ressure or coercion by anyone Department of Environmental
This waiver shall expire on the	30th day of August 1995.
The undersigned is authorized to applicant.	NAME (PLEASE TYPE OR PRINT)
	John B. Koogler, Ph.D., P.E.

## LIST OF PERMIT AMENDMENTS SUBJECT TO WAIVER OF THE 90 DAY TIME LIMIT

Ite	m Unit/Operation	Construction Permit No.	
NEW	WALES PLANT		
	SAP 1 SAP 2 SAP 3 SAP 4 SAP 5	AC53-192221 AC53-192221 AC53-192221 AC53-192221 AC53-192221	
SOUTH PIERCE PLANT			
	SAP 10 SAP 11	AC53-199112 AC53-199112	
NICHOLS PLANT			
1. 2.	DAP Dryer SAP 1	AC53-232681 PSD-FL-204 AC53-230355 PSD-FL-204	





## Department of Environmental Protection

Lawton Chiles Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Virginia B. Wetherell Secretary

June 7, 1995

John B. Koogler, Ph.D., P.E. Koogler & Associates Environmental Services 4014 Northwest Thirteen Street Gainesville, Florida 32609

Dear Dr. Koogler:

Subject: Requests to Remove  $NO_X$  Limits and Testing Requirements from Sulfuric Acid Plants, IMC-Agrico (PSD-FL-170) and

Farmland Hydro (PSD-FL-143)

Additional information is requested to aid the Department in making a final determination on the above requests. You indicated that based on stack test data, the subject emissions units should not have required PSD review for NOx. Please provide the EPA Suggested Emissions Netting Procedure (page A.44 of NSR Workshop Manual), to demonstrate that net emissions of  $\mathrm{NO}_{\mathrm{X}}$  were below significant levels at the time of the proposed modifications from the above referenced PSD permits.

Please evaluate the sulfuric acid plants prior to the above referenced modifications (each PSD permit listed above), for PSD applicability. For the five sulfuric acid plants at the IMC-Agrico New Wales facility, please provide the dates of initial construction and apply the emissions netting procedure for each of these units that were installed after August 7, 1980 to determine PSD applicability at the time these units were installed. For the Farmland Hydro No. 5 SAP, please consider the initial construction and later modification to increase production to 2,400 TPD as phased projects which should be counted together for PSD applicability purposes.

If you have questions, please contact Martin Costello at (904)488-1344 or write to me at the above address.

Sincerely,

. rancy

Chief

Bureau of Air Regulation

CHF/mc/c

cc: Martin Costello

"Protect Conserve and Manage Florida"s Environment and Institutal Resources"

Printed on recycled paper.

#### MEMORANDUM

T0:

Marty Costello, FDEP

FROM:

Pradeep Raval

DATE:

June 2, 1995

SUBJECT:

Waiver of 90 Day Time Limit

This is a follow up to our conversation this week regarding waiver of the 90 day limit for IMC-Agrico Company's application for permit amendments.

As it is anticipated that the pending issues on this subject will be resolved soon, the attached waiver is granted until June 30, 1995.

If you have any questions, please give me a call.

par. enc.

c: C. D. Turley, IMC-Agrico

RECEIVED

JUN 2 1995

Bureau of Air Regulation





Covernor

# Florida Department of Environmental Protection

Northeast District 7825 Baymeadows Way, Suite B200 Jacksonville, Florida 32256-7577

Virginia B. Wetherell Secretary

WAIVER OF 90 DAY TIME LIMIT UNDER SECTIONS 120.60(2) and 403.0876, FLORIDA STATUTES

License (Permit, Certification)	application No. See	Attachment 1
Applicant's Name:IMC-Agrico Com	oany	·
The undersigned has read Sections Statutes, and fully understands section.	: 120.60(2) and 403 the applicant's rig	.0876, Florida hts under that
With regard to the above reference application, the applicant hereby understanding of (his) (her) (its and 403.0876, Florida Statutes, v. 120.60(2) and 403.0876, Florida Statutes approved or denied by the State Environmental Regulation within Sections 120.60(2) and 403.0876, made freely and voluntarily by the self-interest, and without any premployed by the State of Florida Regulation.	with full knowled rights under Sectorives the right unstatutes, to have to follow the 90 day time per Florida Statutes. The applicant, is intessure or coercion	ge and tions 120.60(2) der Sections he application int of iod prescribed in Said waiver is (his) (her) (its) by anyone
This waiver shall expire on the	30th day of June	1 <b>9</b> 95.
The undersigned is authorized to applicant.	SIGNATURE  NAME (PLEASE TYPE	OR PRINT)
	John B. Koogler, Ph.D	., P.E.

RECEIVED

JUN 2 1995

Bureau of Air Regulation

## LIST OF PERMIT AMENDMENTS SUBJECT TO WAIVER OF THE 90 DAY TIME LIMIT

#### IMC-AGRICO COMPANY POLK COUNTY, FLORIDA

Item Unit/Operation	Construction Permit No.		
NEW WALES PLANT			
1. DAP 2 East Train 1. DAP 2 West Train 2. SAP 1 2. SAP 2 2. SAP 3 2. SAP 4 2. SAP 5	AC53-118671 AC53-118671 AC53-192221 AC53-192221 AC53-192221 AC53-192221		
SOUTH PIERCE PLANT			
1. SAP 10 1. SAP 11	AC53-199112 AC53-199112		
NICHOLS PLANT			
1. DAP Dryer 2. SAP 1	AC53-232681 PSD-FL-204 AC53-230355 PSD-FL-204		

## RECEIVED

JUN 2 לעלו

Bureau of Air Regulation

