

Florida Department of Environmental Protection

Memorandum

TO: Joseph Kahn, Division of Air Resource Management
THROUGH: Trina Vielhauer, Bureau of Air Regulation ✓
Jon Holtom, Title V Section JH
FROM: Scott M. Sheplak, Title V Section SMS
DATE: January 29, 2009
SUBJECT: Final Permit No. 1050221-015-AV
Calpine Operating Services Company, Inc.
Auburndale Energy Complex
Title V Air Operation Permit Revision - CAIR Part

The final permit for this project is attached for your approval and signature, which revises the Title V air operation permit to include the Clean Air Interstate Rule (CAIR) Part form as a new section added to the existing Title V air operation permit for the above referenced facility.

The attached final determination identifies issuance of the combined draft/proposed permit, summarizes the publication process, and provides the Department's response(s) to comment(s) (if any) on the draft permit. There are no pending petitions for administrative hearings or extensions of time to file a petition for an administrative hearing.

I recommend your approval of the attached final permit for this project.

TLV/jkh/sms

Attachments

NOTICE OF FINAL PERMIT

*In the Matter of an
Application for Permit by:*

Calpine Operating Services Company, Inc.
Calpine Center
717 Texas Avenue, Suite 1000
Houston, Texas 77002

Final Permit No. 1050221-015-AV
Auburndale Energy Complex

Title V Air Operation Permit Revision - CAIR Part
Polk County

Alternate Designated Representative:

Mr. Jason M. Goodwin, P.E.
Regional Director - Environmental, Health & Safety Section

Enclosed is the final permit package to revise the Title V air operation permit for the Auburndale Energy Complex. This Title V air operation permit revision is being issued to incorporate the Clean Air Interstate Rule (CAIR) provisions into the Title V air operation permit No. 1050221-013-AV. **Only the changes made to the Title V air operation permit as a result of this revision are provided.** This existing facility is located in Polk County at 1501 Derby Avenue and 1651 Derby Avenue, Auburndale, Florida. This permit is issued pursuant to Chapter 403, Florida Statutes.

Any party to this order (permit) has the right to seek judicial review of it under Section 120.68 of the Florida Statutes by filing a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure with the clerk of the Department of Environmental Protection in the Office of General Counsel (Mail Station #35, 3900 Commonwealth Boulevard, Tallahassee, Florida, 32399-3000) and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The notice must be filed within 30-days after this order is filed with the clerk of the Department.

Executed in Tallahassee, Florida.



Trina L. Vielhauer, Chief
Bureau of Air Regulation

TLV/jkh/sms


CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this Notice of Final Permit (including the Final Determination, the Statement of Basis and the Final Permit), or a link to these documents available electronically on a publicly accessible server, was sent by electronic mail with received receipt requested to the persons listed below:

Mr. Jason M. Goodwin, P.E., Calpine Operating Services Company, Inc. (jgoodwin@calpine.com)
Mr. Robert Callery, General Manager, Calpine Operating Services Company, Inc. (rcallery@calpine.com)
Ms. Heidi M. Whidden, Calpine Operating Services Company, Inc. (hwhidden@calpine.com)
Ms. Katy R. Forney, U.S. EPA, Region 4 (Forney.Kathleen@epamail.epa.gov)
Ms. Ana Oquendo, US EPA, Region 4 (oquendo.ana@epamail.epa.gov)
Ms. Cindy Zhang-Torres, P.E., DEP SWD (Zhang-Torres@dep.state.fl.us)
Ms. Barbara Friday, DEP BAR (Barbara.Friday@dep.state.fl.us) (for posting with U.S. EPA, Region 4)
Ms. Victoria Gibson, DEP BAR (victoria.gibson@dep.state.fl.us) (for reading file)

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date,
pursuant to Section 120.52(7), Florida Statutes, with the
designated agency clerk, receipt of which is hereby
acknowledged.



(Clerk)

2/3/09
(Date)

FINAL DETERMINATION

PERMITTEE

Calpine Operating Services Company, Inc.
Auburndale Energy Complex

PERMITTING AUTHORITY

Florida Department of Environmental Protection (Department)
Division of Air Resource Management
Bureau of Air Regulation, Title V Section
2600 Blair Stone Road, MS #5505
Tallahassee, Florida 32399-2400

PROJECT

The purpose of this permit is for the revision of the Title V air operation permit to include the Clean Air Interstate Rule (CAIR) Part as an enforceable section of the permit.

This permit was processed using a parallel review.

PUBLIC NOTICE

A Written Notice of Intent to Issue a Title V Air Operation Permit to Calpine Operating Services Company, Inc. for the Auburndale Energy Complex located at 1501 Derby Avenue and 1651 Derby Avenue, Auburndale, in Polk County, Florida, was clerked on June 26, 2008. The Public Notice of Intent to Issue a Title V Air Operation Permit was published in the Lakeland Ledger on July 1, 2008. The draft/proposed Title V air operation permit was available for public inspection at the permitting authority's office in Tallahassee. Proof of publication of the Public Notice of Intent to Issue a Title V Air Operation Permit was received on July 3, 2008.

COMMENTS

No comments on the draft/proposed permit were received from the US EPA Region 4 Office. No comments were received from the public during the 30-day public comment period.

DEPARTMENT INITIATED CHANGES

Changes initiated by the Department were made in this final permit.

Statewide Format Changes

1. The effective date of the permit revision as shown on the placard page is changed from: January 1, 2009 to: January 30, 2009.
2. As a result of a recent rule change to Rule 62-213.420(1)(a)2., F.A.C., the Renewal Application Due Date for Permit No. 1050221-014-AV as shown on the placard page of the permit is changed from: April 1, 2012 to: May 20, 2012. {The rule change requires the renewal application to be submitted 225 days prior to expiration instead of the previous 180 days.}
3. A cover page and a Table of Contents is added to the final permit package.

CONCLUSION

The final action of the Department is to issue the final permit with the changes noted above.

STATEMENT OF BASIS

Calpine Operating Services Company, Inc.
Auburndale Energy Complex
Facility ID No. 1050221
Polk County

Final Permit No. 1050221-015-AV

Title V Operation Permit Revision

CAIR Part

PROJECT DESCRIPTION

On May 8, 2008, the applicant submitted a CAIR Part Form in order to incorporate the Clean Air Interstate Rule provisions into Title V air operation permit No. 1050221-013-AV.

On July 11, 2008, the D.C. Circuit Court issued a remand & vacatur order of the CAIR regulations. Due to the vacatur status, the processing of the CAIR Part was stopped. On December 23, 2008 the D.C. Circuit Court issued a remand without vacatur order of the CAIR regulations. The processing of the revision request to incorporate the Clean Air Interstate Rule provisions into the Title V air operation permit is hereby resumed.

FACILITY DESCRIPTION

Calpine Operating Services Company, Inc. operates three existing power plants that comprise the Auburndale Energy Complex. The Auburndale Power Plant located at 1501 Derby Avenue is owned by the Auburndale Power Partners, L.P. The Auburndale Peak Energy Center at the same location is owned by the Auburndale Peaker Energy Center, LLC. The Osprey Energy Center located at 1651 Derby Avenue is owned by the Calpine Construction Finance Company, L.P. The plants consist of a combination of simple cycle and combined cycle combustion turbines. The nominal generating capacity of the Auburndale Energy Complex is 816 megawatts (MW).

PROCESSING SCHEDULE AND RELATED DOCUMENTS

Application for a Title V Air Operation Permit Revision received on May 8, 2008.

Draft/Proposed Permit posted on web site on June 26, 2008.

Public Notice published on July 1, 2008.

Proof of Publication of Public Notice received on July 3, 2008.

Notification to U.S. EPA Region 4 of Publication of Public Notice on July 8, 2008.

PROJECT REVIEW

CAIR Part

- The CAIR Part Form is now a part of this permit and has been incorporated as Section V., CAIR Part Form. This section identifies the units that must comply with the standard requirements and special provisions set forth in the CAIR Part Form.

CONCLUSION

This project revises Title V air operation permit No. 1050221-013-AV, which was effective January 1, 2008. This Title V air operation permit revision is issued under the provisions of Chapter 403, Florida Statutes (F.S.), and Chapters 62-4, 62-210 and 62-213, F.A.C. In accordance with the terms and conditions of this permit, the above named permittee is hereby authorized to operate the facility as shown on the application and approved drawings, plans, and other documents, on file with the permitting authority.

Calpine Operating Services Company, Inc.
Auburndale Energy Complex
Facility ID No. 1050221
Polk County

Title V Air Operation Permit Revision

Final Permit No. 1050221-015-AV
(2nd Revision of Title V Air Operation Permit No. 1050221-013-AV)

Permitting Authority

State of Florida
Department of Environmental Protection
Division of Air Resource Management
Bureau of Air Regulation
Title V Section

Mail Station #5505
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Telephone: 850/488-0114
Fax: 850/921-9533

Compliance Authority

State of Florida
Department of Environmental Protection
Southwest District Office

13051 North Telecom Parkway
Temple Terrace, FL 33637-0926

Telephone: 813/632-7600
Fax: 813/632-7668

Title V Air Operation Permit Revision
Final Permit No. 1050221-015-AV

Table of Contents

<u>Section</u>	<u>Page Number</u>
Placard Page.	1
I. Facility Information.	2
A. Facility Description.	
B. Summary of Emissions Unit ID Nos. and Brief Descriptions.	
C. Relevant Documents.	
II. Facility-wide Conditions.	3
III. Emissions Units and Conditions.	
A. Combined Cycle Combustion Turbine (EU-001).	4 - 8
B. Simple Cycle Combustion Turbine (EU-006).	9 - 14
C. Combined Cycle Combustion Turbines (EU-007 and EU-008).	15 - 20
IV. Acid Rain Part.	21 - 27
V. Clean Air Interstate Rule (CAIR) Part.	28 - 33



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

Permittee:

Calpine Operating Services Company, Inc.
Auburndale Energy Complex

Final Permit No. 1050221-015-AV
Facility ID No. 1050221
SIC No. 4911
Project: Title V Air Operation Permit Revision -
CAIR Part

The purpose of this permit is for the revision of the Title V air operation permit to include the Clean Air Interstate Rule (CAIR) Part as an enforceable section of the permit. This project revises Title V air operation permit No. 1050221-013-AV, which was effective January 1, 2008. This existing facility is located at 1501 Derby Avenue and 1651 Derby Avenue, Auburndale, Polk County; UTM Coordinates: Zone 17, 420.8 km East and 3103.3 km North.

The entire facility is known as the Auburndale Energy Complex and consists of two locations, three plants and three owners as follows:

- Location: 1501 Derby Avenue, Auburndale, Florida
Auburndale Power Plant owned by the Auburndale Power Partners, L.P.
Auburndale Peak Energy Center owned by the Auburndale Peaker Energy Center, LLC.
- Location: 1651 Derby Avenue, Auburndale, Florida
Osprey Energy Center owned by the Calpine Construction Finance Company, L.P.

Calpine Operating Services Company, Inc. operates all of the units at these plants. The nominal generating capacity of the plant is 816 megawatts (MW).

This Title V air operation permit revision is issued under the provisions of Chapter 403, Florida Statutes (F.S.), and Florida Administrative Code (F.A.C.) Chapters 62-4, 62-210 and 62-213. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents, attached hereto or on file with the permitting authority, in accordance with the terms and conditions of this permit.

Referenced attachments made a part of this permit:

- Appendix A. Citation Formats
- Appendix B. General Conditions
- Appendix C. Common Conditions
- Appendix D. NSPS Subpart A, General Provisions
- Appendix E. NSPS Subpart Da Provisions, Electric Utility Steam Generating Units
- Appendix F. NSPS Subpart GG Provisions, Stationary Gas Turbines
- Appendix G. Permit History
- Appendix H. Insignificant Emissions Units and Activities
- Appendix I. Unregulated Emissions Units
- Appendix V. Title V Conditions

1050221-013-AV Effective Date: January 1, 2008

1050221-014-AV Effective Date: April 4, 2008

Revision Effective Date: January 30, 2009

Renewal Application Due Date: May 20, 2012

Expiration Date: December 31, 2012

Joseph Kahn, Director
Division of Air Resource Management

JK/tlv/jkh/sms

SECTION V. CAIR PART FORM
CLEAN AIR INTERSTATE RULE PROVISIONS

Clean Air Interstate Rule (CAIR).

Operated by: Calpine Operating Services Company, Inc.

Plant Name: Auburndale Energy Complex consisting of:

Auburndale Power Plant (APP)

Auburndale Peaker Energy Center (APEC)

Osprey Energy Center (OEC)

ORIS Code: 45658 (APP & APEC)

55412 (OEC)

The emissions units below are regulated under the Clean Air Interstate Rule.

E.U. ID No.	EPA Unit ID#	Brief Description
Auburndale Power Plant (APP)		
-001	1	Nominal 156 MW combined cycle unit consisting of a nominal 121 MW combustion turbine-electrical generator set, an unfired heat recovery steam generator (HRSG) and a nominal 35 MW steam-electrical generator set.
Auburndale Peaker Energy Center (APEC)		
-006	6	Nominal 120 MW simple cycle combustion turbine-electrical generator set
Osprey Energy Center (OEC)		
-007	CT-1	Nominal 170 MW combustion turbine-electrical generator set; part of a combined cycle unit
-009	CT-1	HRSG equipped with 250 MMBtu per hour duct burner system; part of a combined cycle unit
-008	CT-2	Nominal 170 MW combustion turbine-electrical generator set; part of a combined cycle unit
-010	CT-2	HRSG equipped with 250 MMBtu per hour duct burner system; part of a combined cycle unit

1. Clean Air Interstate Rule Application. The Clean Air Interstate Rule Part Form submitted for this facility is a part of this permit. The owners and operators of these CAIR units as identified in this form must comply with the standard requirements and special provisions set forth in the CAIR Part Form (DEP Form No. 62-210.900(1)(b) - Form, Effective: 3/16/08), which is attached at the end of this section. [Chapter 62-213, F.A.C. and Rule 62-210.200, F.A.C.]

Clean Air Interstate Rule (CAIR) Part

For more information, see instructions and refer to 40 CFR 96.121, 96.122, 96.221, 96.222, 96.321 and 96.322; and Rule 62-256.470, F.A.C.

This submission is: ☒ New ☐ Revised ☐ Renewal

STEP 1

**Identify the source by
plant name and ORIS
or EIA plant code**

Plant Name: Auburndale Energy Complex consisting of: *Auburndale Power Plant (APP) *Auburndale Peaker Energy Center (APEC) *Osprey Energy Center (OEC)	State: Florida	ORIS or EIA Plant Code: 45658 (APP & APEC) 55412 (OEC)
--	----------------	--

STEP 2

In column "a" enter the unit ID# for every CAIR unit at the CAIR source.

In columns "b," "c," and "d," indicate to which CAIR program(s) each unit is subject by placing an "X" in the column(s).

For new units, enter the requested information in columns "e" and "f."

[illegible]DEP Form No. 62-210.900(1)(b) – Form
Effective: 3/16/08

SECTION V. CAIR PART FORM
CLEAN AIR INTERSTATE RULE PROVISIONS

Auburndale Energy Complex

Plant Name (from STEP 1)

STEP 3

**Read the
standard
requirements.**

CAIR NO_x ANNUAL TRADING PROGRAM

CAIR Part Requirements.

- (1) The CAIR designated representative of each CAIR NO_x source and each CAIR NO_x unit at the source shall:
 - (i) Submit to the DEP a complete and certified CAIR Part form under 40 CFR 96.122 and Rule 62-296.470, F.A.C., in accordance with the deadlines specified in Rule 62-213.420, F.A.C.; and
 - (ii) [Reserved];
- (2) The owners and operators of each CAIR NO_x source and each CAIR NO_x unit at the source shall have a CAIR Part included in the Title V operating permit issued by the DEP under 40 CFR Part 96, Subpart CC, and operate the source and the unit in compliance with such CAIR Part.

Monitoring, Reporting, and Recordkeeping Requirements.

- (1) The owners and operators, and the CAIR designated representative, of each CAIR NO_x source and each CAIR NO_x unit at the source shall comply with the monitoring, reporting, and recordkeeping requirements of 40 CFR Part 96, Subpart HH, and Rule 62-296.470, F.A.C.
- (2) The emissions measurements recorded and reported in accordance with 40 CFR Part 96, Subpart HH, shall be used to determine compliance by each CAIR NO_x source with the following CAIR NO_x Emissions Requirements.

NO_x Emission Requirements.

- (1) As of the allowance transfer deadline for a control period, the owners and operators of each CAIR NO_x source and each CAIR NO_x unit at the source shall hold, in the source's compliance account, CAIR NO_x allowances available for compliance deductions for the control period under 40 CFR 96.154(a) in an amount not less than the tons of total NO_x emissions for the control period from all CAIR NO_x units at the source, as determined in accordance with 40 CFR Part 96, Subpart HH.
- (2) A CAIR NO_x unit shall be subject to the requirements under paragraph (1) of the NO_x Requirements starting on the later of January 1, 2009, or the deadline for meeting the unit's monitor certification requirements under 40 CFR 96.170(b)(1) or (2) and for each control period thereafter.
- (3) A CAIR NO_x allowance shall not be deducted, for compliance with the requirements under paragraph (1) of the NO_x Requirements, for a control period in a calendar year before the year for which the CAIR NO_x allowance was allocated.
- (4) CAIR NO_x allowances shall be held in, deducted from, or transferred into or among CAIR NO_x Allowance Tracking System accounts in accordance with 40 CFR Part 96, Subparts FF and GG.
- (5) A CAIR NO_x allowance is a limited authorization to emit one ton of NO_x in accordance with the CAIR NO_x Annual Trading Program. No provision of the CAIR NO_x Annual Trading Program, the CAIR Part, or an exemption under 40 CFR 96.105 and no provision of law shall be construed to limit the authority of the state or the United States to terminate or limit such authorization.
- (6) A CAIR NO_x allowance does not constitute a property right.
- (7) Upon recordation by the Administrator under 40 CFR Part 96, Subpart EE, FF, or GG, every allocation, transfer, or deduction of a CAIR NO_x allowance to or from a CAIR NO_x unit's compliance account is incorporated automatically in any CAIR Part of the source that includes the CAIR NO_x unit.

Excess Emissions Requirements.

If a CAIR NO_x source emits NO_x during any control period in excess of the CAIR NO_x emissions limitation, then:

- (1) The owners and operators of the source and each CAIR NO_x unit at the source shall surrender the CAIR NO_x allowances required for deduction under 40 CFR 96.154(d)(1) and pay any fine, penalty, or assessment or comply with any other remedy imposed, for the same violations, under the Clean Air Act or applicable state law; and
- (2) Each ton of such excess emissions and each day of such control period shall constitute a separate violation of 40 CFR Part 96, Subpart AA, the Clean Air Act, and applicable state law.

Recordkeeping and Reporting Requirements.

- (1) Unless otherwise provided, the owners and operators of the CAIR NO_x source and each CAIR NO_x unit at the source shall keep on site at the source each of the following documents for a period of 5 years from the date the document is created. This period may be extended for cause, at any time before the end of 5 years, in writing by the DEP or the Administrator.
 - (i) The certificate of representation under 40 CFR 96.113 for the CAIR designated representative for the source and each CAIR NO_x unit at the source and all documents that demonstrate the truth of the statements in the certificate of representation; provided that the certificate and documents shall be retained on site at the source beyond such 5-year period until such documents are superseded because of the submission of a new certificate of representation under 40 CFR 96.113 changing the CAIR designated representative.
 - (ii) All emissions monitoring information, in accordance with 40 CFR Part 96, Subpart HH, of this part, provided that to the extent that 40 CFR Part 96, Subpart HH, provides for a 3-year period for recordkeeping, the 3-year period shall apply.
 - (iii) Copies of all reports, compliance certifications, and other submissions and all records made or required under the CAIR NO_x Annual Trading Program.
 - (iv) Copies of all documents used to complete a CAIR Part form and any other submission under the CAIR NO_x Annual Trading Program or to demonstrate compliance with the requirements of the CAIR NO_x Annual Trading Program.
- (2) The CAIR designated representative of a CAIR NO_x source and each CAIR NO_x unit at the source shall submit the reports required under the CAIR NO_x Annual Trading Program, including those under 40 CFR Part 96, Subpart HH.

SECTION V. CAIR PART FORM
CLEAN AIR INTERSTATE RULE PROVISIONS

Auburndale Energy Complex
Plant Name (from STEP 1)

**STEP 3,
Continued**

Liability.

- (1) Each CAIR NO_x source and each CAIR NO_x unit shall meet the requirements of the CAIR NO_x Annual Trading Program.
(2) Any provision of the CAIR NO_x Annual Trading Program that applies to a CAIR NO_x source or the CAIR designated representative of a CAIR NO_x source shall also apply to the owners and operators of such source and of the CAIR NO_x units at the source.
(3) Any provision of the CAIR NO_x Annual Trading Program that applies to a CAIR NO_x unit or the CAIR designated representative of a CAIR NO_x unit shall also apply to the owners and operators of such unit.

Effect on Other Authorities.

No provision of the CAIR NO_x Annual Trading Program, a CAIR Part, or an exemption under 40 CFR 96.105 shall be construed as exempting or excluding the owners and operators, and the CAIR designated representative, of a CAIR NO_x source or CAIR NO_x unit from compliance with any other provision of the applicable, approved State Implementation Plan, a federally enforceable permit, or the Clean Air Act.

CAIR SO₂ TRADING PROGRAM

CAIR Part Requirements.

- (1) The CAIR designated representative of each CAIR SO₂ source and each CAIR SO₂ unit at the source shall:
(i) Submit to the DEP a complete and certified CAIR Part form under 40 CFR 96.222 and Rule 62-296.470, F.A.C., in accordance with the deadlines specified in Rule 62-213.420, F.A.C.; and
(ii) [Reserved];
(2) The owners and operators of each CAIR SO₂ source and each CAIR SO₂ unit at the source shall have a CAIR Part included in the Title V operating permit issued by the DEP under 40 CFR Part 96, Subpart CCC, for the source and operate the source and each CAIR unit in compliance with such CAIR Part.

Monitoring, Reporting, and Recordkeeping Requirements.

- (1) The owners and operators, and the CAIR designated representative, of each CAIR SO₂ source and each SO₂ CAIR unit at the source shall comply with the monitoring, reporting, and recordkeeping requirements of 40 CFR Part 96, Subpart HHH, and Rule 62-296.470, F.A.C.
(2) The emissions measurements recorded and reported in accordance with 40 CFR Part 96, Subpart HHH, shall be used to determine compliance by each CAIR SO₂ source with the following CAIR SO₂ Emission Requirements.

SO₂ Emission Requirements.

- (1) As of the allowance transfer deadline for a control period, the owners and operators of each CAIR SO₂ source and each CAIR SO₂ unit at the source shall hold, in the source's compliance account, a tonnage equivalent in CAIR SO₂ allowances available for compliance deductions for the control period, as determined in accordance with 40 CFR 96.254(a) and (b), not less than the tons of total sulfur dioxide emissions for the control period from all CAIR SO₂ units at the source, as determined in accordance with 40 CFR Part 96, Subpart HHH.
(2) A CAIR SO₂ unit shall be subject to the requirements under paragraph (1) of the Sulfur Dioxide Emission Requirements starting on the later of January 1, 2010 or the deadline for meeting the unit's monitor certification requirements under 40 CFR 96.270(b)(1) or (2) and for each control period thereafter.
(3) A CAIR SO₂ allowance shall not be deducted, for compliance with the requirements under paragraph (1) of the SO₂ Emission Requirements, for a control period in a calendar year before the year for which the CAIR SO₂ allowance was allocated.
(4) CAIR SO₂ allowances shall be held in, deducted from, or transferred into or among CAIR SO₂ Allowance Tracking System accounts in accordance with 40 CFR Part 96, Subparts FFF and GGG.
(5) A CAIR SO₂ allowance is a limited authorization to emit sulfur dioxide in accordance with the CAIR SO₂ Trading Program. No provision of the CAIR SO₂ Trading Program, the CAIR Part, or an exemption under 40 CFR 96.205 and no provision of law shall be construed to limit the authority of the state or the United States to terminate or limit such authorization.
(6) A CAIR SO₂ allowance does not constitute a property right.
(7) Upon recordation by the Administrator under 40 CFR Part 96, Subpart FFF or GGG, every allocation, transfer, or deduction of a CAIR SO₂ allowance to or from a CAIR SO₂ unit's compliance account is incorporated automatically in any CAIR Part of the source that includes the CAIR SO₂ unit.

Excess Emissions Requirements.

- If a CAIR SO₂ source emits SO₂ during any control period in excess of the CAIR SO₂ emissions limitation, then:
(1) The owners and operators of the source and each CAIR SO₂ unit at the source shall surrender the CAIR SO₂ allowances required for deduction under 40 CFR 96.254(d)(1) and pay any fine, penalty, or assessment or comply with any other remedy imposed, for the same violations, under the Clean Air Act or applicable state law; and
(2) Each ton of such excess emissions and each day of such control period shall constitute a separate violation of 40 CFR Part 96, Subpart AAA, the Clean Air Act, and applicable state law.

SECTION V. CAIR PART FORM
CLEAN AIR INTERSTATE RULE PROVISIONS

Auburndale Energy Complex
Plant Name (from STEP 1)

**STEP 3,
Continued**

Recordkeeping and Reporting Requirements.

- (1) Unless otherwise provided, the owners and operators of the CAIR SO₂ source and each CAIR SO₂ unit at the source shall keep on site at the source each of the following documents for a period of 5 years from the date the document is created. This period may be extended for cause, at any time before the end of 5 years, in writing by the Department or the Administrator.
 - (i) The certificate of representation under 40 CFR 96.213 for the CAIR designated representative for the source and each CAIR SO₂ unit at the source and all documents that demonstrate the truth of the statements in the certificate of representation, provided that the certificate and documents shall be retained on site at the source beyond such 5-year period until such documents are superseded because of the submission of a new certificate of representation under 40 CFR 96.213 changing the CAIR designated representative.
 - (ii) All emissions monitoring information, in accordance with 40 CFR Part 96, Subpart HHH, of this part, provided that to the extent that 40 CFR Part 96, Subpart HHH, provides for a 3-year period for recordkeeping, the 3-year period shall apply.
 - (iii) Copies of all reports, compliance certifications, and other submissions and all records made or required under the CAIR SO₂ Trading Program.
 - (iv) Copies of all documents used to complete a CAIR Part form and any other submission under the CAIR SO₂ Trading Program or to demonstrate compliance with the requirements of the CAIR SO₂ Trading Program.
- (2) The CAIR designated representative of a CAIR SO₂ source and each CAIR SO₂ unit at the source shall submit the reports required under the CAIR SO₂ Trading Program, including those under 40 CFR Part 96, Subpart HHH.

Liability.

- (1) Each CAIR SO₂ source and each CAIR SO₂ unit shall meet the requirements of the CAIR SO₂ Trading Program.
- (2) Any provision of the CAIR SO₂ Trading Program that applies to a CAIR SO₂ source or the CAIR designated representative of a CAIR SO₂ source shall also apply to the owners and operators of such source and of the CAIR SO₂ units at the source.
- (3) Any provision of the CAIR SO₂ Trading Program that applies to a CAIR SO₂ unit or the CAIR designated representative of a CAIR SO₂ unit shall also apply to the owners and operators of such unit.

Effect on Other Authorities.

No provision of the CAIR SO₂ Trading Program, a CAIR Part, or an exemption under 40 CFR 96.205 shall be construed as exempting or excluding the owners and operators, and the CAIR designated representative, of a CAIR SO₂ source or CAIR SO₂ unit from compliance with any other provision of the applicable, approved State Implementation Plan, a federally enforceable permit, or the Clean Air Act.

CAIR NO_x OZONE SEASON TRADING PROGRAM

CAIR Part Requirements.

- (1) The CAIR designated representative of each CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit at the source shall:
 - (i) Submit to the DEP a complete and certified CAIR Part form under 40 CFR 96.322 and Rule 62-296.470, F.A.C., in accordance with the deadlines specified in Rule 62-213.420, F.A.C.; and
 - (ii) [Reserved];
- (2) The owners and operators of each CAIR NO_x Ozone Season source required to have a Title V operating permit or air construction permit, and each CAIR NO_x Ozone Season unit required to have a Title V operating permit or air construction permit at the source shall have a CAIR Part included in the Title V operating permit or air construction permit issued by the DEP under 40 CFR Part 96, Subpart CCCC, for the source and operate the source and the unit in compliance with such CAIR Part.

Monitoring, Reporting, and Recordkeeping Requirements.

- (1) The owners and operators, and the CAIR designated representative, of each CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit at the source shall comply with the monitoring, reporting, and recordkeeping requirements of 40 CFR Part 96, Subpart HHHH, and Rule 62-296.470, F.A.C.
- (2) The emissions measurements recorded and reported in accordance with 40 CFR Part 96, Subpart HHHH, shall be used to determine compliance by each CAIR NO_x Ozone Season source with the following CAIR NO_x Ozone Season Emissions Requirements.

NO_x Ozone Season Emission Requirements.

- (1) As of the allowance transfer deadline for a control period, the owners and operators of each CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit at the source shall hold, in the source's compliance account, CAIR NO_x Ozone Season allowances available for compliance deductions for the control period under 40 CFR 96.354(a) in an amount not less than the tons of total NO_x emissions for the control period from all CAIR NO_x Ozone Season units at the source, as determined in accordance with 40 CFR Part 96, Subpart HHHH.
- (2) A CAIR NO_x Ozone Season unit shall be subject to the requirements under paragraph (1) of the NO_x Ozone Season Emission Requirements starting on the later of May 1, 2009 or the deadline for meeting the unit's monitor certification requirements under 40 CFR 96.370(b)(1), (2), or (3) and for each control period thereafter.
- (3) A CAIR NO_x Ozone Season allowance shall not be deducted, for compliance with the requirements under paragraph (1) of the NO_x Ozone Season Emission Requirements, for a control period in a calendar year before the year for which the CAIR NO_x Ozone Season allowance was allocated.
- (4) CAIR NO_x Ozone Season allowances shall be held in, deducted from, or transferred into or among CAIR NO_x Ozone Season Allowance Tracking System accounts in accordance with 40 CFR Part 96, Subparts FFFF and GGGG.
- (5) A CAIR NO_x Ozone Season allowance is a limited authorization to emit one ton of NO_x in accordance with the CAIR NO_x Ozone Season Trading Program. No provision of the CAIR NO_x Ozone Season Trading Program, the CAIR Part, or an exemption under 40 CFR 96.305 and no provision of law shall be construed to limit the authority of the state or the United States to terminate or limit such authorization.
- (6) A CAIR NO_x Ozone Season allowance does not constitute a property right.
- (7) Upon recordation by the Administrator under 40 CFR Part 96, Subpart EEEE, FFFF or GGGG, every allocation, transfer, or deduction of a CAIR NO_x Ozone Season allowance to or from a CAIR NO_x Ozone Season unit's compliance account is incorporated automatically in any CAIR Part of the source that includes the CAIR NO_x Ozone Season unit.

DEP Form No. 62-210.900(1)(b) - Form
Effective: 3/16/08

4

SECTION V. CAIR PART FORM
CLEAN AIR INTERSTATE RULE PROVISIONS

Auburndale Energy Complex
Plant Name (from STEP 1)

**STEP 3,
Continued**

Excess Emissions Requirements.

If a CAIR NO_x Ozone Season source emits NO_x during any control period in excess of the CAIR NO_x Ozone Season emissions limitation, then:
(1) The owners and operators of the source and each CAIR NO_x Ozone Season unit at the source shall surrender the CAIR NO_x Ozone Season allowances required for deduction under 40 CFR 96.354(d)(1) and pay any fine, penalty, or assessment or comply with any other remedy imposed, for the same violations, under the Clean Air Act or applicable state law; and
(2) Each ton of such excess emissions and each day of such control period shall constitute a separate violation of 40 CFR Part 96, Subpart AAAA, the Clean Air Act, and applicable state law.

Recordkeeping and Reporting Requirements.

- (1) Unless otherwise provided, the owners and operators of the CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit at the source shall keep on site at the source each of the following documents for a period of 5 years from the date the document is created. This period may be extended for cause, at any time before the end of 5 years, in writing by the DEP or the Administrator.
- (i) The certificate of representation under 40 CFR 96.313 for the CAIR designated representative for the source and each CAIR NO_x Ozone Season unit at the source and all documents that demonstrate the truth of the statements in the certificate of representation; provided that the certificate and documents shall be retained on site at the source beyond such 5-year period until such documents are superseded because of the submission of a new certificate of representation under 40 CFR 96.113 changing the CAIR designated representative.
- (ii) All emissions monitoring information, in accordance with 40 CFR Part 96, Subpart HHHH, of this part, provided that to the extent that 40 CFR Part 96, Subpart HHHH, provides for a 3-year period for recordkeeping, the 3-year period shall apply.
- (iii) Copies of all reports, compliance certifications, and other submissions and all records made or required under the CAIR NO_x Ozone Season Trading Program.
- (iv) Copies of all documents used to complete a CAIR Part form and any other submission under the CAIR NO_x Ozone Season Trading Program or to demonstrate compliance with the requirements of the CAIR NO_x Ozone Season Trading Program.
- (2) The CAIR designated representative of a CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit at the source shall submit the reports required under the CAIR NO_x Ozone Season Trading Program, including those under 40 CFR Part 96, Subpart HHHH.

Liability.

- (1) Each CAIR NO_x Ozone Season source and each CAIR NO_x Ozone Season unit shall meet the requirements of the CAIR NO_x Ozone Season Trading Program.
- (2) Any provision of the CAIR NO_x Ozone Season Trading Program that applies to a CAIR NO_x Ozone Season source or the CAIR designated representative of a CAIR NO_x Ozone Season source shall also apply to the owners and operators of such source and of the CAIR NO_x Ozone Season units at the source.
- (3) Any provision of the CAIR NO_x Ozone Season Trading Program that applies to a CAIR NO_x Ozone Season unit or the CAIR designated representative of a CAIR NO_x Ozone Season unit shall also apply to the owners and operators of such unit.

Effect on Other Authorities.


No provision of the CAIR NO_x Ozone Season Trading Program, a CAIR Part, or an exemption under 40 CFR 96.305 shall be construed as exempting or excluding the owners and operators, and the CAIR designated representative, of a CAIR NO_x Ozone Season source or CAIR NO_x Ozone Season unit from compliance with any other provision of the applicable, approved State Implementation Plan, a federally enforceable permit, or the Clean Air Act.

STEP 4

Certification (for designated representative or alternate designated representative only)

Read the certification statement; provide name, title, owner company name, phone, and e-mail address; sign, and date.

I am authorized to make this submission on behalf of the owners and operators of the CAIR source or CAIR units for which the submission is made. I certify under penalty of law that I have personally examined, and am familiar with, the statements and information submitted in this document and all its attachments. Based on my inquiry of those individuals with primary responsibility for obtaining the information, I certify that the statements and information are to the best of my knowledge and belief true, accurate, and complete. I am aware that there are significant penalties for submitting false statements and information or omitting required statements and information, including the possibility of fine or imprisonment.

Jason Goodwin		Director--EHS; ADR	Title
Name			
Auburndale Power Partners, LP (APP)		Company	
Owner Name		Auburndale Peaker Energy Center, LLC (APEC)	
		Calpine Construction Finance Company, LP (OEC)	
(713) 570-4795		jgoodwin@calpine.com	E-
Phone		mail Address	
Signature 		Date 5/7/08	

Friday, Barbara

To: Jason Goodwin
Cc: rcallery@calpine.com; Heidi Whidden; Forney.Kathleen@epamail.epa.gov; Zhang-Torres; Oquendo.Ana@epamail.epa.gov; Gibson, Victoria; Sheplak, Scott; Holtom, Jonathan
Subject: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV
Attachments: 1050221-015-AVCAIRNoticeofFinalPermit.pdf

Dear Sir/ Madam:

Attached is the official **Notice of Final Permit** for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send". **We must receive verification that you are able to access the documents.** Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

Click on the following link to access the permit project documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/1050221.015.AV.F_pdf.zip

Attention: Scott Sheplak

Owner/Company Name: APP, LP; APEC, LLC; CCFC
Facility Name: AUBURNDALE ENERGY COMPLEX
Project Number: 1050221-015-AV
Permit Status: FINAL
Permit Activity: PERMIT REVISION
Facility County: POLK

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp>.

Permit project documents are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Barbara Friday

Bureau of Air Regulation

Division of Air Resource Management (DARM)

Friday, Barbara

From: Exchange Administrator
Sent: Tuesday, February 03, 2009 9:23 AM
To: Friday, Barbara
Subject: Delivery Status Notification (Relay)
Attachments: ATT162296.txt; AUBURNDALE ENERGY COMPLEX; 1050221-015-AV

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

jgoodwin@calpine.com
rcallery@calpine.com
HWhidden@calpine.com

Friday, Barbara

From: Jason Goodwin [jgoodwin@calpine.com]
Sent: Tuesday, February 03, 2009 5:41 PM
To: Friday, Barbara
Subject: RE: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV

Received – thanks.

Jason Goodwin
Calpine EHS | NE & SE Regions
713.570.4795 o | 713.252.8064 m
jason.goodwin@calpine.com
NYSE : CPN

From: Friday, Barbara [mailto:Barbara.Friday@dep.state.fl.us]
Sent: Tuesday, February 03, 2009 8:23 AM
To: Jason Goodwin
Cc: rcallery@calpine.com; Heidi Whidden; Forney.Kathleen@epamail.epa.gov; Zhang-Torres; Oquendo.Ana@epamail.epa.gov; Gibson, Victoria; Sheplak, Scott; Holtom, Jonathan
Subject: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV

Dear Sir/ Madam:

Attached is the official **Notice of Final Permit** for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send". **We must receive verification that you are able to access the documents.** Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

Click on the following link to access the permit project documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/1050221.015.AV.F_pdf.zip

Attention: Scott Sheplak

Owner/Company Name: APP, LP; APEC, LLC; CCFC
Facility Name: AUBURNDALE ENERGY COMPLEX
Project Number: 1050221-015-AV
Permit Status: FINAL
Permit Activity: PERMIT REVISION
Facility County: POLK

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp>.

Permit project documents are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please

advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Barbara Friday

Bureau of Air Regulation

Division of Air Resource Management (DARM)

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.

Friday, Barbara

From: Heidi Whidden [HWhidden@calpine.com]
To: Friday, Barbara
Sent: Tuesday, February 03, 2009 9:45 AM
Subject: Read: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV

Your message

To: HWhidden@calpine.com
Subject:

was read on 2/3/2009 9:45 AM.

Friday, Barbara

From: Mail Delivery System [MAILER-DAEMON@mseive01.rtp.epa.gov]
Sent: Tuesday, February 03, 2009 9:23 AM
To: Friday, Barbara
Subject: Successful Mail Delivery Report
Attachments: Delivery report; Message Headers

This is the mail system at host mseive01.rtp.epa.gov.

Your message was successfully delivered to the destination(s) listed below. If the message was delivered to mailbox you will receive no further notifications. Otherwise you may still receive notifications of mail delivery errors from other systems.

The mail system

<Forney.Kathleen@epamail.epa.gov>: delivery via 127.0.0.1[127.0.0.1]:10025: 250 OK, sent 4988534F_5379_16167_1 F2EF644537

<Oquendo.Ana@epamail.epa.gov>: delivery via 127.0.0.1[127.0.0.1]:10025: 250 OK, sent 4988534F_5379_16167_1 F2EF644537

Friday, Barbara

From: Oquendo.Ana@epamail.epa.gov
Sent: Monday, February 09, 2009 10:12 AM
To: Friday, Barbara
Subject: Re: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV
Attachments: 1050221-015-AVCAIRNoticeofFinalPermit.pdf

Barbara:

I accessed all files posted on link.,

Wishing you a great day!

Ana M. Oquendo
Air Permits Section
Air, Pesticides and Toxics Management Division U.S. Environmental Protection Agency, Region 4
61 Forsyth Street, S.W.
Atlanta, GA 30303

email. quendo.ana@epa.gov
phone. 404-562-9781
fax. 404-562-9019

Please consider the environment before printing this email.

"Friday,
Barbara"
<Barbara.Friday@
dep.state.fl.us>

02/03/2009 09:23
AM

"Jason Goodwin"
<jgoodwin@calpine.com>

To

cc

<rcallery@calpine.com>, "Heidi
Whidden" <HWhidden@calpine.com>,
Kathleen Forney/R4/USEPA/US@EPA,
"Zhang-Torres"
<Cindy.Zhang-Torres@dep.state.fl.us>,
Ana Oquendo/R4/USEPA/US@EPA,
"Gibson, Victoria"
<Victoria.Gibson@dep.state.fl.us>,
"Sheplak, Scott"
<Scott.Sheplak@dep.state.fl.us>,
"Holtom, Jonathan"
<Jonathan.Holtom@dep.state.fl.us>

Subject

AUBURNDALE ENERGY COMPLEX;
1050221-015-AV

Dear Sir/ Madam:

Attached is the official Notice of Final Permit for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send". We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document (s).

Click on the following link to access the permit project documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/1050221.015.AV.F.pdf.zip

Attention: Scott Sheplak

Owner/Company Name: APP, LP; APEC, LLC; CCFC Facility Name: AUBURNDALE ENERGY COMPLEX Project Number: 1050221-015-AV Permit Status: FINAL Permit Activity: PERMIT REVISION Facility County: POLK The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "Air Permit Documents Search" website at

<http://www.dep.state.fl.us/air/eproducts/apds/default.asp> .

Permit project documents are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Barbara Friday

Bureau of Air Regulation

Division of Air Resource Management (DARM)

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on this link to the DEP Customer Survey. Thank you in advance for completing the survey..(See attached file:

Friday, Barbara

From: System Administrator
To: Zhang-Torres; Gibson, Victoria
Sent: Tuesday, February 03, 2009 9:23 AM
Subject: Delivered:AUBURNDALE ENERGY COMPLEX; 1050221-015-AV

Your message

To: Jason Goodwin
Cc: rcallery@calpine.com; 'Heidi Whidden'; Forney.Kathleen@epamail.epa.gov; Zhang-Torres; Oquendo.Ana@epamail.epa.gov; Gibson, Victoria; Sheplak, Scott; Holtom, Jonathan
Subject: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV
Sent: 2/3/2009 9:23 AM

was delivered to the following recipient(s):

Zhang-Torres on 2/3/2009 9:23 AM
Gibson, Victoria on 2/3/2009 9:23 AM

Friday, Barbara

From: Zhang-Torres
To: Friday, Barbara
Sent: Tuesday, February 03, 2009 10:42 AM
Subject: Read: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV

Your message

To: Jason Goodwin
Cc: rcallery@calpine.com; 'Heidi Whidden'; Forney.Kathleen@epamail.epa.gov; Zhang-Torres; Oquendo.Ana@epamail.epa.gov; Gibson, Victoria; Sheplak, Scott; Holtom, Jonathan
Subject: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV
Sent: 2/3/2009 9:23 AM

was read on 2/3/2009 10:42 AM.

Friday, Barbara

From: Gibson, Victoria
To: Friday, Barbara
Sent: Tuesday, February 03, 2009 9:23 AM
Subject: Read: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV

Your message

To: Jason Goodwin
Cc: rcallery@calpine.com; 'Heidi Whidden'; Forney.Kathleen@epamail.epa.gov; Zhang-Torres; Oquendo.Ana@epamail.epa.gov; Gibson, Victoria; Sheplak, Scott; Holtom, Jonathan
Subject: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV
Sent: 2/3/2009 9:23 AM

was read on 2/3/2009 9:23 AM.

Friday, Barbara

From: System Administrator
To: Sheplak, Scott
Sent: Tuesday, February 03, 2009 9:23 AM
Subject: Delivered:AUBURNDALE ENERGY COMPLEX; 1050221-015-AV

Your message

To: Jason Goodwin
Cc: rcallery@calpine.com; 'Heidi Whidden'; Forney.Kathleen@epamail.epa.gov; Zhang-Torres; Oquendo.Ana@epamail.epa.gov; Gibson, Victoria; Sheplak, Scott; Holtom, Jonathan
Subject: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV
Sent: 2/3/2009 9:23 AM

was delivered to the following recipient(s):

Sheplak, Scott on 2/3/2009 9:23 AM

Friday, Barbara

From: Sheplak, Scott
To: Friday, Barbara
Sent: Tuesday, February 03, 2009 9:24 AM
Subject: Read: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV

Your message

To: Jason Goodwin
Cc: rcallery@calpine.com; 'Heidi Whidden'; Forney.Kathleen@epamail.epa.gov; Zhang-Torres; Oquendo.Ana@epamail.epa.gov; Gibson, Victoria; Sheplak, Scott; Holtom, Jonathan
Subject: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV
Sent: 2/3/2009 9:23 AM

was read on 2/3/2009 9:24 AM.

Friday, Barbara

From: System Administrator
To: Holtom, Jonathan
Sent: Tuesday, February 03, 2009 9:23 AM
Subject: Delivered:AUBURNDALE ENERGY COMPLEX; 1050221-015-AV

Your message

To: Jason Goodwin
Cc: rcallery@calpine.com; 'Heidi Whidden'; Forney.Kathleen@epamail.epa.gov; Zhang-Torres; Oquendo.Ana@epamail.epa.gov; Gibson, Victoria; Sheplak, Scott; Holtom, Jonathan
Subject: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV
Sent: 2/3/2009 9:23 AM

was delivered to the following recipient(s):

Holtom, Jonathan on 2/3/2009 9:23 AM

Friday, Barbara

From: Holtom, Jonathan
To: Friday, Barbara
Sent: Tuesday, February 03, 2009 9:25 AM
Subject: Read: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV

Your message

To: Jason Goodwin
Cc: rcallery@calpine.com; 'Heidi Whidden'; Forney.Kathleen@epamail.epa.gov; Zhang-Torres; Oquendo.Ana@epamail.epa.gov; Gibson, Victoria; Sheplak, Scott; Holtom, Jonathan
Subject: AUBURNDALE ENERGY COMPLEX; 1050221-015-AV
Sent: 2/3/2009 9:23 AM

was read on 2/3/2009 9:25 AM.