

RECEIVED

APR 06 2009

BUREAU OF AIR REGULATION

April 1, 2009

Ms. Trina Vielhauer Bureau Chief - Bureau of Air Regulation Florida Department Environmental Protection 111 South Magnolia Drive, Suite 4 Tallahassee, FL 32301

Via FedEx Airbill No. 7974 6787 4945

Re: Tampa Electric Company **Polk Power Station Unit 1 Request for Permit Extension** Air Permit No. 1050233-021-AC / PSD-FL-194H FUL 1650233-025-AL/PSN-FL-194I Dear Ms. Vielhauer:

The purpose of this letter is to request a one year extension to the expiration date of Florida Department of Environmental Protection (FDEP) AC Permit No. 1050233-021-AC / PSD-FL-194H. This construction permit, which was issued on June 26, 2008 and expires on June 1, 2009, authorized an increase in the petroleum coke blend ratio allowed to be gasified at the Polk Power Station Unit 1 integrated gasification combined cycle (IGCC) facility.

The reason for the permit extension request is that Polk Power Station Unit 1 is now returning from a scheduled major outage. Maintenance work done during the outage may increase the efficiency of sulfur removal from the syngas prior to combustion in the turbine. Per Section 3, Condition No. 6, no later than 180 days after completing the upgrades to the sulfuric acid plant and the MDEA acid gas removal system, stack testing shall be performed. In order to meet this requirement, stack testing and report submittal to the Department can not be accomplished prior to the current permit's expiration date, thus the request for an extension of the expiration date. TEC had previously advised the Department in comments on the draft air construction permit that it was likely an extension of the permit expiration date would be necessary; reference our letter to the Department dated June 18, 2008.. The requested extension to the air construction permit expiration date will allow time for TEC to complete all of the initial performance tests required by AC Permit No. 1050233-021-AC and to submit a Title V permit revision application in accordance with the timeframes specified by Rule 62-213.420, F.A.C.

Ms. Trina Vielhauer April 1, 2009 Page 2 of 2

TEC appreciates your cooperation in this matter and if you have any questions, please call me at (813) 228-4433.

Sincerely,

Joshua D. Ellwein, P.E.

Áir Programs

Environmental, Health & Safety

H:\ENVP\Admin\Correspondence\Final Docs\JDE137

cc: Mr. J. Holtom - FDEP

Ms. M. G. Nasca, FDEP SW District