

Jeb Bush Governor

Department of Environmental Protection

Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Secretary

January 10, 2002

1070005-017-AC

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Theodore Kennedy Vice President, Palatka Operations Georgia-Pacific Corporation Post Office Box 919 Palatka, Florida 32178

Re: AIRS ID No. 1070005

Georgia-Pacific Corporation, Palatka Mill MACT I Compliance Pollution Control Project

Dear Mr. Kennedy:

The Department received the modeling information for the above referenced application on December 11, 2001. Based on our initial review of the proposed project and conversations with Dave Buff, P.E., of Golder Associates, Inc., we are requesting the following additional information in order to continue processing this application package. Please submit the information requested below to the Department's Bureau of Air Regulation:

No short-term (3-hour and 24-hour averaging times) SO₂ modeling results were provided. Please provide these modeling results for both compliance scenarios for comparison to the SO₂ ambient air quality standards (AAQS) and PSD Class I and II increments. Modeling results for comparison to the AAQS should also include the respective second-highest 24 or 3-hour short-term background monitoring concentrations. In addition, please summarize supporting information and results in tables.

The Department will resume processing this application after receipt of the requested information. Rule 62-4.050(3), F.A.C. requires that all applications for a Department permit must be certified by a professional engineer registered in the State of Florida. This requirement also applies to responses to Department requests for additional information of an engineering nature. A new certification statement by the authorized representative or responsible official must accompany any material changes to the application. Rule 62-4.055(1), F.A.C., now requires applicants to respond to requests for information within 90 days.

Please note that in accordance with Rule 62-4.055(1), F.A.C., "The applicant shall have **ninety days** after the Department mails a timely request for additional information to submit that information to the Department. Failure of an applicant to provide the timely requested information by the applicable date **shall** result in denial of the application."

Mr. Theodore Kennedy January 10, 2002 Page 2 of 2

We will be happy to meet and discuss the details with you and your staff. Mr. Cleve Holladay is responsible for the air quality modeling review of the application. He may be contacted at 850/921-8986.

Sincerely,

A.A. Linero, P.E. Administrator New Source Review Section

AAL/ch

ce: David A. Buff, P.E., GAI Chris Kirts, DEP-NED Myra Carpenter, Superintendent of Environmental Affairs, GP Bruce Mitchell, DARM/BAR

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. Article Addressed to: Mr. Theodore Kennedy 	A. Received by (Please Print Clearly) C. Signature
Vice President, Palatka Operati Georgia-Pacific Corporation PO Box 919 Palatka, FL 32178	3. Service Type 3. Service Type Certified Mail
·	4. Restricted Delivery? (Extra Fee)
2. Article Number (Copy from service label) 7000 2870 0000 7028 3116	
PS Form 3811, July 1999 Domestic Ret	urn Receipt 102595-00-M-0952

	U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)									
п										
31.16					Ž.	250	U	60	je.	
D D	Postage	\$								
700	Certified Fee						_			1
	Return Receipt Fee (Endorsement Required)							mark ere		
0000	Restricted Delivery Fee (Endorsement Required)									
870	Total Postage & Fees	\$								
28,	Theodore Kennedy									
	Street, Apt. No.; or PO Box No. PO Box 919 City, State, ZIP+ 4 Palatka, FL 32178									ļ. ·
7000										i
	PS Form 3800, May 2000 See Reverse for Instructions									