From: Reynolds, Ron E.
To: McWade, Tammy
Subject: RE: GP Palatka - Recovery Boiler Project - Gas Conversion
Date: Friday, April 19, 2013 1:30:14 PM

Welcome back then!

I just looked up from my quarterly report and realized I hadn't responded to you. How about 2pm I give you a call? Or tell me if another time is better.

Thanks,

Ron Reynolds
Office 386-329-0967
Cell 386-916-3133

From: McWade, Tammy [mailto:Tammy.McWade@dep.state.fl.us]
Sent: Friday, April 19, 2013 10:50 AM
To: Reynolds, Ron E.
Subject: RE: GP Palatka - Recovery Boiler Project - Gas Conversion

Hi Ron!

Yes I am back! ☺ I went down south and got homesick….

I am pretty open today. I will be out of the office from 12:30 – 1:30 pm. Let me know what time is more convenient for you and I will make sure I am in my office.

Thank you,

Tammy McWade
850/717-9086

From: Reynolds, Ron E. [mailto:Ron.Reynolds@GAPAC.com]
Sent: Friday, April 19, 2013 10:33 AM
To: McWade, Tammy
Cc: McQuaig, Mary M.
Subject: FW: GP Palatka - Recovery Boiler Project - Gas Conversion

Hi Tammy,

Are you back in Tallahassee? Got a message from Leslie Maybin in the NED office that our permit application had been transferred to you. If so, I would like to talk with you a few minutes about the project and schedule. Please reply with your current contact information, and let me know when would be a good time to call.

Best regards,

Ron Reynolds
Senior Environmental Engineer – Air
GP, Palatka Operations
Palatka, FL 32178-0919
Office 386-329-0967
Cell 386-916-3133

From: Maybin, Leslie [mailto:Leslie.Maybin@dep.state.fl.us]
Sent: Friday, April 19, 2013 10:25 AM
To: Reynolds, Ron E.
Subject: RE: GP Palatka - Recovery Boiler Project - Gas Conversion

Ron,

This application was transferred to Tammy McWade at DARM. Here is the origin EPOST:

Dear Applicant:

Thank you for your air pollution permit application for the referenced project. We encourage direct communication with our permit processor to answer any questions that may come up during the review process. You may be contacted by our processor by e-mail or by phone. Our goal is to reduce the number of formal requests for additional information (RAIs), as well as the overall time to process your application. We appreciate your efforts to assist us by ensuring that your response to any questions or RAIs is timely, thorough and complete.

Facility Name: PALATKA PULP & PAPER MILL
Project Description: NO. 4 RECOVERY BOILER BURNER REPLACEMENT NATURAL GAS
Application Project No: 1070005-080-AC
Application Received Date: 04/11/2013
Permit Processor: Leslie Maybin
Processor Phone: 904-256-1567
Processor Email: leslie.maybin@dep.state.fl.us

The Department will help you navigate the permitting process and explain the permit application requirements for your facility. You may schedule a meeting or teleconference with the permitting processor as needed or simply send an email.

If you have any questions, or if you received this email in error, please contact the Permitting Processor.

Best Regards,

Florida Department of Environmental Protection
Northeast District
Air Resource Management
8800 Baymeadows Way West, Suite 100

Jacksonville, FL 32256
Tel. 904-256-1700

Please do not reply to this auto-generated email.

Thank you, Leslie.

Leslie Maybin
Engineer IV
Department of Environmental Protection
8800 Baymeadows Way West, Suite 100
Jacksonville, Florida 32256-7529
leslie.maybin@dep.state.fl.us
904) 256-1567
FAX 904-256-1587

Please take a few minutes to share your comments on the service you received from the department by clicking on this link DEP Customer Survey.

From: Reynolds, Ron E. [mailto:Ron.Reynolds@GAPAC.com]
Sent: Friday, April 19, 2013 10:04 AM
To: Maybin, Leslie
Cc: Felton-Smith, Rita; McQuaig, Mary M.
Subject: GP Palatka - Recovery Boiler Project - Gas Conversion

Hi Leslie,

Last week we submitted the construction permit application for the Recovery Boiler Gas Conversion and I almost know that I saw an email from someone acknowledging receipt of the application, but I can't find it. I think I remember seeing your name as the engineer assigned to the permit. Is this correct? If so, can you resend me the email. I must have accidentally deleted it.

Also, if you are the engineer assigned I will give you a call to discuss the timeline for the project.

Thanks,

Ron Reynolds
Senior Environmental Engineer – Air
GP, Palatka Operations
Palatka, FL 32178-0919
Office 386-329-0967

Cell 386-916-3133