

Reynolds, John

From: Reynolds, John
Sent: Monday, February 25, 2002 10:50 AM
To: Felton-Smith, Rita
Subject: RE: Florida Furniture Consolidation Permit

Hi Rita, my understanding is, if they haven't already, they will be combined under a single AIRS ID #.
JR

-----Original Message-----

From: Felton-Smith, Rita
Sent: Friday, February 22, 2002 4:26 PM
To: Zhu, Yi
Cc: Reynolds, John
Subject: Florida Furniture Consolidation Permit

Yi and John,

Have the two of you discussed how the consolidation of Florida Furniture Plant No. 1 and No. 3 will be handled in ARMS? The two plants are physically located in two separate areas of town. A single air construction permit, No. 1070026-003-AC, was issued that covered both locations.

I am working on the Title V that follows the consolidation AC permit. It is going to be issued under 1070026-004-AV. In the application, the facility combined the EUs under plant No. 3 under Plant No. 1 (i.e. EUs 001, 002, and 003 under plant No. 3 are listed as EUs 004, 005, and 006 to follow EUs 001, 002, and 003 of Plant No. 1).

It seems that since they are in separate locations, we keep them separate in ARMS, but that may cause a problem for the tracking of the permits since they will be issued under one permit number.

I noticed that they hadn't been combined in ARMS under a single AIRS ID Number, yet. So I wanted to check with you as to the best approach.

Thank you.

Rita

(AIRS ID 1070026 and 1070002)

Rita Felton-Smith
Air Permitting Engineer
FDEP-Northeast District
(904)807-3300, ext. 3237
Rita.Felton-Smith@dep.state.fl.us

Reynolds, John

From: Felton-Smith, Rita
Sent: Monday, March 11, 2002 10:53 AM
To: Reynolds, John
Subject: Florida Furniture Subpart JJ Question

John,

I wanted to check the following before I establish the basis for the condition in the Title V Permit:

1. It appears the Florida Furniture has chosen compliance method 63.804(a)(2). Are you stating in Condition 11 that they do not have the limits for thinners per the Subpart? In other words, they have accepted stricter limits?

(i) Demonstrate that each stain, sealer, and topcoat ...and each thinner contains no more than 10.0 percent VHAP by weight by maintaining certified product data sheets for each coating and thinner;

(ii) Demonstrate that each washcoat, basecoat, and enamel that is purchased pre-made, that is, it is not formulated onsite by thinning another finishing material,..., and each thinner contains no more than 10.0 percent VHAP by weight by maintaining certified product data sheets for each coating and thinner; and

(iii) Demonstrate that each washcoat, basecoat, and enamel that is formulated at the affected source is formulated ...and a thinner containing no more than 3.0 percent VHAP by weight.

2. Do the have finishing materials that contain formaldehyde or styrene so that 63.803(l)(2) becomes effective?

Rita Felton-Smith
Air Permitting Engineer
FDEP-Northeast District
(904)807-3300, ext. 3237
Rita.Felton-Smith@dep.state.fl.us