

**McDonald, Jim**

---

**From:** Schneider, Sheila  
**Sent:** Tuesday, July 27, 2004 9:17 AM  
**To:** Waters, Jason; McDonald, Jim; Pouso, Jon; Soich, Robert  
**Cc:** Smolen, Joel  
**Subject:** RE: Robbins Manufacturing

I understand that it's NSPS. That will only affect (as far as my penalties go) whether I call them an HPV or not. My penalties change based on whether a facility is "major", or "major" for the pollutant. Thanks for the info, though.

-----Original Message-----

**From:** Waters, Jason  
**Sent:** Tuesday, July 27, 2004 9:12 AM  
**To:** Schneider, Sheila; McDonald, Jim; Pouso, Jon; Soich, Robert  
**Cc:** Smolen, Joel  
**Subject:** RE: Robbins Manufacturing

Sheila,

It should not matter whether they are TV as it's an NSPS violation, which is a violation of Federal Rule.

They will have to provide additional info on their other activities as well probably.

Jason

-----Original Message-----

**From:** Schneider, Sheila  
**Sent:** Tuesday, July 27, 2004 9:06 AM  
**To:** Waters, Jason; McDonald, Jim; Pouso, Jon; Soich, Robert  
**Cc:** Smolen, Joel  
**Subject:** RE: Robbins Manufacturing

It's my understanding that this application is their attempt to relieve them from Title V requirements. We are calculating the penalty for our current case based on the assumption that they will not be Title V. Please notify me if that is not the case after you review the app.

Thanks,  
 Sheila

-----Original Message-----

**From:** Waters, Jason  
**Sent:** Wednesday, July 21, 2004 9:05 AM  
**To:** McDonald, Jim; Schneider, Sheila; Pouso, Jon; Soich, Robert  
**Cc:** Smolen, Joel  
**Subject:** Robbins Manufacturing

Project Number:	1190011-004-AC
Receipt Date:	7/15/2004
Response Due Date:	7/31/2004
Existing Permit No.:	1190011-002-AO, 003-AC

7/27/2004

Assigned Inspector: Bob Soich

Last Facility Inspection (ARMS): 3/18/2004

Permit Engineer: Jim McDonald

We have 4 copy(ies) of the application.

I believe this facility current has an enforcement action ongoing and J.P. is handling it.

Bob, JP, & Sheila, please let the Permit Engineer know by 7/31/04 if you have any changes for the permit, items to add to a potential incomplection letter, or any other concerns you may have with this project.

Thanks

Jason Waters  
Air Permitting Supervisor  
FDEP Southwest District  
813-744-6100 x107

7/27/2004

**McDonald, Jim**

---

**From:** Schneider, Sheila  
**Sent:** Tuesday, July 27, 2004 9:06 AM  
**To:** Waters, Jason; McDonald, Jim; Pouso, Jon; Soich, Robert  
**Cc:** Smolen, Joel  
**Subject:** RE: Robbins Manufacturing

It's my understanding that this application is their attempt to relieve them from Title V requirements. We are calculating the penalty for our current case based on the assumption that they will not be Title V. Please notify me if that is not the case after you review the app.

Thanks,  
Sheila

-----Original Message-----

**From:** Waters, Jason  
**Sent:** Wednesday, July 21, 2004 9:05 AM  
**To:** McDonald, Jim; Schneider, Sheila; Pouso, Jon; Soich, Robert  
**Cc:** Smolen, Joel  
**Subject:** Robbins Manufacturing

Project Number: 1190011-004-AC  
Receipt Date: 7/15/2004  
Response Due Date: 7/31/2004  
Existing Permit No.: 1190011-002-AO, 003-AC

Assigned Inspector: Bob Soich

Last Facility Inspection (ARMS): 3/18/2004

Permit Engineer: Jim McDonald

We have 4 copy(ies) of the application.

I believe this facility current has an enforcement action ongoing and J.P. is handling it.

Bob, JP, & Sheila, please let the Permit Engineer know by 7/31/04 if you have any changes for the permit, items to add to a potential incomplection letter, or any other concerns you may have with this project.

Thanks

Jason Waters  
Air Permitting Supervisor  
FDEP Southwest District  
813-744-6100 x107

7/27/2004

**McDonald, Jim**

---

**From:** Waters, Jason  
**Sent:** Wednesday, July 21, 2004 9:05 AM  
**To:** McDonald, Jim; Schneider, Sheila; Pouso, Jon; Soich, Robert  
**Cc:** Smolen, Joel  
**Subject:** Robbins Manufacturing

**Project Number:** 1190011-004-AC  
**Receipt Date:** 7/15/2004  
**Response Due Date:** 7/31/2004  
**Existing Permit No.:** 1190011-002-AO, 003-AC

**Assigned Inspector:** Bob Soich

**Last Facility Inspection (ARMS):** 3/18/2004

**Permit Engineer:** Jim McDonald

We have 4 copy(ies) of the application.

I believe this facility current has an enforcement action ongoing and J.P. is handling it.

Bob, JP, & Sheila, please let the Permit Engineer know by 7/31/04 if you have any changes for the permit, items to add to a potential incomplection letter, or any other concerns you may have with this project.

Thanks

Jason Waters  
Air Permitting Supervisor  
FDEP Southwest District  
813-744-6100 x107

7/21/2004

Application Routing and Transmittal Sheet

Air Permitting Supervisor - Required Information for Project Setup by Admin			
Owner/(Facility Name, if needed): Robbins Manufacturing Company		Facility ID No.: 1190011	
New Facility (Y/N): N	Relocatable (Y/N): N	Project Description: Add new wood-fired boiler	
Project Name: Wood-fired boiler			
Type/Subtype: ac1d	Received: 12/15/03		
Fee Submitted: <input type="checkbox"/> correct <input checked="" type="checkbox"/> incorrect <input type="checkbox"/> na		Should Be \$ 2000	Override Reason (if needed):
Fee Checked By: dh		Submitted \$ 1000	
Date: 12/17/2003		Needed/Refund \$ 1000	

Admin - Project Setup Information	
Project No.: 003	Initial ARMS Entry (Initials & Date): <i>11/21/03</i> <i>DH</i> Virus Scan Date:

Air Permitting Supervisor - Application Information		
Application Assigned To: <i>DH</i>	Date:	
No. of Hardcopies: 2	No. of Disks: na	Confidential Information (Y/N): N
Application Distribution (hardcopy/disk): DEP Engineer: County: Other:		

Air Permitting - Permit Transmittal (add initials & date completed)			Day 30/60/90:
Permit No.: 1190011-003-AC	Intent/Draft: <i>3/26/04 DH</i>	Final	<i>3-29-04</i>
Engineer → permit supervisor	<i>3-11-04 DH</i>	<i>4-16-04 DH</i>	C/E Review Y/N
Permit supervisor → DAPA	<i>3/25/04 JW</i>	<i>4/16/04 JW</i>	<i>XY</i>
DAPA → clerk/engineer	<i>3/26/04 GR</i>	<i>4/21/04 GR</i>	
Permit Package Mailed/Emailed	<i>3/26/04 DH</i>	<i>4-23-04 DH</i>	
ARMS Events Entry	<i>3/26/04 DH</i>	<i>4-23-04 DH</i>	

*exp 4/10/2005*  
*ew 002*

Air Permitting Supervisor - Data Fields for Access System (add at final issuance)			
Permit No.: 1190011-003-AC	Issue Date:	Engineer: <i>DH</i>	
Facility Description: <i>Wood Products</i>	Source Description: <i>Boiler</i>		
296:	MACT:	NSPS: <i>Dc</i>	
Fuels: <i>w, na</i>	Control Equipment: <i>cyclone</i>		
Project Description/Comments: <i>wood fired boilers</i>			

Air Permitting - System Updates (add initials & date completed)	
Engineer - Final Permit Copied (read only) to Air Common\Permits\PermitXX\	<i>1190011003ac_f.doc</i>
Permitting Supervisor - Permit to be posted on DARM website? (Y/N)	<input checked="" type="checkbox"/> Posted by/date:
Engineer - ARMS Inventory Data Entry:	<i>5-5-04 DH</i>
Permitting Clerk - Permit List Data Entry (Access):	<i>4-23-04 DH</i>
Permitting Supervisor - Send permit to compliance section? (Y/N)	N
Permitting Supervisor - Copy of transmittal sheet to Nancy Knight (new facility)? (Y/N)	N
Permitting Supervisor - Copy of Permit/Intent to Party of Interest? (Y/N)	N

*Jephetta # 5929*

Oracle Developer Forms Runtime - Web  
 Query Coll Rpts Rnd Exit CRA Window

ORACLE

Cash Receiving Application - Collection Point Log Remittance

### Collection Point Log Remittance

AREA **SWD** Total **\$2,000.00**

Remittance **548687** Type \* **CP** Received Date \* **12/30/2003** Status **RECEIVED**

SYS\$RCPT **441920** PNR  Check # \* **344105** Amount \* **2,000.00**

SSN/FEI#  Name \* **ROBBINS MANUFACTURING**

First  Middle  Title  Sur

Address1 **P.O. BOX 17939** Short Comments

Address2  **K-AIR 1190011-003**

City **TAMPA** ST **FL** Zip **33682** Country

#### PAYMENT(S)

Payment#	Distr	CL	Object	Payment	Reference#	Applic/	Fund *	status
	Area		Code/Description	Amount		ARM	PFTF	
596313	SWD		002222 AIR CONSTRUCT	\$2,000.00				COMPLETE

**COMMIT FREQUENTLY** **\$2,000.00** Payment total

Press <TAB> to accept Collection Point or enter F&A

start | Internet... | Document1... | 10:25 AM

Oracle Developer Forms Runtime - Web  
 Permits Events Payment Site Facility Party List Help Exit Window

ORACLE

Permitting Application - Permit Detail and Log Permit

### ARMS Facility

POINT  AIRS ID **1190011** STATUS **A** OFFICE **SWD** SW: TAMPA

SITE NAME **ROBBINS MANUFACTURING CO.** COUNTY **SUMTER**

OWNER/COMPANY **ROBBINS MANUFACTURING CO.**

#### Project

AIR Permit #  Project # **003** CRA Reference # **169206**

Permit Office **SWD (DISTRICT)** Agency Action **Pending**

Project Name **WOOD FIRED BOILER** Desc **add new wood-fired boiler**

Type/Sub/Des **AC / 10** Source 25 tpy but less than 50 \$2000

Received **12/30/2003** Issued  Expires  OGC

Fee **2000.00** Fee Recd **2000.00** Dele  Override **NONE**

#### Related Party

Role **APPLICANT** Begin **01/02/2004** End

Name **LFE, BRUCE** Company **ROBBINS MFG. CO**

Address **SR 50 AND CR 471**

City **TARRYTOWN** State **FL** Zip **33597** Country **U.S.A.**

Phone **352-568-3490** Fax **352-793-2025**

#### Processors

Processor **HENRY\_DD** Active **01/02/2004** Inactive  Events

Enter Project Name

start | Internet... | Document1... | 10:25 AM

Events Scheduled

4 of 90

AIRS ID: 1190011 Site Name: ROBBINS MANUFACTURING CO.  
 Permit #: 1190011-003-AC Type/Subtype: AC / 10 Received: 12/30/2003  
 Project #: 003 Project Name: (WOOD FIRED BOILER)

> STOP CLOCK: Done

Event	Begin Date	Period	Due Date	Rmn	Status	End Date
Fee Verification	12/30/2003	2	01/01/2004		Sufficient Fee	01/01/2004
Completeness Review	12/30/2003	30	01/29/2004		Complete	01/26/2004
Determine Agency Action	12/30/2003	90	03/29/2004		Issue	03/26/2004
Mail Public Notice of Intent to Applicant and Date of Publication	03/26/2004	10	04/05/2004		Done	03/26/2004
Awaiting Petition for Administrative Process	03/26/2004	999	12/20/2006		Published	04/02/2004
Issue Final Permit	04/02/2004	14	04/16/2004		Not Received	04/16/2004
ISSUE PERMIT	04/16/2004	14	04/30/2004		Issued	04/23/2004
STOP CLOCK	04/23/2004	1	04/24/2004		Issued	04/23/2004
ARMS Data Entry	04/23/2004	40	06/02/2004		Done	04/23/2004
STOP CLOCK	04/23/2004	1	04/24/2004		Done	04/23/2004
STOP CLOCK	03/26/2004	1	03/27/2004		Done	05/05/2004
STOP CLOCK	03/26/2004	1	03/27/2004		Done	03/26/2004

Permitting Application - Permit Detail and Log Permit							
<b>ARMS Facility</b>							
POINT	AIRS ID	1190011	STATUS	A	OFFICE	SWD	SW: TAMPA
SITE NAME				ROBBINS MANUFACTURING CO.			
OWNER/COMPANY				ROBBINS MANUFACTURING CO.			
<b>Project</b>							
AIR Permit #	1190011	-	003	-	AC	Project #	003
Permit Office				SWD (DISTRICT)			
Project Name				WOOD FIRED BOILER			
Type/Sub/Des				AC / 1D			
Received				12/30/2003			
Issued				04/23/2004			
Expires				04/10/2006			
Fee				2000.00			
Fee Recd				2000.00			
Delete							
Override				NONE			
<b>Related Party</b>							
Role	APPLICANT			Begin	01/02/2004		End
Name	LEE, BRUCE			Company	ROBBINS MFG. CO		
Address	SR 50 AND CR 471						
City	TARRYTOWN			State	FL	Zip	33597
Phone	350-568-3490		Fax	352-793-2025			
<b>Processors</b>							
Processor	HENRY_DD			Active	01/02/2004		Inactive
							Events



Emission Unit Details

EU No	Description
002	260HP HURST FIREBOX STEAM

Facility ID  Owner/Facility Name

Project Number  Issued  Eng

Facility Description

Source Description

296  MACT  NSPS

Fuel  Primary Control Equipment

For fuels: ng=natural gas; lg=landfill gas; p=propane; t=tires; uo=used oil; w=wood; c=coal, list allowed fuel oils as a string of #s (ex. 23456)

Project Description/Comment

To add Owner/  
Facility, click below

Add Owner/Facility

To see 296,  
MACT, or NSPS  
codes, click below

296 List

MACT List

NSPS List

Save Record

**MEMORANDUM**

**TO:** Gerald J. Kissel, P.E. **DATE:** 4/16/04  
District Air Program Administrator


**THROUGH:** Jason Waters *JW*  
Air Permitting Supervisor, SWD

**FROM:** Danielle Henry, Air Permitting Engineer *DH*

**SUBJECT:** Company: Robbins Manufacturing Company  
Permit No: 1190011-003-AC **(Final Issuance)**  
County: Sumter  
Project: Construction of new wood fired boiler  
**Default Date (Day 90): N/A**

The Intent to Issue Public Notice for the above permit was published on 4/2/04. I have reviewed the proof of publication and verified that the correct notice was published.

I recommend issuance of this final construction permit which is identical to the draft permit approved by this office as part of the notice of Intent to Issue package.



# Department of Environmental Protection

Jeb Bush  
Governor

Southwest District  
3804 Coconut Palm Drive  
Tampa, Florida 33619

David B. Struhs  
Secretary


## P.E. Certification Statement

Permittee: *Robbens Mfg.*


Permit No.: *1190011-003-AC*

Project type: *wood-fired boiler*

*I HEREBY CERTIFY that the engineering features described in the above referenced application and subject to the proposed permit conditions provide reasonable assurance of compliance with applicable provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Chapters 62-4 and 62-204 through 62-297. However, I have not evaluated and I do not certify aspects of the proposal outside of my area of expertise (including but not limited to the electrical, mechanical, structural, hydrological, and geological features).*

  
G.J. Kissel, P.E.      Date  
Registration Number: 41958

Permitting Authority:  
FDEP Southwest District  
3804 Coconut Palm Drive  
Tampa, FL 33619  
813/744-6100 Ext 116  
Fax: 813/744-6458



MEMORANDUM

TO: Gerald J. Kissel, P.E. DATE: 3/25/04  
District Air Program Administrator

THROUGH: Jason Waters *JW*  
Air Permitting Supervisor, SWD

FROM: Danielle Henry, Air Permitting Engineer *DH*

SUBJECT: Company: Robbins Manufacturing Company  
Permit No: 1190011-003-AC (Intent to Issue)  
County: Sumter  
Project: Construction of new wood fired boiler  
Default Date (Day 90): March 29, 2004

From the information below, I recommend that the Intent to Issue for Robbins Manufacturing Company be signed.

On December 15, 2003, the Department received a construction permit application from Robbins Manufacturing Company for the construction of a new wood fired boiler (260HP Hurst Firebox Steam Boiler). The maximum heat input to the boiler is 13.1 MMBTU/hour, based on a maximum wood firing rate of 1,875 lbs of wood/hour with the wood having a BTU value of 7,000 BTU's/pound. The new boiler will be added in an effort to improve production and be used in line with the existing Abco Industries 72' x 20' wood fired boiler (EU 001 which is also a 260HP boiler with a maximum heat input rate of 13.1 MMBTU/hour currently permitted under 1190011-002-AO). The new boiler will eventually replace the declining Abco Industries 72' x 20' wood fired boiler (EU 001). The new wood boiler emissions are controlled by a Hurst Multicyclone Collector with a design flow rate of 6650 ACFM.

The new boiler is subject to 40 CFR 60, Subpart Dc, - Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units and Rule 62-296.410, F.A.C. - Carbonaceous Fuel Burning Equipment. The new emission unit is subject to notifications for commencement of construction and initial start up date because the new unit is above 10 MMBTU/hour but is NOT subject to any emission limitations because the unit is below the 30 MMBTU/hour requirement needed to apply limitations. VE testing is also not required per 40 CFR 60, Subpart Dc but will be required per State Rule and has been incorporated into the permit.

The exempt Hurst Boiler Series 400, 150 Horsepower, fired LP Gas has been included in this Construction Permit. The unit was deemed exempt on October 19, 2001.

The construction also includes permit language for the facility to submit a Title V Air Operation Permit because with the addition of the new boiler the facility-wide CO emissions exceed 100 tpy. The language also includes an option to add permit conditions to the facility such as limiting the hours of operation to avoid Title V applicability. The permit language requires them to submit a Construction/Modification Permit. In either case, facility-wide potential emission calculations for all sources have been required to be submitted with the application.

The construction permit application and files were reviewed by Bob Soich of the Air Quality Compliance section and no outstanding compliance issues were noted. Bob performed an inspection the week of March 15, 2004 and discovered the new boiler was already constructed prior to receiving the permit. An enforcement referral is being prepared by Bob and will be sent to Joel Smolen and Sheila Schneider for review.

TECHNICAL EVALUATION  
AND  
PRELIMINARY DETERMINATION  
FOR

**Robbins Manufacturing Company**

Tarrytown

Sumter County

Construction Permit

**1190011-003-AC**

Florida Department of Environmental Protection

Southwest District

Tampa, FL

March 25, 2004

Prepared by: Danielle D. Henry

**I. Project Description:****A. Applicant: (Authorized Rep)**

Mr. Jerome G. Robbins, II, Vice President and Secretary  
Robbins Manufacturing Company  
13001 North Nebraska Avenue  
Tampa, Florida 33612

**B. Engineer:**

Mr. Cory A. Houchin  
Environmental Sciences Group, Inc.  
Post Office Box 7495  
Tampa, FL 33673

**C. Project and Location:**

The applicant is requesting permission to construct a new wood fired 260HP Hurst Firebox Steam Boiler. The facility is located at 13904 State Route 471, Tarrytown, Sumter County.

**D. Process and Controls:**

The maximum heat input to the boiler is 13.1 MMBTU/hour, based on a maximum wood firing rate of 1,875 lbs of wood/hr. with the wood having a BTU value of 7,000 BTU's/pound. This new boiler will be used in line with the existing Abco Industries 72' x 20' wood fired boiler (EU 001 which is also a 260HP boiler with a maximum heat input rate of 13.1 MMBTU/hour) in an effort to improve production. The new boiler will eventually replace the declining Abco Industries 72' x 20' wood fired boiler (EU 001). The new wood boiler emissions are controlled by a Hurst Multicyclone Collector with a design flow rate of 6650 ACFM.

**Emission Unit ID & Description**

002 – Hurst Firebox Steam Boiler

**E. Application Information:**

Received on: December 30, 2003  
Deemed complete on: January 26, 2004

## II. Rule Applicability

This project is subject to the preconstruction review requirements of Chapter 403, Florida Statutes and Chapters 62-204 through 62-297, Florida Administrative Code (F.A.C.), as indicated below.

Subject to:	Y/N
Rule 62-212.300, Sources Not Subject to Prevention of Significant Deterioration or Nonattainment Requirements, F.A.C. <sup>1</sup>	Y
Rule 62-212.400, Prevention of Significant Deterioration, F.A.C. <sup>2</sup>	N
Rule 62-296.320, General Particulate Emission Limiting Standards, F.A.C. <sup>3</sup>	Y
Rule 62-296.320, General Pollutant Emission Limiting Standards, F.A.C. <sup>4</sup>	Y
Rule 62-296.400, Stationary Source Emission Standards, F.A.C. <sup>5</sup>	Y
Rule 62-296.500, Reasonably Available Control Technology (VOC) <sup>6</sup>	N
Rule 62-296.700, Reasonably Available Control Technology (PM) <sup>7</sup>	N
Rule 62-204.800, Standards of Performance for New Stationary Sources, F.A.C. <sup>8</sup> (NSPS)	Y
Rule 62-204.800, National Emission Standard for Hazardous Air Pollutants, F.A.C. <sup>9</sup> (NESHAPS)	N
Chapter 62-213, Operation Permits for Major Sources of Air Pollution, F.A.C. <sup>10</sup>	N
Rule 62-297.310, General Compliance Test Requirements, F.A.C. <sup>11</sup>	Y

1. not exempt from general permitting requirements
2. facility is PSD minor
3. wood fired boiler could be a source of unconfined particulate matter emissions
4. wood fired boiler is a source of VOC and odors
5. this is a source category (Rule 62-296.410)
6. the facility is not in a designated ozone attainment area
7. the facility is not in a particulate matter air quality maintenance area
8. the new boiler is subject to 40 CFR 60, Subpart Dc, - Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units and Rule 62-296.410, F.A.C. - Carbonaceous Fuel Burning Equipment.
9. facility is minor for HAPs
10. facility is a non-Title V source
11. VE testing is required



### III. Summary of Emissions

Visible emissions: An opacity not greater than 20% except for one two-minute period per hour during which visible emissions shall not exceed 40% opacity is allowed.

Pollutants:

Pollutants Emitted	Emissions			Facility- Wide Totals
	Current Emission Unit 001 (Actual Emissions from 1995 AOR)	New Emission Unit 002 (Potential Emissions per Construction Application *)	Exempt Gas Boiler ** (Approved on October 19, 2001)	
	tpy	tpy	tpy	
PM	28.05	20.0823	0.206	48.338
PM10	28.05	18.36096	0.206	46.617
NO <sub>x</sub>	2.1675	12.62316	2.70	17.491
CO	70.125	34.4268 *	2.27	106.822
SO <sub>2</sub>	1.275	1.43445	0.016	2.725
VOC	5.4188	0.93	0.149	6.498

The maximum operating hours are 8760 hours/year

\* AP 42 Table 1.6-1, 1.6-2 & 1.6-3

\*\* AP 42 Table 1.4-1 & 1.4-2

According to current calculations, once the new boiler is in operation, this facility is subject to Title V permitting due to the 100 tpy threshold exceedance for CO. The Construction Permit for the new emission unit will require the facility to submit a Title V Application. The Department has included language in the permit to allow the facility to apply for a Construction/Modification to the permit. The facility will have to demonstrate that they can remain below the Title V permit thresholds and limit their emissions from all sources to avoid Title V permitting. Facility-wide emissions from all sources are required in the air operation application to ensure the proper permit is applied.

### IV. Conclusions


The emission limits proposed by the applicant will meet all of the requirements of Chapters 62-204 through 297, F.A.C.

*\* next permitting action, we should reconcile the fact that actuals for old boiler are 70 & potential for new boiler is 34?? - JFR 10/25/07*

The general and Specific Conditions listed in the proposed permit (attached) will assure compliance with all the applicable requirements of Chapters 62-204 through 297, F.A.C. and 40 CFR 60, Subpart Dc.

**V. Proposed Agency Action**


Pursuant to Section 403.087, Florida Statutes and Section 62-4.07, Florida Administrative Code, the Department hereby gives notice of its intent to issue a permit to construct the aforementioned air pollution source in accordance with the draft permit and its conditions as stipulated (see attached).



**Robbins**  
MANUFACTURING COMPANY  
TAMPA • ORLANDO • FT. MYERS

December 29, 2003

Division of Air Resource Management, Permitting Section  
Florida Department of Environmental Protection  
3804 Coconut Palm Drive  
Tampa, FL 33619-8318



RE: Permit Modification Application for an Air Pollution Source  
Robbins Manufacturing Company  
Tarrytown, Sumter County  
Wood Fired Boiler (Permit No. 119001-001-AO)

Dear Sir/Madam,

Please find enclosed the processing fee of \$2000.00 according to your correspondence dated December 18, 2003 to cover the process of our application.

If you have any further questions or concerns, please contact me at 971-3030 or [jrobbins@robbinslumber.com](mailto:jrobbins@robbinslumber.com).

Sincerely,

Robbins Manufacturing Company

A large, stylized handwritten signature in black ink, appearing to read "J. Robbins, II".

Jerome G. Robbins, II

Enclosures: (1)




Jeb Bush  
Governor

# Department of Environmental Protection

Southwest District  
3804 Coconut Palm Drive  
Tampa, Florida 33619

David B. Struhs  
Secretary

December 18, 2003



ROBBINS MANUFACTURING  
PO BOX 17939  
TAMPA FL 33682

Dear Sir/Madam:

Your check number 343264 for \$1,000.00, is being returned for the following reason(s):

**\*Insufficient Fee. The correct fee is \$ 2000.00**

**\*Certified Receipt #** 7002 3150 0003 8463 0826

**\*If you want to have the application processed, you must submit the proper fee within ten days of receipt of this letter. If the correct fee is not received within this period, DEP is required by law not to process the application and to return it to you.**

**\*Enclosed is a copy of the fee schedule.**

Checks should be made payable to the Department of Environmental Protection.

For more program specific information, please contact the following:

Danielle Henry Phone: (813) 744-7100  
Department of Environmental Protection  
Southwest District Office  
3804 Coconut Palm Drive  
Tampa FL 33619

Sincerely,

Sandra Wilson  
Department of Environmental Protection

RCT\_Ret\_R/ 5929

Enclosure(s)

"More Protection, Less Process"

Printed on recycled paper.



Jeb Bush  
Governor

# Department of Environmental Protection

DH

Southwest District  
3804 Coconut Palm Drive  
Tampa, Florida 33619

David B. Struhs  
Secretary

December 18, 2003

ROBBINS MANUFACTURING  
PO BOX 17939  
TAMPA FL 33682

Dear Sir/Madam:

Your check number 343264 for \$1,000.00, is being returned for the following reason(s):

**\*Insufficient Fee. The correct fee is \$ 2000.00**

**\*Certified Receipt # 7002 3150 0003 8463 0826**

**\*If you want to have the application processed, you must submit the proper fee within ten days of receipt of this letter. If the correct fee is not received within this period, DEP is required by law not to process the application and to return it to you.**

**\*Enclosed is a copy of the fee schedule.**

Checks should be made payable to the Department of Environmental Protection.

For more program specific information, please contact the following:

Danielle Henry Phone: (813) 744-7100  
Department of Environmental Protection  
Southwest District Office  
3804 Coconut Palm Drive  
Tampa FL 33619

Sincerely,

Sandra Wilson  
Department of Environmental Protection

RCT\_Ret\_R/ 5929

Enclosure(s)

"More Protection, Less Process"

Printed on recycled paper.