

January 18, 2006

342 San San Marino Dr

Ledybade FC-32454

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

3491 Reston Dr
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

1684 Norfolk Co.
The Village FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

2418 Tamarindo Dr.
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

1800 Dalton Drive
The Villages Fl. 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Barbara D. Brock

January 18, 2006

17355 SE 78th
Villages, FL

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

BUREAU OF AIR REGULATION

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

1150 SAN JUAN DR
THE VILLAGES, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

E. M. Samell
1893 Alister Court
The Villages, Fla 32162
Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

E. M. Samell

January 18, 2006

3598 Roston Dr.
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Margaret Stephen

January 18, 2006

16975 SE 81st Ellerslie Ct
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

16975 SE 81st Ellerslie Ct
The Villages, FL 32162

RECEIVED

JAN 23 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Robert D Bauman

January 18, 2006

Ann Farrell

340 San Marino Dr., Lady Lake, 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S) BUREAU OF AIR REGULATION

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Ann Farrell

January 18, 2006

2711 La Posada Drive
The Villages, FL 32162

RECEIVED

JAN 23 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Edm. L. Kaufman
E. Kaufman

January 18, 2006
Dorothy Mahon
821 Camelia Ct.
Villages - 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

1834 West Schwartz Blvd
Lady Lake, Fla 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

BUREAU OF AIR REGULATION

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Marie-Reine Corbeau

January 18, 2006

11385 SE 78 Doughton Ct
Village, Fla 31062

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



Best Available Copy

January 18, 2006

The Villagers, FL

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

1827 AUGUSTINE DR.
VILLAGES

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

BUREAU OF AIR REGULATION

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

1822 AUGUSTINE DR
WILLAGLE

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

CHARLES FRATTINI
1805 SAN GABRIEL ST
LADY LAKE FL 32159

RECEIVED

JAN 23 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



Best Available Copy

January 18, 2006

Richard N. Ziohek

701 Sherwood ST

THE VILLAGES

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

Carol Ann Robinson
2228 Margarita Dr
The Villages, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Carol Ann Robinson

January____, 2006

814 ALDHA WAY
LADY LAKE FL 32159

RECEIVED

JAN 23 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

819 ALOHA WAY
LADYLAKE FL. 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



Ralph Hollis

January 18, 2006

471 Weston Manor
The Villages, FL 32169

RECEIVED

JAN 23 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



Best Available Copy

January 18, 2006

Beth Hollis
471 Weston Manor
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



MS# 5505 MC Acct # 5515



Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400

MOVED, LEFT NO ADDRESS
 ATTEMPTED - NOT KNOWN
 UNCLAIMED REFUSED
 NO SUCH STREET
 NO SUCH NUMBER
 INSUFFICIENT ADDRESS
 NOT DELIVERABLE AS
 ADDRESSED UNABLE TO FORWARD

UNITED STATES POSTAL SERVICE

016H16501923

\$08.00

12/21/2005

Mailed From 32399

US POSTAGE

Hasler

Mr. John & Theresa McCormick
749 Willington Way
The Villages, FL 32162

Handwritten notes:
 9/2/05
 [Signature]

RECEIVED
 JAN 27 2006
 BUREAU OF AIR REGULATION

Handwritten notes:
 DEC 23 2005
 12-31-05
 1-9-06

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr. John & Theresa McCormick
749 Willington Way
The Villages, FL 32162

2. Article Number
(Transfer from service label)

7000 1670 0013 3109 9892

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

- Agent
- Addressee

B. Received by (Printed Name)

C. Date of Delivery

- D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

- Certified Mail
- Registered
- Insured Mail
- Express Mail
- Return Receipt for Merchandise
- C.O.D.

4. Restricted Delivery? (Extra Fee) Yes


5505

5515

MS#

MC Acct #

Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400



RETURN TO ADDRESSEE


MOVED, LEFT NO ADDRESS
 ATTEMPTED, NOT KNOWN
 UNCLAIMED
 NO SUCH STREET
 NO SUCH NUMBER
 INSUFFICIENT ADDRESS
 NOT DELIVERABLE AS ADDRESSED JUMBLE TO FORWARD

Ms. Linda Pollin
 P O Box 423
 Archer, FL 3261

UNITED STATES POSTAL SERVICE

MS# 5505 MC Acct # 5515

Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400



U16H165U1923
\$03.950
 11/08/2005
 Mailed From 32399
US POSTAGE

RECEIVED
DEC 20 2005
BUREAU OF AIR REGULATION

RETURNED TO SENDER

- Not Deliverable As Addressed
- Unable To Forward
- Insufficient Address
- Mailed, Left No Address
- Unclaimed Refused
- Attempted - Not Known
- No Such Street Vague
- No Such Number
- No Mail Receptacle
- Box Closed - No Order


Route No. _____ Date _____
 Carr./Initials _____

NSIU

STAA

Mr. Ralph Ashodias
 Route 2, Box 5751
 Santa Fe Road
 Fort White, Florida 32708


NOT MAILED
32317




5505

5515

MS#



Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400




Postnet


POSTNET
\$03.270
U.S. POSTAGE

5505

5515

 RETURNED TO SENDER

Not Deliverable As Addressed
 Unable To Forward
 Insufficient Address
 Moved, but No Address
 Unclaimed Refused
 Attempted - Not Known
 No Such Street Vacant
 No Such Number
 No Mail receptacle
 Box Closed - No Order
 Route No. _____ Date _____
 City/Initials _____

 RETURNED TO SENDER

Not Deliverable As Addressed
 Unable To Forward
 Insufficient Address
 Moved, but No Address
 Unclaimed Refused
 Attempted - Not Known
 No Such Street Vacant
 No Such Number
 No Mail receptacle
 Box Closed - No Order
 Route No. _____ Date _____
 City/Initials _____

~~Mr. Tompkins~~
~~Route 2, Box 5551~~
~~Santa Fe Road~~
~~Fort White, Florida~~

MS# 5505 MC Acct # 5515



Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400

Refused

RETURNED TO SENDER

- MOVED, LEFT NO ADDRESS
- ATTEMPTED - NOT KNOWN
- UNCLAIMED - REFUSED
- NO SUCH STREET
- NO SUCH NUMBER
- INSUFFICIENT ADDRESS
- NOT DELIVERABLE AS ADDRESSED
- UNABLE TO FORWARD

DEC 23 2005

~~Ms. Eugenie Marchev
3560 Idlewood Loop
The Villages, Florida~~

016H16501923

Hasler

\$03.95₀
12/21/2005
Mailed From 32399
US POSTAGE

016H16501923

Hasler

\$04.05₀
12/21/2005
Mailed From 32399
US POSTAGE

MS# _____ 5505 MC Acct # _____ 5515




Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400



Ms. Karen J. Ross
1708 Kensington Pl.
Lady Lake, Florida 32162-6731

MS# _____ 5505 MC Acct # _____

Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400




7000 1670 0013 3109 9939


Refused

RETURN TO SENDER
 MOVED, LEFT NO ADDRESS
 ATTEMPTED, NOT KNOWN
 UNCLAIMED, REFUSED
 NO SUCH STREET
 NO SUCH NUMBER
 INSUFFICIENT ADDRESS
 NOT DELIVERABLE AS
ADDRESSED UNABLE TO FORWARD

~~Mr. Ivan Mamarchev
3560 Idlewood Loop
The Villages, Florida 32929~~



016H16501923
\$03.95
12/21/2005
Mailed From 32399
US POSTAGE



016H16501923
\$04.05
12/21/2005
Mailed From 32399
US POSTAGE

DEC 23 2005

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature <input type="checkbox"/> Agent <input type="checkbox"/> Addressee X	
1. Article Addressed to: Mr. Ivan Mamarchev 3560 Idlewood Loop The Villages, Florida 32162	B. Received by (<i>Printed Name</i>)	C. Date of Delivery
2. Article Number <i>(Transfer from service label)</i>	D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. 4. Restricted Delivery? (<i>Extra Fee</i>) <input type="checkbox"/> Yes	
PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540		

7000 1670 0013 3109 9939

MS# _____ 5505 MC Acct # _____ 5515



Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400

Refused
12-23
ST

016H16501923

\$08.00

12/21/2005

Mailed From 32399


US POSTAGE

Hasler



RETURNED TO SENDER

- MOVED, LEFT NO ADDRESS
- ATTEMPTED - NOT KNOWN
- UNCLAIMED REFUSED
- NO SUCH STREET
- NO SUCH NUMBER
- INSUFFICIENT ADDRESS
- NOT DELIVERABLE AS ADDRESSED UNABLE TO FORWARD



RECEIVED

DEC 21 2005

BUREAU OF AIR REGULATION

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Ms. Ruth E. Brown
504 San Pedro Drive
The Village, Florida 32159

2. Article Number
(Transfer from service label)

7001 0320 0001 3692 3746

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent
 Addressee
X

B. Received by (*Printed Name*) C. Date of Delivery

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (*Extra Fee*) Yes

Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400

U16H165U1923


\$03.950

11/08/2005

Mailed From 32399

US POSTAGE


Master




Not Deliverable As Addressed
 Unable To Forward
 Insufficient Address
 Moved, Left No Address
 Undelivered Refused
 Attempted-Not Known
 No Such Street Number
 Vacant Illegible
 No Mail Receptacle
 Box Closed-No Order
 Return to Sender For Better Address

Rt. # _____
 Carr. Init. _____
 Date _____

Ms. Lynn Pollini
 P O Box 423
 Arney FL 32301



32618



RECEIVED

NOV 15 2005

BUREAU OF AIR REGULATION


Mail Delayed Due to Incorrect Zip
 Code Please Notify Components
 of Your Current Address

5505

5515

MS# _____ MC Acct # _____

Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400



Hasler

U76H165U1923


\$03.95

11/08/2005

Mailed From 32399
US POSTAGE

 INSUFFICIENT ADDRESS

Mr. Jim Stevenson
2074 Midyette Road
Tallahassee, Florida 32300

 INSUFFICIENT ADDRESS

RECEIVED

NOV 18 2005

BUREAU OF AIR REGULATION

Handwritten scribbles



3448 CR 567
Center Hill
Fl 33514

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

January 19, 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Rd. MS 5500
Tallahassee Fl 32399-2400

Attn: Mr. Al Linero

Re: Letter of transmittal – requests for additional requirements – Sumter County
Cement Plant permits

Dear Mr. Linero:

Enclosed are fifty seven (57) signed letters by residents of the Villages and the areas close nearby, self-explanatory.

We hope you will include the two requested changes in the final decisions made by your department as these plants move ahead in their permitting process. These are not unreasonable requests, people here are rightfully concerned, and look to you and your department for action to assure them that these plants will be properly monitored to verify that they will – or will not – create adverse environmental impacts that will impact them.

Thank you for your cooperation.

Regards,



John Megan

January 18, 2006

17345 66 76TH CORAPEAKE CT
Village

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

CHARLOTTE MCCOY
2103 ESCOBAR AVE
LADY LAKE FL 32159

RECEIVED

JAN 23 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January B, 2006

517 SAN MARINA DR
Village

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

2006 CLAUDIO LAWE
THE VILLAGES, FL 32159

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Jacqueline BeVier

January 18, 2006

933 SOCORAS WAY
THE VILLAGES, FL 32159-9112

RECEIVED

JAN 23 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


CHARLES R. LORENZ

January 18, 2006

The Villages, FL

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

17637 SE 80TH AKTAMAH A G.
VILLAGES

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 19, 2006

320 FASON DR

LADY LAKE FL 32159

CLIFFORD ROBERTS

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S) BUREAU OF AIR REGULATION

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

3495 Rosbuda,
The Villages 7k 32162

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

2798 Churchill Downs
The Villages, FL 32162

RECEIVED

JAN 23 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

Lois H. Lyon
2847 Chultenham Ct.
The Villages, FL 32162

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

2798 Churchill Downs
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

January 18, 2006

GAIL W. LYON

2897 CHELTENHAM CT
THE VILLAGES FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

3495 Reston Dr
The Villages FL 32147

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Jane Baneach

January 18, 2006

713 Jason Dr.
Lady Lake, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Muriel Schook

January 18, 2006

ROBERT THOMPSON

400 YOUTH CAMP Rd GROVELAND, FL 34736

RECEIVED

JAN 23 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

JOHN/MARY PAULS BOE
2010 PALO ALTO AVE
THE VILLAGES, FL. 32155

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

W. F. Schwartz Blvd
Villages

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Flaence Lindwall

January 18, 2006

MARTIN KUTNYAR
749 EVELYNOR THE VILLAGES

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

BUREAU OF AIR REGULATION

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

1204 E. SCHWARTZ BLVD.
LADY LAKE, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

1637 Riley Ct
Lady Lake, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Nancy A. Jarnis

January 18, 2006

RALPH GARDUNA
17934 SE 86TH AURORA AVE
THE VILLAGES

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18th, 2006

DOBBIE + FRANK OKRUTLICA

2832 CR 200

Oxford, Fl. 34484

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

729 TRUMAN
VILLAGES FL

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


TONY CIROCCO

January 18, 2006

729 TRUMAN AVE
THE VILLAGES, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

BUREAU OF AIR REGULATION

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


CATHERINE CIROCCO

January 18, 2006

722 Bolivar St.
Lady Lake, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Nancy C. Belle

January 18, 2006

1311 IBERIA CT
THE VILLAGES, FL 32162

RECEIVED

JAN 23 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Carol A. Fifeield

January 18, 2006

7289 SE 173rd Arlington Loop
The Villages

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Robert J. Schlenk
Jamie Schlenk

January 18, 2006

1076 Ruby Rd
THE VILLAGES, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

January 18, 2006

A.S. PAT BLOOMBERG
17835 SE 88 CRYMBALL AV
THE VILLAGES, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 26, 2006

Rose Wolf
2509 CR 623

Bushnell Fla 33513

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Rose Wolf

RECEIVED

FEB 10 2006

BUREAU OF AIR REGULATION

January 26, 2006

JoAnne Bellow

2509 CR 673 Bushnell, Fla 33513

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

JoAnne L. Bellow

RECEIVED

FEB 10 2006

BUREAU OF AIR REGULATION

January 26, 2006

Lynn E. Bellow
2509 CR 673 Bushnell, Fla 33573

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- And -
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Lynn Bellow

RECEIVED

FEB 10 2006

BUREAU OF AIR REGULATION

January 26, 2006

WALTER POPLICK
2509 CR 673, BUSHNELL, FL 33513

RECEIVED

FEB 10 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 24 2006

Jo Poplich
2509 CR 673 Bushnell, FL 33573

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

FEB 10 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Jo Poplich

January____, 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January____, 2006

RECEIVED

JAN 09 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



FRANK HEARSH

January____, 2006

RECEIVED

JAN 09 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January____, 2006

RECEIVED

JAN 04 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 6, 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 09 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January____, 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 09 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 5, 2006

RECEIVED

JAN 09 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



PLACE STICKER AT TOP OF ENVELOPE

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:
Mr. David B. Jellerson,
Environmental Manager
Cargill Fertilizer, Inc.
8813 U.S. Highway 41 South
Riverview, Florida 33569

2 Article Number
(Transfer from service label)

7000 1670 0013 3109 8550

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent
 Addressee
X J Jellerson


B. Received by (Printed Name) C. Date of Delivery
T Jellerson

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

UNITED STATES POSTAL SERVICE



RECEIVED
First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box

SEP 7 2004
BUREAU OF AIR REGULATION

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd., MS 5505
Tallahassee FL 32399-2400



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:
Ms. Patrice Boyes
~~Boyes & Associates P.A.~~
Post Office Box 358584
Gainesville, Florida 32635-8584

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent
 Addressee
SE Grovesby

B. Received by (Printed Name) C. Date of Delivery
SE Grovesby *10/8/04*


D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2 Article Number 7000 1670 0013 3110 3230
(Transfer from service label)

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd., MS 5505
Tallahassee, FL 32399-2400

RECEIVED

OCT 12 2004

BUREAU OF AIR REGULATION



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:

Mr. Paul Grego
Wheelabrator North Broward, Inc.
2600 N.W. 48th Street
Pompano Beach, Florida 33073

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly)

B. Date of Delivery

C. Signature

 Agent Addressee

D. Is delivery address different from item 1?

 Yes

If YES, enter delivery address below:

 No

3. Service Type

 Certified Mail Express Mail Registered Return Receipt for Merchandise Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes

2 Article Number (Copy from service label)

7000 1670 0013 3110 3278

UNITED STATES POSTAL SERVICE

RECEIVED

First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

OCT 11 2004

BUREAU OF AIR REGULATION

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd., MS 5505
Tallahassee, FL 32399-2400



PLACE STICKER AT TOP OF ENVELOPE
TO THE RIGHT OF RETURN ADDRESS

LETE THIS SECTION ON DELIVERY

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: #0310071

MR TERRENCE A FORE
PRESIDENT MANAGER
BUSH BOAKE ALLEN INC
2051 NORTH LANE AVENUE
JACKSONVILLE FL 32254

A. Received by (Please Print Clearly) B. Date of Delivery
8-30-01

C. Signature
x *Terrence A Fore* Agent
 Addressee

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No



3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number (Copy from service label)

7099 3400 0000 1451 2636

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

DEPARTMENT OF ENVIRONMENTAL PROTECTION
TWIN TOWERS OFFICE BUILDING
2600 BLAIR STONE ROAD MS 5510
TALLAHASSEE FL 32399-2400

BUREAU OF AIR REGULATION

OCT 16 2001

RECEIVED

SEP - 4 2001
Mobile Sources

32399-2400



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:
Mr. Paul Barrett
General Manager
White Springs Agricultural
Chemicals, Inc.
Post Office Box 300
White Springs, Florida 32096

2 Article Number
(Transfer from service label)

7000 1670 0013 3109 8758

COMPLETE THIS SECTION ON DELIVERY

A. Signature
X  Agent
 Addressee

B. Received by (Printed Name) C. Date of Delivery
P.D. Reynolds 10/20/04

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

RECEIVED
OCT 25 2004

BUREAU OF AIR REGULATION

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd., MS 5505
Tallahassee, FL 32399-2400

SENDER: COMPLETE THIS SECTION

- ▲ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:

Mr. Wade A. Maye
 Tampa Electric Company
 Post Office Box 111
 Tampa, Florida 33601-0111

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

 Agent Addressee

B. Received by ((Printed Name))

C. Date of Delivery

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type

 Certified Mail Express Mail Registered Return Receipt for Merchandise Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes

2 Article Number

7000 1670 0013 3110 3100

(Transfer from service label)

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd., MS 5505
Tallahassee, FL 32399-2400

RECEIVED
NOV 18 2004
BUREAU OF AIR REGULATION



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:

The Honorable Joe McClash, Chair
Manatee County Board of
Commissions
PO Box 1000
Bradenton, FL 34206-1000

2 Article Number (Copy from service label)
7000 0600 0026 4129-8245

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) B. Date of Delivery

C. Signature

Terry D. Farnham

Agent
 Addressee

D. Is delivery address different from item 1?
If YES, enter delivery address below.

Yes
 No



3. Service Type

Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes



UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box.

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd., MS 5505
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

JUL 23 2001

RECEIVED



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Ms. Nicki S. Slusser, Mill Manager
International Paper Company
Pensacola Mill
375 Muscogee Road
Cantonment, Florida 32533-0087

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) B. Date of Delivery

ALBANY C. SIMMONS 10-12

C. Signature

Albany C. Simmons

Agent
 Addressee

D. Is delivery address different from item 1? Yes

If YES, enter delivery address below: No

3. Service Type


Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number (Copy from service label)


001 1140 0002 1577 7461

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
BUSSEST
Permit No. G-10

Breast
Cancer



RECEIVED
OCT 14 2004
BUREAU OF AIR REGULATION
Awareness.
Mammograms Save Lives

• Sender: Please print your name, address, and ZIP+4 in this box

Department of Environmental Protection
Division of Air Resources Management
Bureau of Air Regulation, NSRS
2600 Blair Stone Road, MS 5505
Tallahassee, Florida 32399-2400

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. Addressee's Address
2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

Florida Power Corporation BBI A
Environmental Services Dept., H2G
P.O. Box 14042
St. Petersburg, Florida 33733

ATTN: DEBIE

5. Received By: (Print Name)

Tony Herrin

6. Signature (Addressee of Agent)

X

4a. Article Number

Z 115 464 459

4b. Service Type

- Registered Certified
 Express Mail Insured
 Return Receipt for Merchandise COD

7. Date of Delivery

JAN 19 1999

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Print your name, address, and ZIP Code in this box. •

Mr. Al Linero, P.E.
Administrator, New Source Review Section
Florida Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

RECEIVED

OCT 20 1998

**BUREAU OF
AIR REGULATION**



Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1. Addressee's Address
- 2. Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

Gene L. Ussery
Gulf Power Company
One Energy Place
Pensacola, Florida 32520-0100

4a. Article Number

7000 0600 0026 4129 8849

4b. Service Type

- Registered Certified
- Express Mail Insured
- Return Receipt for Merchandise COD

7. Date of Delivery

11-15-04

5. Received By: (Print Name)

B. Hice

8. Addressee's Address (Only if requested and fee is paid)

6. Signature (Addressee or Agent)

X B. Hice

Thank you for using Return Receipt Service.

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Print your name, address, and ZIP Code in this box •

Department of Environmental Protection
Division of Air Resources Management
Bureau of Air Regulation
2600 Blair Stone Road, MS 5505
Tallahassee, Florida 32399-2400

RECEIVED
NOV 9 2004
BUREAU OF AIR REGULATION

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:

Mr. Roger B. Zirkle
Plant Manager
Tiger Bay Cogeneration Facility
Progress Energy
3219 State Road 630 West
Ft. Meade, Florida 33841

2 Article Number
(Transfer from service label)

7000 1670 0013 3110 3124

COMPLETE THIS SECTION ON DELIVERY

A. Signature



-
- Agent
-
-
- Addressee

B. Received by (Printed Name)

Lori Moore

C. Date of Delivery

9-20-04

D. Is delivery address different from item 1? YesIf YES, enter delivery address below: No

3. Service Type

-
- Certified Mail
-
- Express Mail
-
-
- Registered
-
- Return Receipt for Merchandise
-
-
- Insured Mail
-
- C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd, MS 5505
Tallahassee, FL 32399-2400

RECEIVED
SEP 28 2004
BUREAU OF AIR REGULATION

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:

Mr. Stan Posey
Manager, Environmental Affairs
PCS Phosphate / White Springs
Post Office Box 300
White Springs, FL 32096

2 Article Number
(Transfer from service label)

7000 2870 0000 7028 4007

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X



-
- Agent
-
-
- Addressee

B. Received by (Printed Name)

J.D. Reynolds

C. Date of Delivery

7/19/04

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No


3. Service Type

-
- Certified Mail
-
- Express Mail
-
-
- Registered
-
- Return Receipt for Merchandise
-
-
- Insured Mail
-
- C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No: G-10

• Sender: Please print your name, address, and ZIP+4 in this box.

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd., MS 5505
Tallahassee, FL 32399-2400

RECEIVED

JUL 22 2004

**BUREAU OF AIR REGULATION
RECEIVED**

JUL 21 2004

BUREAU OF AIR REGULATION



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:
Mr. Carlos Rionda
Vice President and General
Manager
Osceola Farms Company
Post Office Box 679
Pahokee, Florida 33476

2. Article Number
(Transfer from service label)

7000 1670 0013 3109 9410

COMPLETE THIS SECTION ON DELIVERY

A. Signature

Howard Hill

Agent

Addressee ³

B. Received by (Printed Name)

Howard Hill

C. Date of Delivery ⁴

6/1-3-04

D. Is delivery address different from item 1? Yes

If YES, enter delivery address below: No

3. Service Type


Certified Mail Express Mail

Registered Return Receipt for Merchandise ⁵

Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10 3

° Sender: Please print your name, address, and ZIP+4 in this box.

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd., MS 5505
Tallahassee, FL 32399-2400

RECEIVED
NOV 05 2004
BUREAU OF AIR REGULATION



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:


Mr. Michael Lentz
Responsible Official
Progress Energy Florida, Inc.
Post Office Box 14042
MAC: BP44
St. Petersburg, Florida 33733

2. Article Number

7000 1670 0013 3109 9724

*(Transfer from service label)***COMPLETE THIS SECTION ON DELIVERY**

A. Signature:

 Agent Addressee

B. Received by (Printed Name)

C. Date of Delivery

7-12-04

D. Is delivery address different from item 1? YesIf YES, enter delivery address below: No


3. Service Type

 Certified Mail Express Mail Registered Return Receipt for Merchandise Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box.

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd., MS 5505
Tallahassee, FL 32399-2400

RECEIVED

12 15 2004

BUREAU OF AIR REGULATION



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr. Phong Vo
General Manager
Engineering and Technical Services
U.S. Agri-Chemicals Corporation
3225 SR 630 West
Fort Meade, Florida 33841-9799

2. Article Number

(Transfer from service label)

7000 1670 0013 3110 3001

COMPLETE THIS SECTION ON DELIVERY

A. Signature

Mary Thomas

Agent

Addressee

B. Received by (Printed Name)

Mary Thomas

C. Date of Delivery

8-13-01

D. Is delivery address different from item 1? Yes

If YES, enter delivery address below: No

3. Service Type

Certified Mail Express Mail

Registered Return Receipt for Merchandise

Insured Mail C.O.D.*

4. Restricted Delivery? (Extra Fee)

Yes

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

RECEIVED

AUG 17 2004


BUREAU OF AIR REGULATION

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd., MS 5505
Tallahassee, FL 32399-2400

01



TOOFAR, Inc.
P.O. Box 2709
Inverness, FL 34451



attn:
AL Linder

Florida D.E.P.
Air Construction Permits
2600 Blair Stone Rd MS 5500
Tallahassee, FL 32399-2400

32399+6342-99 0001



MARCN
January 16, 2006

GEORGE R. SWINA

1264 CR 543 B

SUMTERVILLE, FL 32585

RECEIVED

MAR 20 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

George R. Swina

**January 12, 2006
Sue Michalson
3367 Reston Drive
The Villages, Fl. 32162**

Dear Al, Enclosed yo will find 226 signed papers requesting you not permit :

**Sumter Cement Plant PSD-FL-361.
Center Hill Cement Plant PSD-FL-358**

without first taking base line readings in Sumter County on the existing Mercury.

Order CEM, continuous emissions Monitoring for mercury in the two facilities mentioned above. Further, we request that this monitoring begin the moment the plants are up and running, not one year from start up.

Thank you


Sue Michalson

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 9, 2006

Mildred Burgess

421 Cambria Ct

Lake Lake, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Mildred Burgess

January 10, 2006

ROBERT RAINBOLD
210 ESTRADA PL
VILL

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 11, 2006



Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



John S. Briggaman 7-10-06

January 11, 2006

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Bernadine D. Pelham

January 11, 2006

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Thomas M. Pelham

January 10, 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

January 10, 2006

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 8, 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S) BUREAU OF AIR REGULATION

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 8, 2006

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 11, 2006

MICHAEL DONATO
1544 HARTSVILLE TRAIL
THE VILLAGES, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

M. KIELO

1746 MORGAN RD

HADY LARE 54109

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

Robert M. Welker
1502 Bryan Ave

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Robert M. Welker

January 10, 2006

237 Juarez Way
Lady Lake FL

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

Jane Jenkins
1609 Carrera Dr

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

438 Helalga Pl.

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 12, 2006

1719 Morris Place

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Mrs. Joseph O'Beirne

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 11, 2006

Thomas Jordan

The Villages FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely

Thomas Jordan

January 11, 2006

Elizabeth MacConnell
3020 Macon Court
Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Elizabeth MacConnell

IRISHEYES27@MYMAILSTATION.COM

January 9, 2006

ART STELLMANN
8344 RICHMOND DR
TV 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Lintero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
~~PSD-FL-360 (CENTER HILL CEMENT PLANT)~~

Dear Mr. Lintero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 10, 2006

1952 Perdree
The Villages FL.
30459

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 11, 2006

James H. SPAW
1652 STAUNTON ST 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

James H. Spaw

January 9, 2006

Martha Wade
3277 Richmond Drive
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Martha Wade

January 11, 2006

Bob Wells

2012 Peachtree

The Villages FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Bob Wells

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 11, 2006

Richard / Barbara Block
1800 Dalton Dr.
The Villages, Fl. 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Richard C. Block

January 10, 2006

STEVE BOREN

1849 DALTON DR.

The Villages, Fl. 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)


Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


January 14, 2006

ROBERT T. MILLER

1855 DALTON DR.

THE VILLAGES, 32142

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Robert T. Miller

January 9, 2006

George Ketterer
1851 Dalton Drive
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 09, 2006

J.A. BOJAR
3443 Reston Dr.

The Village Plaza - 32262

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

HAROLD MOOR

3560 ROANOKE ST

THE VILLAGES, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Harold Moor

January 11, 2006

Catherine C. Bojar
3443 Reston Dr
The Villages, FL 32126

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Catherine C. Bojar

January 9, 2006

M. Robert Miller

2103 Heather Hill Loop

The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

M Robert Miller

January 9, 2006

850 Gilbert Place
The Villages, FL

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Bonnie Gore 850 Gilbert Pl., The Villages, FL
Donnell Gore 850 GILBERT PL The Villages, FL

January 9, 2006

1525 Louis Loop
The Villages, FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Leen H. Danish

January 9, 2006

GERALDINE BLACK

1090 NICHOLS TERRACE

THE VILLAGES, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Geraldine Black

January 09, 2006

Richard N + Helen M. Merrill
1676 Carrera Dr
The Villages FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Richard N. Merrill
Helen M. Merrill

January 9, 2006

Steve Richter
1574 Gadsden Place
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Steve B. Richter

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 9, 2006

Steve Miller

1343 MT. Vernon Way
The Village, Fl. 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Steve Miller

January 9, 2006

768 ALCOFF AVE
The Villagers FC 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


Patricia E. Kraus₁

January 9, 2006

JOHN; SALLY SHIRE
1612 ARIAL Ph
THE VILLAGES, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Sally Shire
John R. Shire

January 9, 2006

Bob Leadbetter
Leadbetter@EARTHlink.net

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Bob Leadbetter

RECEIVED


JAN 17 2006

BUREAU OF AIR REGULATION

January 9, 2006

Ann Beislof
1543 Taylor Lane
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400



Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Ann Beislof

January 9, 2006

1897 Hartford Path
The Villages, FL 32162.

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,



Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

 (Roldao N. da Silva)
 (Ana J. da Silva)

January 9, 2006

1674 Sunset Ridge
Villages 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Juda and Bill Beasley
Mary Lynn Fry -1- 755 Eaton Tr.
H Milton Am Villages 32162

January 6, 2006

James Berry
4176 E.C.R. 468
Wildwood, FL. 34785

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

James Berry

January 6, 2006

Robert Orosz
4176 E.C.R. 468
Wildwood, FL. 34285

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Robert Orosz

January 6, 2006

Terri Gilbert

4176 E.C.R. 468

Wildwood, FL 34785

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Terri Gilbert
(352) 330-2440

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Best Available Copy

January 6, 2006

JOHN TOMICH
2126 BARBOSA CT.
THE VILLAGES, FL 32058

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 6, 2006

MARGE LOWERY
6149 CR 622F
BUSHWELL, FL. 33513

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Marge Lowery

January 6, 2006

Elizabeth K. Brown
37 So. Bobwhite Rd.
Wildwood, FL 34750

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Elizabeth K. Brown

January 6, 2006

BERTRAND H. BROWN
37 So. BOWWHITE RD
WILDWOOD FL 34785

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Bertrand H. Brown

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 6, 2006

VONDA L KIRCHBERGER

929 Soledad Way

The Villages, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Vonda L Kirchberger

January 6, 2006

Robert B. Kirchberger
929 Soledad Way
The Villages, FL 32159-9112

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Robert B. Kirchberger

January 11, 2006

Mr & Mrs John H. Bell

722 Bolivar ST.

Lady Lake, FL 32159

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

John H. Bell

Nancy C. Bell

January 11, 2006

Rushad Thomas

323 West Parker Avenue

Bushnell, FL 33513

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 11, 2006

Mary Ann Donato

1544 Hartsville Trail

Ledy Lake, The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Mary Ann Donato

January 11, 2006

506 Downers Grove
Villages 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

Francis & Lonette Simcik
2816 PLAINRIDGE Loop
THE VILLAGES, FL. 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Francis & Lonette Simcik

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 11, 2006

RAYMOND VITTIUM
553 KEMPTON PL
THE VILLAGES

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 10, 2006

553 Kempton Pl
Villages

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Hope A. Vittum

January ____, 2006

Mr & Mrs. Harold Tompkins
525 Northfield Lane
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Harold Tompkins

January 10, 2006

2843 PLAIN RIDGE LOOP
THE VILLAGES, FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

2701 Plainridge Loop
The Villages
FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Patricia A. Pind

January 10, 2006

2870 Plain Ridge Loop
The Villages FLA
32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

1. While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
2. I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


Steve Penland

January 9, 2006

Phyllis Bartolo
2570 Quiet Loop
The Villages, FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Phyllis Bartolo

January 8, 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Richard R. Perella

January 10, 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Kristina A. Jowers

January 5, 2006

GAYLE L. FERRANTE

1221 CR 543 B

SUMTERVILLE, FL 33585

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Gayle L. Ferrante

January 6, 2006

THEODORE C. MORRIS

5056 E. CLAYRE LN. INVERNESS FLA.
34452

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- And -
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 6, 2006

Ed N. Bedford
131 Air 470 Lk. Park

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities *should be required*, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- And -
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 6, 2006

Eric Krause

4784 CR 306B

Lake Panasoffkee, FL 33538
Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Eric Krause

January 6, 2006

Eddie Kellar

5581 E. R. 547 Bushnell
FL 33513

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January ____, 2006

Buddy Wright
PO Box 1525, Bushnell, FL

33513

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Buddy Wright

January ____, 2006

Elizabeth Beard

2330 CR 446, Lake Panasoffee, FL 33538

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Elizabeth Beard

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 11, 2006

John Megan

344B CR 567

Center Hill FL 33514

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 5, 2006

Sylvia Starnes

3725 C.R. 400 LK PANASOFFKEE FL 33538

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Sylvia Starnes

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

January 5, 2006

Daniel Skovro

3725 CR 400

Lawrenceville FL 33538

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Daniel Skovro

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 5, 2006

2674 CR 412

LK Panasso SSKA FL 33538

Roddy Feer

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 5, 2006

Stephen J. Starnes

3679 CR 405A

LAKE PANASOFFKEE, FL. 33538

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Steve Starnes

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 5, 2006

Stephen P. STARNES

3679 CR 405A

Lake Panasofkee FL 33538

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 5, 2006

Eloise Neal

3417 CR 421

Lk Panayotkee Fl
23538

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Eloise Neal

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 5, 2006
James W. Will Sr.
3417 C. R. 42
John Panosoffler FL 33538

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

James W. Will Sr.

January 10, 2006

Louise Racine

3448 CR 567

Center Hill, FL 33514

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 5, 2006

JAMES W VEA JR.
2717 CR 412
UK Panasofflee FL 33538

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 5, 2006

Willis M. Schott

*2529 CR 498
L.R. Panasoffke, FL 33538*

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Willis M. Schott

January 5, 2006

Elizabeth Frost
P.O. Box 1061
Lake Panasoffkee FL 33538

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Elizabeth Frost

January 5, 2006

DARRIN FERRANTE

1221 CR 543 B

SUMTERVILLE, FL 33585

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 6, 2006

Rose Mary Roney
1354 CR 543 B
Sumterville Fl. 33585

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Rose M. Roney

January 6, 2006

James P. Roney

1354 CR 543B

Sumterville Fl. 33585
352 868 1579

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

James P. Roney
1-

January 6, 2006

George & Lynne Shinn
1264 CR 543B
Sumterville 33585

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 6th, 2006

John W. Y.
4705 CR 306

Lake Pan. Fl 33538

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

John W. Y.

January 5, 2006

PO - Box 784

Bushnell, FL 33513

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 6, 2006

Glen Farris

1275 CR 543B Sumterville Fla 33585
352-568 2295

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Glen Farris

January 6, 2006

LARRY BUTA

P.O. BOX 129

SUMTERVILLE, FL 33585

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 11, 2006

WENDEL MARTINKOVIC

2095 CR 416

LAKE PANASOFFKEE, FL 33538

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Wendel Martinkovic

January 11, 2006

Nancy Dwyer

2095 CR 416

LAKE PANASOFFKEE, FL 33538

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Nancy Dwyer

January 11, 2006

JAMES B KLEEKAMP
P.O. BOX 639
BUSHWELL, FL 33513

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

James B. Kleekamp

January 11, 2006

EVERETT HADLEY
3399 ATWELL AVE
THE VILLAGES, FL 32112

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Everett E. Hadley

January 11, 2006

CAROLYN W. HADLEY
3399 ATWELL AVE
THE VILLAGES, FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Carolyn W Hadley

January 10, 2006

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



165 -

January 9, 2006

3269 ROANOKE ST

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Clinton Christon

January 12, 2006

2839 Larranaga Dr.

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Mary Burkhardt

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 12, 2006

3599 RESTON DR

VILLAGES

RECEIVED

JAN 17 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

1812 PeachTree Ave
VILLAGES

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Gino E. Pasquale

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 10, 2006

3300 RICHMOND DR.

Villages

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Frank Stanton

January 10, 2006

1819 NAPLES PLACE

VILLAGES

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Jed M. Merle

January 12, 2006

3511 Reston Dr.

The Villages, FL

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

F. BRAZELL

3472 RICHMOND DR

VILLAGE FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

3105 Camolton Ct

Village

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Tom Atkeson

January 10, 2006

1897 Dutton Drive
Villages

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Gene Buchanan

January 10, 2006

1830 DALTON DA

ONE VILLAGE FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

SHIRLEY MULL

1937 PEACHTREE AVE.

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Shirley M. Mull

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 10, 2006

Donna Thompson
1800 Peachtree Ave
The Villages FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Donna A Thompson

January 9, 2006

GENE A. RICCI

3354 AESTON DR

THE VILLAGES FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 09, 2006

ROBERT V. RICO
1884 PEACHTREE AV
THE VILLAGES FL 3262

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)


Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


January 12, 2006

Ed - Louise Heartsted

1619 Cassara Dr.

7th Villages Fl 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Louise Heartsted

January 9, 2006

JOHN JABLONSKY
1403 SAM METRO AVE,
LADY LAKE FL

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


- 1 -

January 9, 2006

Doris & Joe Sackville
1817 Barago Ct
Village

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Doris Sackville

January 10, 2006

Douglas M. Dombek
543 Cabana Dr
Lady Lake FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

D. M. Dombek

January 9, 2006

517 San Marcos Dr.

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Tom Atkeson

January 11, 2006

267 Montoya Rd.

Jody Dake

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

G. Haugh

January 9, 2006

Joyce Baylis
3294 Roanoke St.
The Villages, Fl. 32162

RECEIVED

JAN 17 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Joyce Baylis

January 9, 2006

James A. Beakey

1666 GARCIA CT.

LADY LAKE, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

1863 Dalton Dr
The Villages, FL

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Supanne Dault

January 12, 2006

M. DYNAGIN

1860 DALTON DR.

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Mary J. Dynagin

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

January 10, 2006

Jerry B. Baker
300 Marietta Ln

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.


Sincerely,

Jerry B. Baker

January 10, 2006

KATHY ELSTAD
3563 RESTON DR.
THE VILLAGES FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400



Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Kathy Elstad

January 9, 2006

RICHARD PALMER

3248 HOWELL ST,

THE VILLAGES, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

J. Cameron
2906 Oswald Dr.
The Villages

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

J. Cameron

January 9, 2006

CAL MARKWELL
3567 RESTON DR.

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Calvin E. Maxwell

January 10, 2006

L. Mc DONOUGH

3453 ROANOKE ST

VILLAGES FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

Elizabeth Morris
1648 Staunton St

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Elizabeth Morris

January 9, 2006

HAROLD KISTLER

3436 RESTON DR

VILLAGES FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Harold J. Kistler

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 09, 2006

ROBERT V RICE
1573 OAK FOREST DR
THE VILLAGES FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


January 9, 2006

L Brazell
3472 Richmond DR
THE VILLAGES FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Elizabeth A Brazell

January 9, 2006

Joseph A. Kennel
2008 Penetration

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS.5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Joseph A. Kennel

January 9, 2006

Coral Kramer
3318 Richmond
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Coral Kramer

January 16, 2006

1259 BETHUNE WAY

THE VILLAGES FL 32162

352-750-3222

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

2395 Wilson Way
The Villages, FL
32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

May P. Dooley

January 10, 2006

William L. Thummel
2076 Palo Alto Ave.
The Villages, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 9, 2006

512 Downers Grove
Villages

32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Andrea Coburn
Harry W. Ober -1-

January 9, 2006

1032 JACKSON ST
THE VILLAGES, 7132162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,




January 9, 2006

Deborah Dessert

2318 Callaway Dr.

The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400



Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Deborah Dessert

January 9, 2006

*1576 Boyan Place
The Village 32162*

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Ralph W. Hammond

January 9, 2006

231 Montoya Dr.

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Barbara G. Boers

January 9, 2006

MARGARET J. BYRIN
1760 MORELUS RD
VILLAGES FL. 32159

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

James Tharin Stein

1701 Francisco St.

The Villages FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

James Stein

January 9, 2006

Julia Webb
414 Son Marini Drive
Lady Lake, Florida 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Julia Webb

January 9, 2006

RALPH TETTA

1703 SONORA ST

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

1615 GENITIZ ST

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Christopher Keay

January 12, 2006

304 Guido Ave
The Villages, FL
32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

1688 Garcia Ct

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006



1715 Mowbray Rd

The Villages

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 10, 2006

1720 CARREX DR.
VILLAGES

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

Catherine M. Gebbe
1664 Garcia Ct
Village Fl 32159

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Catherine M. Gebbe

January 10, 2006

ANNE DONOHUE
332 SAN MARINO DR
The Villages 32159

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Anne Donohue

January 12, 2006

JAMES CUMMINS

1801 SANTANA WAY

THE VILLAGES FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 10, 2006

Donald A Beckett

306 Guido Ave

The Villages FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Donald A Beckett

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 12, 2006

1710 Moreno Pl.
Villages

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

1733 Norco Rd.
Lady Lake, Fl. 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Clara Farney

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 18, 2006

501 Herrera Ct
The Villages FL

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

ANN KRONNER

1501 JUAREZ PL

LADY LAKE, FL 32559

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Ann Kronner

January 10, 2006

JOHN P. O'BRIEN
235 MONTROYA DR
THE VILLAGES FL 32159

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

506 CARRERA DR.

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Bessie Silberg

January 10, 2006

Gerald A. De Smith

912 Fuentes Ave

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Gerald A. De Smith

January 10, 2006

ELAINE WALKER
480 HIDALGO DR
THE VILLAGES FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Elaine Walker

January 10, 2006

CLARK GREEHLING
2475 KENMORE LANE
THE VILLAGES, FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Clark Greehling


January 9, 2006

Vonda L. Kirchberger

929 Soledad Way

The Villages FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400



Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Vonda L. Kirchberger

January 9, 2006

Jane S. Kelly
810 Saint Andrews Blvd
The Villages FL 32159
352 430 1822

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Jane S. Kelly

January 9, 2006

Elizabeth McLeod
810 St. Andrews Blvd., The Villages, FL 32159
352-340-1822

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Elizabeth J. McLeod

January 10, 2006

SALLY E GOCHENAUR
1259 BETHUNE WAY
THE VILLAGES, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


352-750-3222

Best Available Copy

January 6, 2006

Dolores Capriozzi
12699 SW 38 Way
Webster, FL 33597

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities;

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Dolores Capriozzi

Best Available Copy

January 6, 2006

Morris Guss

12699 SW 38 Way

Webster, FL 33597

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 6, 2006

Best Available Copy

L. Clay Godwin
P.O. Box 176
Coleman, FL 33521

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

L. Clay Godwin

Best Available Copy

January 6, 2006

Donothy N. Harris
23 SE 1st Ave.
Webster, FL 33597

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Donothy N. Harris

January 6, 2006

Michael J. Harris
23 S.E. 1st Ave.
Webster, FL 33597

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



Best Available Copy

January 6, 2006

JANE BRANGMAN

4556 E CR 468

WILDWOOD FLA 34785

RECEIVED

JAN 17 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Jane Brangman

January 6, 2006

Linda W. Ma
318 N. Adams St.
Bushnell, FL 33513

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Linda W. Ma

January 6, 2006

Charles Mims
318 N. Adams St.
Bushnell, FL 33513

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Charles D. Mims

January 6, 2006

MARGARET D MASTER
3726 CR 507
Wildwood, FL 34785

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Margaret D Master

January 6, 2006

E. J. Marchbanks
55 N. Bolwhite Rd
Wildwood, FL 34785

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

E. J. Marchbanks

Best Available Copy

January 6, 2006

Margie R. Collier

P.O. Box 95

Wildwood, FL 34785

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Margie R. Collier

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 6, 2006

James L. Collier
P.O. Box 95
Wildwood, FL, 34785

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

James L. Collier

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 6, 2006

NICHOLAS BUSOOLA
809 CAROL ST.
WILDWOOD FL 32185

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Nicholas Busoola

Best Available Copy

January 6, 2006

Lawrence H. Paser
2124 Barbosa Court
Lady Lake, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Lawrence H. Paser

Best Available Copy

January 6, 2006

Jane B. Paser

2124 Barbosa Court

Lady Lake, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Jane B. Paser

January 6, 2006

Charlotte Foss

13931 CR 109F

Lady Lake Sh 32159

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Charlotte Foss

January 6, 2006

THOMAS PEGG

13931 CR 109F

LADY LAKE FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 6, 2006

Lucille Shoup

3901 CR 511A

Wildwood, FL 34785

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 6, 2006

Ada L Kasper

P.O. 1267

L.K. Panasoffkee, FL 33538

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Ada L Kasper

January 16, 2006

John Shoup
3901 C.R. 511A
Wildwood, FL. 34785

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

John C. Shoup
(352) 748-4941

January 10, 2006

KAREN L. JUDD

1601 Meadow St

Wildwood, FL 34785

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Karen L. Judd

January 9, 2006

WELDON L GORRICH

1819 ENGLEWOOD ST

VILLAGES 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Weldon L. Gorrich

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 9, 2006

MARGI WERB
1700 Staunton St
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (60 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Margi Werb

January 9, 2006

EFSTRATIOS CHOCA
3519 RESTON DR.

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

EFstratios Chocax

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 9, 2006

GAIL COLEMAN
3418 Richmond Dr

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January ____, 2006

DONALD CHAPLIN
3241 HAMTON LN
THE VILLAGES, FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

Alberta M. Heasens
1675 Stouckton St

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Alberta M. Heasens

January 10, 2006

David Stork
3233 Hampton Ln
TI

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

David Stork

January 10, 2006

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Robert L Steina

January 10, 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Jeanne Starnes

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 11, 2006

3412 Roanoke St
The Villages

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

LINDA SEIDL
3312 ROANOKE ST
THE VILLAGES, FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

GIL SMOLESKA

3371 RUSTON DR

THE VILLAGES, FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

Earle J. Clark
3571 Reston Dr
The Villages

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

Larry Western
3433 Rancho St.
The Villages, Fla. 32163

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Larry Western

January 9, 2006

Wise

3603 Reston Dr.

The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Helen J. Wise

January 10, 2006

Sue Michalson - 3522591026
3367 Boston DR
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (60 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 4, 2006

Barbara D Block -1800 Dalton Dr- (352) 259-1151
The Villages Fl. 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (60 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Barbara D Block

January 5, 2006

EILEEN MC CARTHY

409 VALUENTA DR. 352-751-3579

THE VILLAGES FLA.

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Eileen McCarthey

January 5, 2006

Midge Ferraro
2685 Marston Way
The Villages FL

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (60 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

M. Ferraro

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

January ____, 2006

Scott J. Mandrell
12971 CR 101
Oxford, FL 34484

RECEIVED

JAN 17 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (60 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Scott J. Mandrell

January 6, 2006

Pox 300 Weirsdail
FL 32195

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (60 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Eugene Hurst

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

January 17/06, 2006

CAROL CORREA
872 LADSON LOOP
The VILLAGES, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Carol A. Correa

January 7, 2006

Becky Dunning
872 Ladson Loop
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 07, 2006

ELEANOR STRICKLAND

1842 DALTON DRIVE

THE VILLAGES, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

Gail Coleman
3418 Richmond Dr
The Villages, Fla

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (60 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Gail Coleman

January 7th, 2006

Lin Taylor
3400 Richmond Dr.
De Villars, FL 32162

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)


Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (60 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


January 07, 2006

1837 N. W. 10th St.
The Village of FL

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January _____, 2006

3558 RESTON DR.

LADY LAKE FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 9, 2006

Mary DeFele
1843 Captiva Ct.
Village

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Mary M. DeFele

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 12, 2006

1820 Dalton

The Villages

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

3564 Roanoke

RECEIVED

JAN 17 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

1685 Norfolk Ave.
Vulloger.

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

RECEIVED
JAN 17 2006
BUREAU OF AIR REGULATION

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Robert J. Schroy

January 9, 2006

1888 Dalton Dr.
Villages, Fla. 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 11, 2006

Doris N. Fogg
The Villages, FL

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- And -
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Doris N. Fogg

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 11, 2006

Karen J. Ross
1708 Kensington Place
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,


KAREN J. ROSS

January 11, 2006

William A. Fogg
The Villages, FL

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

William A. Fogg

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 10, 2006

Joyce A. Christie
700 Rosella Place
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Joyce A. Christie

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

January 12, 2006

WILLIAM F. & MARDA A HAMILTON

1617 LAKEWOOD DR

THE VILLAGES, FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Will F. Hamilton Marda A. Hamilton

January ____, 2006

RECEIVED

JAN 17 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Mary Ann Featherford
618 SUANITA COURT
VILLAGES FL 32159

January ____, 2006

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Marjorie L. Hensell
660 Juanita Ct.
The Villages, FL 32159⁻¹⁻

January 11, 2006

669 Jameston Ave
The Villages FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 11, 2006

Robert A. Gall
3447 Roston Drive
The Villages, FL 32162

RECEIVED

JAN 17 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Robert A. Gall

January 11, 2006

Donna M. Gall

3447 Reston Drive

The Villages @ Lady Lake, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Donna M. Gall

January 8th, 2006

RECEIVED

JAN 11 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Evelyn M. Drake

January 8th, 2006

RECEIVED

JAN 11 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- And -
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



William E. Drake



FLORIDA DEPARTMENT OF ENVIRONMENTAL
PROTECTION
AIR CONSTRUCTION PERMITS
2600 BLAIR STONE ROAD MS 5500
TALLAHASSEE,
FL 32399-2400

32399+6542



January____, 2006

RECEIVED

JAN 12 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January____, 2006

RECEIVED

JAN 12 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January____, 2006

RECEIVED

JAN 12 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January____, 2006

RECEIVED

JAN 12 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.


With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



Yvonne Taylor
16698 SE 57th Rd
Center Hill, Fl.
33514


TAMPA FL 336
10 JAN 06 PM 1 T



Florida Dept. of Environmental Protection
Air Construction Permits
2600 Blair Stone Rd MS 5500
Tallahassee, Fl. 32399-2400

Attn: Mr. Al. Lixero

32399-2400



January ____, 2006

James A. Olson
491 Weston Manor Dr.
The Villages, FL 32162

RECEIVED

JAN 12 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments – INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

James A. Olson

January 10, 2006

755 EATON TERRACE
THE VILLAGES, FL
32162

RECEIVED

JAN 12 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Mary Lynn Fry
MARY LYNN FRY

January 11, 2006

D. C. PETERSEN
487 WESTON MANOR RD
THE VILLAGES FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 13 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

1. While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
2. I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

D. Petersen

January____, 2006

Frank J. Benigno
P.O. Box 426 Center Hill, FL 33514

RECEIVED

JAN 13 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Frank J. Benigno

January 10, 2006

Leo Zimmerman

5359 E.C. 7A

Center Hill, Fl. 33514

RECEIVED

JAN 13 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Leo Zimmerman

January 10, 2006

7278 EC 478
Center Hill FL 33514

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 13 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 10, 2006

7278 EC 478
Center Hill FL 33514

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED
JAN 13 2006
BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

James N. Sellers

January 10, 2006

BARBARA A. TRIPPEL & WILLIAM G. TRIPPEL

1738 HAGOOD LOOP

THE VILLAGES, FL 32162

RECEIVED

JAN 13 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

January 10, 2006

MARILYN ZIMMERMAN

P.O. BOX 426

CENTER HILL, FL. 33514

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 13 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Marilyn Zimmerman

January 11, 2006
MARK TAYLOR
6620 SE 57th Rd
CENTER HILL, FL

RECEIVED

JAN 19 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 11, 2006
MARILYN TAYLOR
6620 SE 57th RD
CENTER HILL, FL

RECEIVED
JAN 19 2006
BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 11, 2006

Winton N. Petersen
2770 Edwards Ln
The Villages, Fl 23162

RECEIVED

JAN 19 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Mary Jane Petersen
Winton N. Petersen

January 8, 2006

8595 CR 746

Webster FL 33597

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January ____, 2006

William Freeman

413 ROSE CROFT Terrace

The Villages FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

William Freeman

January 18, 2006

527 Downers Grove
The Villages, FL 32162

RECEIVED

JAN 25 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,


Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January _____, 2006

MALCOLM C. STEWART
1116 W BOONE CT
LADY LAKE, FL 32159

RECEIVED
JAN 23 2006
BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Malcolm C. Stewart

January 19, 2006

Marion E. Stewart
1116 W. Boone Court
Lady Lake, FL 32159

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Marion E. Stewart

January 18, 2006

John G. Jarnis

1637 Kiley Ct.

Lady Lake # 32159

RECEIVED
JAN 23 2006
BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2005

Dear Ms. Viehauer,

I'm sure the permit you will issue to American Cement Company makes sense to you and lawyers and engineers, but is too technical for me and my neighbors to understand. This DEP file number 1190042-001-AC (PSD-FL-361) worries us. There's too much new permits for the new dump, new cement plants, new mines, and so on around here. Please hold a public meeting or town hall talk or something here in Sumterville. We got poor people and prisoners at Coleman who can't get up and go when the air pollution gets bad. We need someone to tell us about what this cement plant means in plain English. We need to hear this from you because we don't ~~we~~ understand what this ~~will~~ will mean to our health.

RECEIVED

JAN 24 2006

BUREAU OF AIR REGULATION

Yours truly,

Gayle Ferrante
1221 County Road 5438
Sumterville, Florida
33585

1221 County Road 543B
Sunterville, Florida



Ms. Trina Vielhauer
Bureau of DEP Air Regulation
2600 Blair Stone Road
M. S. 5500

46342-33 C001

Tallahassee, Florida 32399-2400

January 18, 2005

Dear Ms. Viehauer,

I'm sure the permit you will issue to American Cement Company makes sense to you and lawyers and engineers, but is too technical for me and my neighbors to understand. This DEP file number 1190042-001-AC (PSD-FL-361) worries us. There's too much new permits for the new dump, new cement plants, new mines, and so on around here. Please hold a public meeting or town hall talk or something here in Sumterville. We got poor people and prisoners at Coleman who can't get up and go when the air pollution gets bad. We need someone to tell us about what this cement plant mean in plain English. We need to hear this from you because we don't ~~see~~ understand what this ~~will~~ will mean to our health.

RECEIVED

JAN 24 2006

BUREAU OF AIR REGULATION

Yours truly,

Gayle Ferrante
1221 County Road 543B
Sumterville, Florida
33585

9523

Hayle

January 12, 2006

Maj. & Mrs. Carlos Marzuach
P.O. Box 456
Center Hill, Florida 33514

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 30 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:


- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 14, 2006

2124 Barbara Ct
Lady Lake,
Florida, 32159

RECEIVED

FEB 06 2006

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM (62 miles) distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;
- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

June B. Paser

January 29, 2006

1822 AUGUSTINE DR.
The Villages, 32159

RECEIVED

FEB 06 2006

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

1. While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

2. I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Maria Ockman

January 29, 2006

1823 Augustine Dr.
Lady Lake, Fl 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

FEB 06 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523

Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Carole Franquet

January 29, 2006

1823 Augustine Dr
Lady Lake Fl 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

FEB 06 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,



January 18, 2006

2418 Tamara de
The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

RECEIVED

JAN 23 2006

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Letter of comments - INTENT TO ISSUE AIR CONSTRUCTION
PERMIT(S)

DRAFT PERMITS PSD-FL-361 (SUMTERVILLE CEMENT PLANT)
PSD-FL-358 (CENTER HILL CEMENT PLANT)

Dear Mr. Linero,

Please regard this letter as public written comment regarding the two (2) referenced draft permits presently open for such comment.

I live within a 100 KM distance of these proposed emissions points, and am concerned that emissions of mercury from these facilities can and will result in an increase in mercury levels in the environment in which my family and I live. I have two requests for inclusion in the finalized permitting process for these two (2) facilities:

- 1 While I am encouraged to see your decision to order CEM (continuous emissions monitoring) for mercury in the two referenced facilities, I believe that ALL parameters monitored by the CEM packages in these two facilities should be required, as a condition of their finalized permits, to be available continuously on-line in a real-time format in a web site to be maintained by the operators of these facilities, said web sites to be available for access at any time by the public to review the data displayed;

- And -

- 2 I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public. I request this matter be brought to the attention of Dr. Tom Atkeson of DEP, and request you solicit his recommendations as to how best to establish a reasonable and adequate protocol for these studies.

With the likely possibility that at least three (3) of these facilities may be constructed and operated within a 10 mile radius, my concern is that a localized "hot spot" condition may result that will exacerbate health risks in our environment, and that prudent regulators will recognize this possibility and move promptly to protect the public interest and welfare. This latter request is to anticipate this risk and deal with it promptly and sensibly to assure the public and regulators alike that these cement plants in Sumter County will not degrade our health and quality of life in this beautiful part of central Florida.

Sincerely,

Martin Rattibord

October 26, 2005
JOEL ROSENBLUM

926 RAMOS DRIVE
LADY LAKE, FL
32159

RECEIVED

OCT 28 2005

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s); that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,



October 22, 2005

RECEIVED

OCT 27 2005

BUREAU OF AIR REGULATION

MARTIN FARBER
1801 FONSECA WAY
The Villages, FL 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,

Martin A. Farber

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1 Article Addressed to:

Mr. Randy Casserleigh
Interim Assistant General
Post Office Box 147117
Gainesville, Florida 32614-7117

COMPLETE THIS SECTION ON DELIVERY

A. Signature

x *Pamela Andrie* Agent
 Addressee


B. Received by (Printed Name)

Pamela Andrie

C. Date of Delivery

02

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No



3. Service Type

- Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee)

Yes

2 Article Number

7000 1670 0013 3109 9243

(Transfer from service label)

UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

Dept. of Environmental Protection
Division of Air Resources Mgt.
Bureau of Air Regulation, NSR
2600 Blair Stone Rd., MS 5505
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

NOV 24 2004

RECEIVED



October 24, 2005

Mrs. Eugenie Mamarchev
3560 Idlewood Loop
The Villages, FL 32162

RECEIVED

OCT 27 2005

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 **American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 **Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 **Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,

Eugenie Mamarchev

October _____, 2005



Ivan D. Mamarchev
3560 Idlewood Loop
The Villages, FL 32162



RECEIVED

OCT 27 2005

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,

October 22, 2005

RECEIVED

OCT 27 2005

BUREAU OF AIR REGULATION

Carl + Trudy Grossman

1870 Bordeaux ave
The Villages FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,


Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,



October 23, 2005

RECEIVED

OCT 27 2005

BUREAU OF AIR REGULATION

1864 Dalton Dr.

The Villages, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you:

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,

Margaret P. Dwyer

October____, 2005

1864 Dalton Dr
The Villages FL 32162

RECEIVED

OCT 27 2005

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,


Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,



RECEIVED

OCT 26 2005

October 22, 2005

BUREAU OF AIR REGULATION

CAROL ANN CORREA

872 LADON LOOP
YLVILLAGE, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 **American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 **Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 **Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,



October 24, 2005

PAULINE T. BEIER

1900 PEACHTREE AVE.
THE VILLAGES, FL 32162

RECEIVED

OCT 26 2005

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 **American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 **Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 **Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,



October 24, 2005

MARVIN A. BEIER

1900 PEACHTREE AVE.
THE VILLAGES, FL 32162

RECEIVED

OCT 26 2005

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 **American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 **Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 **Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,

Marvin A. Beier

October 22, 2005

RECEIVED

OCT 26 2005

BUREAU OF AIR REGULATION

Karen J. Ross

1708 Kensington
Lady Lake, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 **American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 **Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 **Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,



October 24, 2005

EVERETT HADLEY

3399 ATWELL AVE

THE VILLAGES, FL

32162

RECEIVED

OCT 25 2005

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you:

- 1 **American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 **Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 **Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,



October 27, 2005

RECEIVED

OCT 31 2005

BUREAU OF AIR REGULATION

H. Callahan

409 So. Timber Tract

Willowood, Fl. 34785

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to (perhaps jointly) conduct a formal Countywide Mercury Background Study. And every 3 years as a condition of operation this study is to be repeated.

Sincerely,



RECEIVED

OCT 31 2005

BUREAU OF AIR REGULATION

October 26, 2005

LENORE SMILEY

1801 FONSECA WAY

The Villages, FL-32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 **American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 **Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 **Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,

Lenore Smiley

October 26, 2005

Lawrence H. Paser

2124 Barbosa Court

Village of Santo Domingo
Lady Lake, FL 32159

RECEIVED

OCT 31 2005

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523

Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 **American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 **Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 **Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,

Lawrence H. Paser

October 22, 2005
Joyce Christie
700 Rosella Place
The Villages, FL
32162

RECEIVED
OCT 31 2005
BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you:

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s); that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,

Joyce Christie

October 25, 2005

June B. Passer
2124 Barbours Court
Lady Lake, FL
32159

RECEIVED
OCT 31 2005
BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you:

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,

June B. Passer

October 27, 2005

RECEIVED

OCT 31 2005

BUREAU OF AIR REGULATION

Ruth E. Brown
504 San Pedro drive
The Villages, Fl. 32159

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 **American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 **Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 **Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,

Ruth Brown

October 24, 2005

RECEIVED

NOV 03 2005

BUREAU OF AIR REGULATION

John & Theresa McCormick

749 Wellington Way
The Villages, Fl. 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,

John McCormick
Theresa McCormick

352-259-1275

RECEIVED

OCT 31 2005

October 26, 2005

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

BUREAU OF AIR REGULATION

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,


Please regard this letter as a Formal Request for Notice of any preliminary, draft or-final decision of your agency with regard to the following Permit Applications before you.

1. American Cement Company (Natural Resources/ Dixie) - Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company (Anderson- Center Hill) - Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation (Mazak Mine - Mabel) - Application to construct a new cement plant in Sumter County. -

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,



Lorn B. Kerr
PO Box 474
Oxford FL 34484

October 31, 2005

RECEIVED

NOV 07 2005

BUREAU OF AIR REGULATION

Anton and Arike Brok
2054 Hartford Path
Lady Lake, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,


Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,



October 31, 2005

Joan L. Runyon
1985 Hartford Path
The Villages, Fla 32162

RECEIVED

NOV 07 2005

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,


Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 **American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 **Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 **Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,



DEP AL Linero Notice of Agency action form

October 30, 2005



Ann Cantlin-Elkins
1265 County Road 543A
Sumterville FL 33585-5129

RECEIVED

NOV 07 2005

BUREAU OF AIR REGULATION

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 **American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 **Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 **Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to (perhaps jointly) conduct a formal Countywide Mercury Background Study. And every 3 years as a condition of operation this study is to be repeated.

Sincerely,

P.S. Stop using Sumter County as a trash
County. Our air & water need to be protected.

October 20, 2005

RECEIVED

OCT 26 2005

BUREAU OF AIR REGULATION

HANS THIEMANN

1953 Lake Miona Dr
LADY LAKE, FL 32162

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 American Cement Company** (Natural Resources/ Dixie)-
Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application
to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to
construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required in each of these plants as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to conduct a formal Countywide Mercury Background Study; and that as a condition of their DEP permit(s), that every 3 years of operation this study is to be repeated and results promptly made public.

Sincerely,



October 25, 2005

RECEIVED

OCT 27 2005

BUREAU OF AIR REGULATION

Joe Michelson
3367 Reston Dr
The Villages, FL 32162

sumbez@thevillages.net

Florida Department of Environmental Protection
Air Construction Permits
2600 Blair Stone Road MS 5500
Tallahassee, FL 32399-2400

Attn: Al Linero (850) 921-9523
Re: Request for Notice of Agency Action

Dear Mr. Linero,

Please regard this letter as a Formal Request for Notice of any preliminary, draft or final decision of your agency with regard to the following Permit Applications before you.

- 1 American Cement Company** (Natural Resources/ Dixie)- Application to construct a new cement plant in Sumter County.
- 2 Sumter Cement Company** (Anderson- Center Hill)- Application to construct a new cement plant in Sumter County.
- 3 Florida Mining Corporation** (Mazak Mine- Mabel)- Application to construct a new cement plant in Sumter County.

I wish to express my concern regarding the Mercury Emissions from these facilities. I request that a Prototype Continuous Emission Monitoring Package for Mercury Emissions be required as a condition of these permits.

I wish to request that as a condition of these permits and prior to start up of ANY of these facilities that the applicants be required to (perhaps jointly) conduct a formal Countywide Mercury Background Study. And every 3 years as a condition of operation this study is to be repeated.

Sincerely,

