

Application Routing and Transmittal Sheet (AC/AO/AF)

Air Permitting Supervisor – Required Information for Project Setup by Admin			
Owner/(Facility Name, if needed):	Outokumpu Stainless, Inc.	County:	
Facility ID No.:	1190046	Latitude:	
Project Name:	change fuel to NG	<input type="checkbox"/> New	<input checked="" type="checkbox"/> Modification <input type="checkbox"/> Renewal
Project Description:	change fuel for three annealing furnaces from propane to natural gas		
Facility Type:	<input type="checkbox"/> New <input type="checkbox"/> Relocatable	Total Fee Submitted (\$):	1000
Type/Subtype:	AC1E	Total Fee Required (\$):	1000
Date Received:	6/12/09	Net Fee Needed (\$):	
Fee Status:	<input checked="" type="checkbox"/> Correct <input type="checkbox"/> Incorrect <input type="checkbox"/> NA	Net Fee Refund (\$):	
Fee Checked By:	cz	Fee override reason:	
Date Fee Checked:	6/15/09	(if needed)	none

Admin – Project Setup Information				Permit Number:	1190046-003-AC
Project Number:	003	Initial ARMS Entry	Date: 6/16 Initials: Szu		

Air Permitting Supervisor – Application Information					
Application Assigned To:	McDonald J	No. of Hardcopies:	2	Copies issued to DEP Engineer:	2
Date Assigned:	6/15/09	No. of Disk:	na	Copies issued to County:	na
Confidential Information (Y/N):	n	EPSAP (Y/N):		Copies issued to other:	na

Compliance/Enforcement Review (review marked by supervisor)	
Permit Supervisor – Email sent for application review/comments:	
Permit Supervisor – Copy of transmittal sheet to Nedin Bathic (new facility)? (Y/N):	n
Permit Supervisor – Draft Permit Review? (Y/ED)	ED

Air Permitting - Permit Transmittal (add initials & date completed)					
	Intent / Draft		Final		
Permit Clock Dates	Day 30: 7-1-09	Day 90: 9-10-09	Day 30:	Day 90:	10-11-2009
Zipfile Name On Air Common *	1190046.003.AC.004.AO.d.Outokumpu.ZIP		1190046.003.AC.004.AO.f.Outokumpu.ZIP		
Final Permit Name On Air Common *	1190046.003.AC.004.AO.f.Outokumpu.AC				
Engineer → Permit Reviewer					
Permit Reviewer → Permit Supervisor	jm 6-24-09		jm 7-29-09		
Permit Supervisor → DAPA	cf 6/26/09		cf 7/29/09		
DAPA → Clerk/Engineer	mgn 07-06-09		mgn 07-30-09		
Permit Package Mailed (Emailed)	RH 07-06-09		RH 07-30-09		
Arms Event Entry / Link Permitted E.U.	07-08-09		07-30-09		
Copy to Interested Party (Y/N)					
Posted to DEP Website	07-06-09		07-30-09		
ARMS Inventory Data Entry:	jm 6-24-09		Permitting Clerk:	07-30-09	

* Air_Common\Permitting\Permits\PermitXX\

Air Permitting Engineer - Data Fields for Access System (add at final Issuance)			
Issue Date:		MACT:	
Facility Description:	OTHER	NSPS:	
Source Description:	OTHER	FUEL:	NG
296:		Control Equip.:	
Project Description / Comments:	STAINLESS STEEL PIPE MANUFACTURING AND SANDBLASTING		
Permit Clerk – Permit List Data Entry (Access):	07-30-09		

Special Routing	
Permitting Supervisor – Engineer to send final permit to compliance section (Y/N)	<input checked="" type="checkbox"/>

<input checked="" type="checkbox"/> Application Log	<input type="checkbox"/> Fee Verification in ARMS	<input type="checkbox"/> Deadline Check	<input checked="" type="checkbox"/> Project ID	
---	---	---	--	--

Application Routing and Transmittal Sheet (AC/AO/AF)

Air Permitting Supervisor – Required Information for Project Setup by Admin			
Owner/(Facility Name, if needed):	Outokumpu Stainless, Inc.		County:
Facility ID No.:	1190046	Latitude:	Longitude:
Project Name:	operation permit revision		<input type="checkbox"/> New <input checked="" type="checkbox"/> Modification <input type="checkbox"/> Renewal
Project Description:	operation permit revision to incorporate 003-AC		
Facility Type:	<input type="checkbox"/> New <input type="checkbox"/> Relocatable	Total Fee Submitted (\$):	250
Type/Subtype:	AOMM	Total Fee Required (\$):	250
Date Received:	6/12/09	Net Fee Needed (\$):	
Fee Status:	<input checked="" type="checkbox"/> Correct <input type="checkbox"/> Incorrect <input type="checkbox"/> NA	Net Fee Refund (\$):	
Fee Checked By:	cz	Fee override/reason: (if needed)	none
Date Fee Checked:	6/15/09		

Admin – Project Setup Information			Permit Number:
Project Number:	004	Initial ARMS Entry:	Date: 6/16 Initials: SSW
			1190046-004-AO

Air Permitting Supervisor – Application Information					
Application Assigned To:	McDonald_J	No. of Hardcopies:	2	Copies issued to DEP Engineer:	2
Date Assigned:	6/15/09	No. of Disk:	na	Copies issued to County:	na
Confidential Information (Y/N):	n	EPSAP (Y/N):		Copies issued to other:	na

Compliance/Enforcement Review (review marked by supervisor)	
Permit Supervisor – Email sent for application review/comments:	
Permit Supervisor – Copy of transmittal sheet to Nedin Bathic (new facility)? (Y/N):	n
Permit Supervisor – Draft Permit Review? (Y/ED)	ED

Air Permitting – Permit Transmittal (add initials & date completed)			
	Intent / Draft		Final
Permit Clock Dates	Day 30: 7/12/09	Day 90: 9-10-09	Day 30: Day 90:
Zipfile Name On Air Common *	1190046_003-AC_004-AO.d.Outokumpu_20		
Final Permit Name On Air Common *			
Engineer → Permit Reviewer			
Permit Reviewer → Permit Supervisor	jm 6-24-09		
Permit Supervisor → DAPA			
DAPA → Clerk/Engineer			
Permit Package Mailed / Emailed			
Arms Event Entry / Link Permitted E.U.			
Copy to Interested Party (Y/N)			
Posted to DEP Website			
ARMS Inventory Data Entry:	jm 6-24-09		Permitting Clerk:

* Air_Common\Permitting\Permits\PermitXX\

Air Permitting Engineer - Data Fields for Access System (add at final Issuance)			
Issue Date:		MACT:	
Facility Description:	OTHER	NSPS:	
Source Description:	OTHER	FUEL:	NG
296:		Control Equip.:	
Project Description / Comments:	STAINLESS STEEL PIPE MANUFACTURING AND SANDBLASTING		
Permit Clerk – Permit List Data Entry (Access):			

Special Routing	
Permitting Supervisor – Engineer to send final permit to compliance section (Y/N)	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Application Log <input type="checkbox"/> Fee Verification in ARMS <input type="checkbox"/> Deadline Check <input checked="" type="checkbox"/> Project ID	

Prickett, Patricia

From: Domenick Digiallonardo [domenick.digiallonardo@outokumpu.com]
Sent: Thursday, July 30, 2009 5:40 PM
To: Prickett, Patricia
Subject: Read: OUTOKUMPU STAINLESS PIPE, INC.; 1190046-003-AC
Attachments: ATT100968.txt

Your message

To: domenick.digiallonardo@outokumpu.com
Cc: jzhubert@bellsouth.net; TDrygas@aol.com; McDonald, Jim; Zhang-Torres
Subject: OUTOKUMPU STAINLESS PIPE, INC.; 1190046-003-AC
Sent: 7/30/2009 3:51 PM

was read on 7/30/2009 5:40 PM.

Prickett, Patricia

From: jzhubert@bellsouth.net
To: Prickett, Patricia
Sent: Thursday, July 30, 2009 5:44 PM
Subject: Return Receipt (displayed) - OUTOKUMPU STAINLESS PIPE, INC.; 1190046-003-AC

Your message

To: domenick.digiallonardo@outokumpu.com
Cc: jzhubert@bellsouth.net; TDrygas@aol.com; McDonald, Jim; Zhang-Torres
Subject: OUTOKUMPU STAINLESS PIPE, INC.; 1190046-003-AC
Sent: 7/30/2009 3:51 PM

was read on 7/30/2009 5:44 PM.

Prickett, Patricia

From: Postmaster [postmaster@isp.att.net]
Sent: Thursday, July 30, 2009 3:52 PM
To: Prickett, Patricia
Subject: Delivery Notification
Attachments: ATT993770.txt; ATT993771.txt

Your message was successfully relayed via mx.bellsouth.yahoo.com for delivery to:
izhubert@bellsouth.net

The Remote mail system does not support confirmation of actual delivery. Unless delivery fails, this will be the only delivery status notification sent.

Prickett, Patricia

From: Exchange Administrator
Sent: Thursday, July 30, 2009 3:52 PM
To: Prickett, Patricia
Subject: Delivery Status Notification (Relay)
Attachments: ATT993811.txt; OUTOKUMPU STAINLESS PIPE, INC.; 1190046-003-AC

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

domenick.digiallonardo@outokumpu.com

Prickett, Patricia

From: Exchange Administrator
Sent: Thursday, July 30, 2009 4:22 PM
To: Prickett, Patricia
Subject: Delivery Status Notification (Relay)
Attachments: ATT996153.txt; OUTOKUMPU STAINLESS PIPE, INC.; 1190046-003-AC

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

TDrygas@aol.com

Prickett, Patricia

From: Prickett, Patricia
Sent: Thursday, July 30, 2009 3:51 PM
To: 'domenick.digiallonardo@outokumpu.com'
Cc: 'jzhubert@bellsouth.net'; 'TDrygas@aol.com'; McDonald, Jim; Zhang-Torres
Subject: OUTOKUMPU STAINLESS PIPE, INC.; 1190046-003-AC
Attachments: 1190046.003.ac.004.aof.Outokumpu.pdf

Attention: Mr. Domenick DiGiallonardo, VP of Technical

Owner/Company Name: OUTOKUMPU STAINLESS PIPE, INC.
Facility Name: OUTOKUMPU STAINLESS PIPE, INC.
Project Number: 1190046-003-AC
Permit Status: FINAL
Permit Activity: CONSTRUCTION
Facility County: SUMTER

Click on the following link to access the permit project documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/1190046.003.AC.F_pdf.zip

Attached is the official **Notice of Two Final Air Permits** for the project referenced below. This Notice of Two Final Air Permits (including the Final Permit and the Attachments) has been posted on the Department of Environmental Protection's Southwest District website.

Permit project documents that are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

The Southwest District is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp>.

If you should have any questions, please contact Jim McDonald, the Permit Engineer at Jim.McDonald@dep.state.fl.us.

Sincerely,

Patricia Prickett

Patricia Prickett
Senior Clerk
FDEP - Air Program - SWD
(813) 632-7600 Ext 102

Email:

Patricia.Prickett@dep.state.fl.us

Please Note: Florida has a very broad Public Records Law. Most written communications to or from State and Local Officials regarding State or Local business are public records available to the public and media upon request. Your email communications may therefore be subject to public disclosure.

Tracking:

2

Recipient

'domenick.digiallonardo@outokumpu.com'

'jzhubert@bellsouth.net'

'TDrygas@aol.com'

McDonald, Jim

Zhang-Torres

Delivery

Delivered: 7/30/2009 3:51 PM

Delivered: 7/30/2009 3:51 PM

SWD INTERNAL PERMITTING MEMORANDUM

TO: Mara Grace Nasca
District Air Program Administrator

THRU: Cindy Zhang-Torres, P.E. *cf*
Air Permitting Supervisor

FROM: Jim McDonald *jm*
Air Permitting Engineer

DATE: July 29, 2009

SUBJECT: Final Permit Nos: 1190046-003-AO and 1190046-004-AO
Facility Name: Outokumpu Stainless Pipe, Inc.

Day 90: October 11, 2009

The final permits (1 document) for this project are attached for your approval and signature. The permits authorize the type of fuel fired in three (3) annealing furnaces at an existing stainless steel pipe manufacturing plant to change from propane to natural gas. These permits also change the fuel used in three (3) exempt water heaters from propane to natural gas along with adding an exempt activity for forklifts that use propane.

The work will be performed in Sumter County at 1101 North Main Street in Wildwood, Florida.

The project results in a minor source air construction permit (1190046-003-AC).

See the Final Determination attached to the NOTICE OF TWO FINAL AIR PERMITS.

FAX

**OUTO
KUMPU**

To: James McDonald

From: THOMAS KERN

Org: FDEP

Date: 07/23/09

Fax: 813-632-7668

Fax: 352-748-2751

Cc:

Tel: 352-748-9250

Pages: 3

E-mail: tom.kern@outokumpu.com

The Affidavit is attached for the public notice of intent to issue two air permits. The original has not made it to my office yet. I will mail a better copy when it arrives.

THE INFORMATION TRANSMITTED IS INTENDED ONLY FOR THE PERSON OR ENTITY TO WHICH IT IS ADDRESSED AND MAY CONTAIN CONFIDENTIAL AND/OR PRIVILEGED MATERIALS. ANY REVIEW, RETRANSMISSION, DISSEMINATION OR OTHER USE OF, OR TAKING OF ANY ACTION IN RELIANCE UPON THE INFORMATION BY PERSONS OR ENTITIES OTHER THEN THE INTENDED RECIPIANT IS PROHIBITED. IF YOU RECIEVED THIS IN ERROR, PLEASE CONTACT THE SENDER AND DESTROY ANY COPIES.

Outokumpu Stainless, Inc.
Plate Products

549 West State Road 38 PO Box 370 New Castle, Indiana USA 47362
Tel. 765 529 0120, Fax 765 8177, www.outokumpu.com/stainless/nad

Affidavit of Publication Daily Commercial

Leesburg, Lake County, Florida

Case No. _____

STATE OF FLORIDA
COUNTY OF LAKE

Before the undersigned authority personally appeared Nancy Slusser who on oath says that she is the Classified Manager of the Daily Commercial, a daily newspaper published at Leesburg in Lake County, Florida, that the attached copy of advertisement, being

162843
in the matter of Notice of Intent

In the _____ Court,

was inserted in said newspaper in the issues of _____

July 10 2009


Affiant further says that the said Daily Commercial is a newspaper published in said Leesburg, in said Lake County, Florida, and that the said newspaper has heretofore been continuously published in said Lake County, Florida each day and has been entered as second class matter at the post office in Leesburg in said Lake County, Florida, for a period of one year preceding the first publication of the attached copy of advertisement; and affiant further says that she has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in said newspaper.

Signed Nancy Slusser
Nancy Slusser, Classified Manager

Sworn to and subscribed before me this 22 day of
July, 2009, by Nancy Slusser,
Classified Manager, who is personally known to me.

(Seal)

Kerri McCowan
Kerri McCowan, Notary Public



on

Attach No

lost fired in 1999 (3) in
nealing furnaces from pro-
cess to natural gas.

Permitting Authority: Appli-
cations for all construction
and operation permits are
subject to review in accor-
dance with the provisions of
Chapter 403, Florida Stat-
utes (F.S.) and Chapters
62-4, 62-210 and 62-212
of the Florida Administrative
Code (F.A.C.). The proposed
project is not exempt from
air permitting requirements
and air permits are required
to perform the proposed
work. The Permitting
Authority responsible for
making a permit determina-
tion for this project is the
Department of Environmental
Protection's Air Resour-
ces Management Section in
the Southwest District Office.
The Permitting Authority's physical address
is: 13061 North Telecomm
Parkway, Temple Terrace,
Florida 33637-0926. The
Permitting Authority's mail-
ing address is: 13061 North
Telecomm Parkway, Temple
Terrace, Florida
33637-0926. The Permit-
ting Authority's telephone
number is 714/892-7800.

Project File: A complete
project file is available for
public inspection during the
normal business hours of
8:00 a.m. to 5:00 p.m.,
Monday through Friday (ex-
cept legal holidays), at the
physical address indicated
above for the Permitting
Authority. The complete
project file includes the
Draft Permits, the Technical
Evaluation and Preliminary
Determination, the applica-
tion and information sub-
mitted by the applicant (ex-
clusive of confidential re-
cords) under Section
403.111, F.S.). Interested
persons may contact the
Permitting Authority's pro-
ject engineer for additional
information at the address
and phone number listed
above. In addition, elec-
tronic copies of these docu-
ments are available on the
agency web site:
<http://www.dep.state.fl.us/air/industry/air/default.asp>

Notice of Intent to Issue
Two Air Permits: The Per-
mitting Authority gives no-
tice of its intent to issue an
air construction permit and
an air operation permit to
the applicant for the project
described above. The appli-
cant has provided reason-
able assurance that opera-
tion of proposed equipment
will not adversely impact air
quality and that the project
will comply with all appro-
priate provisions of Chap-
ter 403, F.S. and 62-204,
62-210, 62-212, 62-296
and 62-297, F.A.C. The
Permitting Authority will
issue a final Permit in ac-
cordance with the condi-

tions of the proposed Draft
Permits unless a timely pe-
tition for an administrative
hearing is filed under Sec-
tions 120.669 and 120.67,
F.S. or unless public com-
ment received in accor-
dance with this notice re-
sults in a different decision
of a significant change of
terms or conditions.

Comments: The Permitting
Authority will accept written
comments concerning the
proposed Draft Permits for
a period of 14 days from
the date of publication of
this Public Notice. Written
comments must be re-
ceived by the Permitting
Authority by close of busi-
ness (5:00 p.m.) on or be-
fore the end of the 14-day
period. If written comments
received result in a signifi-
cant change to the Draft
Permits, the Permitting
Authority shall revise the
Draft Permits and require, if
applicable, another Public
Notice. All comments filed
will be made available for
public inspection.

Petitioner: A person whose
substantial interests are af-
fected by the proposed per-
mitting decision may peti-
tion for an administrative
hearing in accordance with
Sections 120.669 and
120.67, F.S. The petition
must contain the informa-
tion set for below and must
be filed (received by) the
Department's Agency Clerk
in the Office of General
Counsel of the Department
of Environmental Protection
at 3900 Commonwealth
Boulevard, Mail Station
#35, Tallahassee, Florida
32399-3000 (Telephone:
904/245-2241). Petition
filed by any persons other
than those entitled to writ-
ten notice under Section
120.60(9), F.S., must be
filed within 14 days of pub-
lication of the Public Notice
or within 14 days of receipt
of this notice, regardless
of the date of publication. A
petitioner shall file a copy
of the petition to the appli-
cant at the address indi-
cated above at the time of
filing. The failure of any
person to file a petition
within the appropriate time
period shall constitute a
waiver of that person's right
to request an administrative
determination (hearing) un-
der Section 120.669 and
120.67, F.S., or to inter-
vene in this proceeding and
participate as a party to it.
Any subsequent intervention
(in a proceeding initiated by
another party) will be only at
the approval of the presid-

ing officer upon the filing of
a motion in compliance with
Rule 28-106.205, F.A.C.

A petition that disputes the
material facts on which the
Permitting Authority's action
is based must contain the
following information: (a)
The name and address of
each agency affected and
each agency's file or identifi-
cation number, if known;
(b) The name, address, and
telephone number of the
petitioner, the name, ad-
dress, and telephone num-
ber of the petitioner's repre-
sentative, if any, which shall
be the address for service
purposed during the course
of the proceeding; and an
explanation of how the peti-
tioner's substantial interests
will be affected by the
agency determination; (c) A
statement of what and why
the petitioner is seeking re-
view of the agency action or
proposed action; (d) A
statement of all disputed is-
sues of material fact. If
there are none, the peti-
tioner must so state; (e)

A concise statement of the
ultimate facts alleged, in-
cluding the specific facts
the petitioner contends war-
rant reversal or modification
of the agency's proposed
action; (f) A statement of
the specific rules or statutes
the petitioner contends to
warrant reversal or modifica-
tion of the agency's pro-
posed action, including an
explanation of how the al-
leged facts relate to the
specific rules or statutes;
and (g)

A statement of the relief
sought by the petitioner,
stating precisely the action
the petitioner wishes the
agency to take with respect
to the agency's proposed
action. A petition that does
not dispute the material
facts upon which the Per-
mitting Authority's action is
based shall state that no
such facts are in dispute
and otherwise shall contain
the same information as set
forth above, as required by
Rule 28-106.301, F.A.C.

Because the administrative
hearing process is designed
to formulate final agency
action, the filing of a peti-
tion means that the Per-
mitting Authority's final action
may be different from the
position taken by it in this
Public Notice of Intent to Is-
sue Two Air Permits. Per-
sons whose substantial in-
terests will be affected by
any such final decision of
the Permitting Authority on

the application have the
right to petition to beginning
early in the proceeding, in
accordance with the re-
quirements set forth above.

Mediation: Mediation is not
available in this proceeding.

Ad No.: 162542
July 16, 2003

Nancy
rager of
eesburg
ement.

Court,

newspaper
and that
published in
second
County,
on of the
she has
any dis-
inring this

nager

day of
Slusser,

blic

PUBLIC NOTICE OF INTENT TO ISSUE TWO AIR PER- MITS

Florida Department of Envi-
ronmental Protection
Air Resources Management
Southwest District Office
Direct Minor Air Construction
and Operation Permits
Project Nos.
150246-003 AF and
150246-004 AU
Columbia Stainless Steel
Inc.
Suwannee County, Florida

Applicant: The applicant for
this permit is Columbia
Stainless Steel, Inc. The ap-
plicant's authorized repre-
sentative and mailing ad-
dress is: Mr. Romanick
Columbia, 1000 Oak-
land Avenue, Columbia,
Florida 32909. The appli-
cant's physical address is:
1101 Palm Street, Suite 101,
Wildwood, Florida 32992.

Facility Location: The
facility is located at 1101
Palm Street, Suite 101,
Wildwood, Florida 32992.
The facility is a stainless
steel processing plant with
a total capacity of 100,000
pounds per year.

Project: The applicant pro-
poses to change the type of

Hughes, Rhonda

From: TDrygas@aol.com
Sent: Monday, July 06, 2009 10:31 PM
To: Hughes, Rhonda
Cc: McDonald, Jim; cindy.zang-torres@dep.state.fl.us; domenick.digiallonardo@outokumpu.com; tom.kern@outokumpu.com
Subject: Re: Outokumpo Stainless Pipe, Inc-1190046-003-AC, 1190046-004-AO

Rhonda

thank you for the prompt submission of the proposed changes to the Outokumpu air permit. Special thanks to Jim McDonald, Cindy Zang-Torres, PE, and the other staff for their help in the rapid response to this permit modification.

Outokumpu's Domenick DiGiallonardo, will be submitting the public notice tomorrow to their local area news paper. This will help expedite the permitting process.

Keep well and have a great day.

Tom Drygas

President

Have a Safe, Productive Day!



From all of us at D. E. I., Inc.

5378 Riverview Drive,

St. Augustine, FL 32080

Phone (904) 461-6666

Fax (904) 461-6665

Cell (904) 806-0267

Web address: www.dei-inc.com

Email: tom@dei-inc.com

This footnote also confirms that this email message has been scanned for the presence of computer viruses.

Confidentiality Notice: This email is intended only for the use of the party to which it is addressed and may contain information that is privileged, confidential, or protected by law. If you are not the intended recipient you are hereby notified

that any dissemination, copying or distribution of this email or its contents is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

In a message dated 7/6/2009 1:59:15 P.M. Eastern Daylight Time, Rhonda.Hughes@dep.state.fl.us writes:

Re: DRAFT Permit No.: 1190046-003-AC and 1190046-004-AO

Name/Title: Mr. Domenick DiGiallonardo, Vice President Technical

Company: Outokumpu Stainless Pipe, Inc.

Dear Mr. DiGallonardo :

Attached is the official **Notice of Intent to Issue Air Permit** (including the Draft Permit and the Attachments) for the project referenced below. The Written Notice of Intent to Issue Air Permit (including the Draft Permit and the Attachments) has also been posted on the Department of Environmental Protection's Southwest District website. Click on the link displayed below to access the permit project documents.

http://arm-permit2k.dep.state.fl.us/adh/prod/pdf_permit_zip_files/1190046.003.AC.D_pdf.zip

Permit project documents that are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

The Southwest District is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "Air Permit Documents Search" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp>.

For your convenience, I have also attached the Public Notice of Intent to Issue Air Permit in a word document.

If you should have any questions, please contact Jim McDonald, the Permit Engineer at (Jim.McDonald@dep.state.fl.us).

Sincerely,

Rhonda Hughes

Secretary Specialist

Division of Air Resource Management

FDEP, SW District

13051 N. Telecom Parkway

Temple Terrace, Florida 33637

Phone: (813)632-7600, ext. 114

Fax: (813) 632-7668

Rhonda.Hughes@dep.state.fl.us

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.

An Excellent Credit Score is 750. [See Yours in Just 2 Easy Steps!](#)

Hughes, Rhonda

From: jzhubert@bellsouth.net
To: Hughes, Rhonda
Sent: Monday, July 06, 2009 8:41 PM
Subject: Return Receipt (displayed) - Outokumpo Stainless Pipe, Inc-1190046-003-AC, 1190046-004-AO

Your message

To: domenick.digillonardo@outokoumpo.com
Cc: jzhubert@bellsouth.net; tdrygas@aol.com; Zhang-Torres; McDonald, Jim
Subject: Outokumpo Stainless Pipe, Inc-1190046-003-AC, 1190046-004-AO
Sent: 7/6/2009 1:24 PM

was read on 7/6/2009 8:41 PM.

Hughes, Rhonda

From: Domenick Digiallonardo [domenick.digiallonardo@outokumpu.com]
Sent: Monday, July 06, 2009 2:07 PM
To: Hughes, Rhonda
Subject: Read: Outokumpo Stainless Pipe, Inc-1190046-003-AC, 1190046-004-AO
Attachments: ATT111337.txt

Your message

To: domenick.digiallonardo@outokumpu.com
Subject: FW: Outokumpo Stainless Pipe, Inc-1190046-003-AC, 1190046-004-AO
Sent: 7/6/2009 1:35 PM

was read on 7/6/2009 2:07 PM.

Hughes, Rhonda

From: Exchange Administrator
Sent: Monday, July 06, 2009 1:59 PM
To: Hughes, Rhonda
Subject: Delivery Status Notification (Relay)
Attachments: ATT110044.txt; Outokumpo Stainless Pipe, Inc-1190046-003-AC, 1190046-004-AO

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

tdrygas@aol.com

Hughes, Rhonda

From: Postmaster [postmaster@isp.att.net]
Sent: Monday, July 06, 2009 1:24 PM
To: Hughes, Rhonda
Subject: Delivery Notification
Attachments: ATT111321.txt; ATT111321.txt

Your message was successfully relayed via mx.bellsouth.yahoo.com for delivery to:
jzhubert@bellsouth.net

The Remote mail system does not support confirmation of actual delivery. Unless delivery fails, this will be the only delivery status notification sent.

Hughes, Rhonda

From: System Administrator
To: domenick.digillonardo@outokoumpo.com
Sent: Monday, July 06, 2009 1:24 PM
Subject: Undeliverable: Outokumpo Stainless Pipe, Inc-1190046-003-AC, 1190046-004-AO

Your message did not reach some or all of the intended recipients.

Subject: Outokumpo Stainless Pipe, Inc-1190046-003-AC, 1190046-004-AO
Sent: 7/6/2009 1:24 PM

The following recipient(s) cannot be reached:

domenick.digillonardo@outokoumpo.com on 7/6/2009 1:24 PM

The destination server for this recipient could not be found in Domain Name Service (DNS). Please verify the email address and retry. If that fails, contact your administrator.

<tlhexsprot2.floridadept.net #5.4.0>

Hughes, Rhonda

From: Exchange Administrator
Sent: Monday, July 06, 2009 1:36 PM
To: Hughes, Rhonda
Subject: Delivery Status Notification (Relay)
Attachments: ATT109746.txt; FW: Outokumpo Stainless Pipe, Inc-1190046-003-AC, 1190046-004-AO

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

domenick.digiallonardo@outokumpu.com

Hughes, Rhonda

From: Hughes, Rhonda
Sent: Monday, July 06, 2009 1:35 PM
To: 'domenick.digiallonardo@outokumpu.com'
Subject: FW: Outokumpu Stainless Pipe, Inc-1190046-003-AC, 1190046-004-AO
Attachments: OUTOKUMPO STAINLESS PIPE INC-001.pdf; 1190046.003.ac.004.ao.pub.Outokumpu.doc

From: Hughes, Rhonda
Sent: Monday, July 06, 2009 1:24 PM
To: 'domenick.digillonardo@outokoumpo.com'
Cc: 'jzhubert@bellsouth.net'; 'tdrygas@aol.com'; Zhang-Torres; McDonald, Jim
Subject: Outokumpu Stainless Pipe, Inc-1190046-003-AC, 1190046-004-AO

Re: DRAFT Permit No.: 1190046-003-AC and 1190046-004-AO
Name/Title: Mr. Domenick DiGiallonardo, Vice President Technical
Company: Outokumpu Stainless Pipe, Inc.

Dear Mr. DiGallonardo :

Attached is the official **Notice of Intent to Issue Air Permit** (including the Draft Permit and the Attachments) for the project referenced below. The Written Notice of Intent to Issue Air Permit (including the Draft Permit and the Attachments) has also been posted on the Department of Environmental Protection's Southwest District website. Click on the link displayed below to access the permit project documents.

http://arm-permit2k.dep.state.fl.us/adh/prod/pdf_permit_zip_files/1190046.003.AC.D_pdf.zip

Permit project documents that are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

The Southwest District is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "Air Permit Documents Search" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp>.

For your convenience, I have also attached the Public Notice of Intent to Issue Air Permit in a word document.

If you should have any questions, please contact Jim McDonald, the Permit Engineer at (Jim.McDonald@dep.state.fl.us).

Sincerely,

Rhonda Hughes
Secretary Specialist
Division of Air Resource Management
FDEP, SW District

13051 N. Telecom Parkway
Temple Terrace, Florida 33637
Phone: (813)632-7600, ext. 114
Fax: (813) 632-7668
Rhonda.Hughes@dep.state.fl.us

McDonald, Jim

From: TDrygas@aol.com
Sent: Wednesday, June 24, 2009 9:24 AM
To: McDonald, Jim
Cc: domenick.digiallonardo@outokumpu.com; jzhubert@bellsouth.net
Subject: address for emails

Jim McDonald

Good talking to you this am. I understand you have reviewed and agree with the permit modification information sent to you by Outokumpu.

Per your request find below the emails and phone numbers for both Domenick and George (Jerzy) Hubert, PE.

I understand that you need these so you can email the final permit documents to them. If possible can you copy me on that email?

domenick.digiallonardo@outokumpu.com, 532-748-9267

jzhubert@bellsouth.net 904-744-2983

Jim what is the timing for issuance of the modified permit?

Keep well and please call if you have any other questions or needs.

Tom Drygas

President

Have a Safe, Productive Day!



From all of us at D. E. I., Inc.

**5378 Riverview Drive,
St. Augustine, FL 32080
Phone (904) 461-6666
Fax (904) 461-6665**

McDonald, Jim

From: TDrygas@aol.com
Sent: Tuesday, June 23, 2009 2:32 PM
To: McDonald, Jim
Cc: domenick.digiallonardo@outokumpu.com; tom.kern@outokumpu.com
Subject: Natural Gas conversion and Pemrit Mod

Jim

Thank you for the call today,

Outokumpu will pipe natural gas to the three water heaters and the only use of Propane after the conversion of the annealing furnaces will be for fork truck fuel from a small propane storage tank

Keep well and call if any other questions

Tom Drygas

President

Have a Safe, Productive Day!



From all of us at D. E. I., Inc.

5378 Riverview Drive,

St. Augustine, FL 32080

Phone (904) 461-6666

Fax (904) 461-6665

Cell (904) 806-0267

Web address: www.dei-inc.com

Email: tom@dei-inc.com

This footnote also confirms that this email message has been scanned for the presence of computer viruses.

Confidentiality Notice: This email is intended only for the use of the party to which it is addressed and may contain information that is privileged, confidential, or protected by law. If you are not the intended recipient you are hereby notified that any dissemination, copying or distribution of this email or its contents is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

McDonald, Jim

From: Bahtic, Nedin
Sent: Thursday, June 18, 2009 9:03 AM
To: McDonald, Jim
Cc: Henry, Danielle D.; Zhang-Torres
Subject: RE: Outokumpu Stainless Pipe 1190046-003-AC and 004-AO

Jim,

I haven't had a chance to perform an inspection of this facility yet. Condition C.1. of current permit 1190046-002-AO requires submittal of propane and sand usage records within 120 days of the effective date of the permit. These records were timely submitted in May 2008 and contained data for the first four months of 2008. Although they didn't have 12 months worth of data, it appeared that they were on their way to be way below permit limits for propane and sand usage.

I don't have any concerns with the facility switching from propane to natural gas.

Nedin

From: Zhang-Torres
Sent: Monday, June 15, 2009 10:29 AM
To: Bahtic, Nedin; Noor, Sajeda
Cc: Henry, Danielle D.; McDonald, Jim
Subject: Outokumpu Stainless Pipe 1190046-003-AC and 004-AO

Company Name/Site: Outokumpu Stainless Pipe
Project Number: 1190046-003-AC and 004-AO
Receipt Date: 06/12/09
Response Due Date: 06/26/09

Assigned Inspector: Nedin Bahtic

Last Facility Inspection (ARMS): 1/11/08.

Permit Engineer: Jim McDonald

This is a combined AC/AO permit application to change fuel for the three annealing furnaces from propane to natural gas. Please let the Permit Engineer know by the date above if you have any changes for the permit, items to add to a potential incompleteness letter, or any other concerns you may have with this project.

Thanks.

Cindy

Cindy Zhang-Torres, PE III
Air Permitting Supervisor
FDEP
Southwest District
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Telephone: (813)632-7600, ext. 107
Fax: (813)632-7668

Please note: Florida has a broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your email is communications and may therefore be subject to public disclosure.

McDonald, Jim

From: Noor, Sajeda
Sent: Wednesday, June 17, 2009 4:21 PM
To: McDonald, Jim
Cc: Zhang-Torres; Henry, Danielle D.; Falandysz, Cynthia
Subject: RE: Outokumpu Stainless Pipe 1190046-003-AC and 004-AO

Dear Jim,

Upon reviewing ARMS modules and enforcement files, I have found one closed violation regarding the following:

- A new Surface Combustion, Model No. 84-PCA, Furnace was installed in July 2006 and then operated without a valid DEP Air permit. A new outside wet sand blasting area was constructed in November 2006 and then operated without a valid DEP Air permit. This case was resolved with a Compliance Without Enforcement (CWOE) on 4/9/2009.

There are currently no recorded open enforcement cases involving this facility.

Please let me know if you require further information.

Regards,

Sajeda Noor
Environmental Specialist I
Florida Department of Environmental Protection
Division of Air Resources
13051 North Telecom Parkway
Temple Terrace, FL 33637
Phone: 813.632.7600 X129
Fax: 813.632.7668

Please note: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your e-mail communication may therefore be subject to public disclosure.

From: Zhang-Torres
Sent: Monday, June 15, 2009 10:29 AM
To: Bahtic, Nedin; Noor, Sajeda
Cc: Henry, Danielle D.; McDonald, Jim
Subject: Outokumpu Stainless Pipe 1190046-003-AC and 004-AO

Company Name/Site: Outokumpu Stainless Pipe
Project Number: 1190046-003-AC and 004-AO
Receipt Date: 06/12/09
Response Due Date: 06/26/09

Assigned Inspector: Nedin Bahtic

Last Facility Inspection (ARMS): 1/11/08

Permit Engineer: Jim McDonald

•This is a combined AC/AO permit application to change fuel for the three annealing furnaces from propane to natural gas. Please let the Permit Engineer know by the date above if you have any changes for the permit, items to add to a potential incompleteness letter, or any other concerns you may have with this project.

Thanks.

Cindy

Cindy Zhang-Torres, PE III
Air Permitting Supervisor
FDEP
Southwest District
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Telephone: (813)632-7600, ext. 107
Fax: (813)632-7668

Please note: Florida has a broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your email communications and may therefore be subject to public disclosure.

McDonald, Jim

From: Zhang-Torres
Sent: Monday, June 15, 2009 10:29 AM
To: Bahtic, Nedin; Noor, Sajeda
Cc: Henry, Danielle D.; McDonald, Jim
Subject: Outokumpu Stainless Pipe 1190046-003-AC and 004-AO

Company Name/Site: Outokumpu Stainless Pipe
Project Number: 1190046-003-AC and 004-AO
Receipt Date: 06/12/09
Response Due Date: 06/26/09

Assigned Inspector: Nedin Bahtic

Last Facility Inspection (ARMS): 1/11/08

Permit Engineer: Jim McDonald

This is a combined AC/AO permit application to change fuel for the three annealing furnaces from propane to natural gas. Please let the Permit Engineer know by the date above if you have any changes for the permit, items to add to a potential incompleteness letter, or any other concerns you may have with this project.

Thanks.

Cindy

Cindy Zhang-Torres, PE III
Air Permitting Supervisor
FDEP
Southwest District
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Telephone: (813)632-7600, ext. 107
Fax: (813)632-7668

Please note: Florida has a broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your email is communications and may therefore be subject to public disclosure.