

First in cellulose



# The Buckeye Cellulose Corporation

Mailing Address: Route 3 Box 260 Perry, Florida 32347 Phone: (904) 584-0121

July 5, 1983

Mr. Steve Smallwood  
Florida Department of Environmental Regulation  
Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, FL 32301

DER  
JUL 11 1983  
BAQM

Dear Steve:

Enclosed is a copy of a letter to Mr. Joe Riley of EPA Region IV confirming our agreement for the pretest planning meeting. I hope this date is not inconvenient for Mr. Fancy or Mr. Manning.

Your presence and participation in the meeting on June 30, 1983 is appreciated very much. Your specific comment on several critical points facilitated agreement and avoided polarizing opposing views. I am confident that the expedited schedule for the first test is a direct result of your input. As you recognize, this is very important to us.

I will communicate directly with Mr. Fancy to schedule an orientation visit to our plant for him and others in your department. This close contact has been mutually beneficial in the past. I will make every effort to see that we promote continued close cooperation in the future.

Very truly yours,

THE BUCKEYE CELLULOSE CORPORATION

  
J. H. Millican  
Environmental Control Manager

JHM/eph


Enclosure

**The Buckeye Cellulose Corporation**

Rt. 3, B260 Perry, Florida 32347-9512



*First in cellulose*



Mr. Steve Smallwood  
FL Dept. of Environmental Regulation  
Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, FL 32301

First in cellulose



# The Buckeye Cellulose Corporation

Mailing Address: Route 3 Box 260 Perry, Florida 32347 Phone: (904).584-0121

July 5, 1983

Mr. Joe Riley  
Region IV EPA  
345 Courtland Street, NE  
Atlanta, GA 30365

Dear Mr. Riley:

The purpose of this letter is to confirm the pretest planning meeting for our no. 1 Power Boiler Fines Burning system. The meeting will be at 10:00 a.m. Tuesday, July 12, 1983, in The Buckeye Cellulose Corporation office in Foley, Florida.

We appreciate your inserting our needs into your schedule at this early date and we are looking forward with pleasure to working closely with you once again.

Very truly yours,

THE BUCKEYE CELLULOSE CORPORATION

*John Millican*  
J. H. Millican  
Environmental Control Manager

JHM/eph

cc: Mr. Steve Smallwood  
Florida Department of Environmental Regulation  
Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, FL 32301

BUCKEYE CELLULOSE

6/30/83

1. Wayne Aronsun EPA 404/881-7654
2. Dick DuBose EPA "
3. RODY SCHWEL BCC 901 454 8426
4. STAN KRUGER BKI 901 454 8402
5. Dick Heydt BKI 904 584 0149
6. JOHN MILLICAN BKI 904 584 0347
7. Steve Smallwood FDER 904-488-1344
8. CLAIR FANCY FDER 904-488-1344
9. BOB ISBURGH BKI 904-584-0122
10. ROGER PFAFF EPA 404/881-4298
11. WILLIAM VOSHELL EPA 404-801-4253

EPA MEETING  
10:00 a.m. -- June 30, 1983  
Oak Room -- Foley

PROPOSED AGENDA

- |                                    |                |
|------------------------------------|----------------|
| I. Welcome                         | Millican       |
| II. EPA Expectations               |                |
| III. Initial Plan and Installation | Isburgh        |
| IV. Operation - Modification       | Isburgh        |
| V. Tests                           | Isburgh/Kruger |
| VI. Plan for Remainder of Permit   | Schulz         |
| VII. Lunch                         |                |
| VIII. Tour Facility                | Group          |
| IX. Wrap-up                        |                |

Attending

Buckeye

Memphis: S. J. Kruger  
R. C. Schulz

Foley: R. K. Isburgh  
J. H. Millican  
J. H. Farmer  
R. H. Heydt

EPA: Mr. Wayne Aronson  
Mr. Dick Dubose  
Mr. Roger Pfaff  
Mr. Bill Voschell

DER: Mr. Steve Smallwood  
Mr. Clair Fancy

## FINES BURNING PROGRAM

### CURRENT ACTIVITIES

- Continue operating the system utilizing cyclone fines with the pulverizer shutdown. Purchase one new Coen scroll if such action appears to be promising.

This objective is to determine whether there is any hope that the system can be made to tolerate the levels of sand content found in cyclone fines.

- Investigate the potential for separating sand from cyclone fines, and also from bark dryer product.

Prior investigation and Swedish experience makes us conclude that sand removal is the only problem preventing successful application of this technique at Foley.

- In the event of success in either activity above, we should develop the economics surrounding permanent installation.

First in cellulose



# The Buckeye Cellulose Corporation

Mailing Address: Route 3 Box 260 Perry, Florida 32347 Phone: (904) 584-0121

June 7, 1983

DER  
JUN 09 1983  
BAQM

Mr. Thomas W. Devine, Director  
Air and Waste Management Division  
Region IV - EPA  
345 Courtland Street  
Atlanta, Georgia 30365

RE: PSD-FL-085  
THE BUCKEYE CELLULOSE CORPORATION

Dear Mr. Devine:

We welcome the opportunity to discuss the referenced permit with you and representatives from the Florida Department of Environmental Regulation. Your request for a meeting at our office on June 30, 1983, is completely acceptable. Mr. John Millican, Environmental Manager for the Buckeye facility at Perry, will call Mr. Wilburn to discuss details of the meeting.

Very truly yours,

C. E. Wertheimer  
Plant Manager

CEW:cw  
0370A

cc: Mr. Steve Smallwood  
Bureau of Air Quality Management  
Florida Department of Environmental Regulation



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET  
ATLANTA, GEORGIA 30365

MAY 31 1983

CERTIFIED MAIL  
RETURN RECEIPT REQUESTED

REF: 4AW-AM

Mr. G.B. Ellis  
Plant Manager  
The Buckeye Cellulose Corporation  
Perry, Florida 32347

Re: PSD-FL-085  
Buckeye Cellulose Corporation

Dear Mr. Ellis:

On March 12, 1982, EPA issued the above PSD permit to your company to modify an oil-fired boiler at your facility in Perry, Florida. This permit was issued based upon the Florida Department of Environmental Regulation's (DER) Final Determination.

It has come to our attention that EPA may have erred in issuing this permit. EPA was unaware during its review of the Florida DER's Preliminary and Final Determinations that during the interim testing period the boiler would be in violation of a SIP limit, although information was made available from which EPA could have determined that the SIP emission limit would be violated. Additionally, other apparent deficiencies have now been identified with respect to these Determinations.

Accordingly, we would like to arrange a conference with your company to discuss the company's current status with respect to (1) the PSD permit; (2) SIP requirements; and (3) measures necessary to ensure compliance with all applicable Clean Air Act requirements.


We have tentatively set aside June 30, 1983, to confer with representatives of The Buckeye Cellulose Corporation and the Florida DER to discuss this matter. We would prefer to conduct this conference at your company's facility in Perry, Florida, in order to afford us an opportunity to inspect the facility and ascertain the status of the test program. Please notify this office within ten (10) days after receipt of this letter if this is not an acceptable date for this conference.

DER DER  
JUN 02 1983 JUN 03 1983  
BAQM BAQM



If you have any questions regarding this matter, please feel free to contact Mr. James T. Wilburn, Chief, Air Management Branch at 404/881-4298.

Sincerely yours,


A handwritten signature in cursive script, appearing to read "Thomas W. Devine", is written over a horizontal line.

Thomas W. Devine, Director  
Air and Waste Management Division

cc: Mr. Steve Smallwood, Chief  
Bureau of Air Quality Management  
Florida Department of  
Environmental Regulation

STATE OF FLORIDA  
**DEPARTMENT OF ENVIRONMENTAL REGULATION**

TWIN TOWERS OFFICE BUILDING  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32301



BOB GRAHAM  
GOVERNOR

VICTORIA J. TSCHINKEL  
SECRETARY

February 10, 1982

Mr. John Christiano  
Chief, Permit Review Unit  
National Park Service - AIR  
P. O. Box 25287  
Denver, Colorado 80225

Dear Mr. Christiano:

As a correction and update to my letter of January 29, please note that the Federal PSD application from the Buckeye Cellulose Corporation (PSD-FL-085) has been finalized at the Bureau of Air Quality Management and sent to EPA for their approval. A copy is enclosed for your review and files.

Please feel free to call if you have questions concerning this matter.

Sincerely,


Tim Powell, Engineer  
Bureau of Air Quality  
Management

TP/bjm

Enclosure

STATE OF FLORIDA  
**DEPARTMENT OF ENVIRONMENTAL REGULATION**

TWIN TOWERS OFFICE BUILDING  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32301



BOB GRAHAM  
GOVERNOR  
VICTORIA J. TSCHINKEL  
SECRETARY

February 8, 1982

G. B. Ellis, Plant Manager  
Buckeye Cellulose Corporation  
Perry, Florida 32347

RE: Final Determination - Buckeye Cellulose Corporation,  
Federal PSD Permit Application (PSD-FL-085)

Dear Mr. Ellis:

Enclosed please find the Bureau of Air Quality Management's Final Determination of the referenced Federal PSD application. A copy has been sent to the Environmental Protection Agency Regional Office in Atlanta for final approval.

Please feel free to call if we may be of further help.

Sincerely,

C. H. Fancy, P.E.  
Deputy Chief  
Bureau of Air Quality Management


CHF:caa

cc: Mr. Doug Dutton, FDER, St. Johns River Subdistrict  
Mr. George F. Nevins, E.M. Watkins and Company  
Mr. Kent Williams, EPA Region IV

Enclosure

STATE OF FLORIDA  
**DEPARTMENT OF ENVIRONMENTAL REGULATION**

TWIN TOWERS OFFICE BUILDING  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32301



BOB GRAHAM  
GOVERNOR  
VICTORIA J. TSCHINKEL  
SECRETARY

January 27, 1982

Mr. Kent Williams, Chief  
New Source Review Section  
Air Facilities Branch  
U. S. Environmental Protection Agency, Region IV  
345 Courtland Street  
Atlanta, Georgia 30365

Dear Mr. Williams:

RE: PSD Permit Application - Buckeye Cellulose Corporation  
PSD-FL-085

Enclosed please find a copy of the proof of publication of the public notice and the Final Determination for the subject project. No comment was received on this project. We recommend that the applicant be granted Authority to Construct, subject to the conditions in the Final Determination.

Sincerely,

C. H. Fancy, P.E.  
Central Air Permitting

Enclosure



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET  
ATLANTA, GEORGIA 30365

NOV 13 1981

REF: 4AH-AF

*John*

Mr. C. H. Fancy, Deputy Chief  
Bureau of Air Quality Management  
Department of Environmental Regulation  
2600 Blair Stone Road  
Tallahassee, Florida 32301

Re: PSD-FL-085 Buckeye Cellulose Corporation Perry, Florida  
Prevention of Significant Deterioration Preliminary Determination


Dear Mr. Fancy:

We have reviewed the subject report and concur with your determination of approval to construct at this facility. Any questions, comments, or developments concerning this project should be directed to Michael Brandon of my staff at (404) 881-4552.

Sincerely yours,



*Tommie A. Gibbs*

Tommie A. Gibbs, Chief  
Air Facilities Branch



**UNITED STATES  
ENVIRONMENTAL PROTECTION AGENCY  
REGION IV  
345 COURTLAND STREET  
ATLANTA, GEORGIA 30365**


**OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300**



Mr. C. H. Fancy, Deputy Chief  
Bureau of Air Quality Management  
Department of Environmental Regulation  
2600 Bliar Stone Road  
Tallahassee, FL 32301

STATE OF FLORIDA  
**DEPARTMENT OF ENVIRONMENTAL REGULATION**

TWIN TOWERS OFFICE BUILDING  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32301



BOB GRAHAM  
GOVERNOR  
VICTORIA J. TSCHINKEL  
SECRETARY

October 28, 1981


T. Michael Taimi, Chief  
Consolidated Permits Branch  
EPA, Region IV  
345 Courtland Street  
Atlanta, Georgia 30365

RE: Final Determination - Buckeye Cellulose Corporation,  
Application to Construct a Power Boiler

Dear Mr. Taimi:

Enclosed please find a copy of the proof of publication of the public notice, the public comments and the Department's response to the public comments and Final Determination for the referenced project. We recommend that the applicant be granted Authority to Construct, subject to the conditions in the Final Determination.

Sincerely,



C. H. Fancy, P.E.  
Central Air Permitting

CHF/TP/bjm

Attachment