



Florida Gas Transmission Company

A Southern Union/El Paso Affiliate

5444 Westheimer Road
Houston, TX 77056-5306

P.O. Box 4967
Houston, TX 77210-4967
713.989.7000

Via Certified Mail

April 24, 2009

Ms. Susan DeVore
Project Engineer
Florida DEP
Bob Martinez Center
2600 Blair Stone Road
Tallahassee, FL, 32399-2400

RE: Florida Gas Transmission Company, LLC
Proof of Publication
Phase VIII Project
Caryville Station CS 13
Permit 1330005-006-AC

Dear Ms DeVore,

Enclosed, please find the proof of publication of the public notice for the referenced permitting action.

Should you have any questions or comments, please feel free to contact me.

Sincerely,

Charles Wait
Principal Engineer

RECEIVED

APR 29 2009

BUREAU OF AIR REGULATION

RECEIVED APR 22 2009

Florida Freedom Newspapers, Inc.

PUBLISHERS OF THE NEWS HERALD
Panama City, Bay County, Florida
Published Daily

State of Florida County of Bay


Before the undersigned authority appeared JoAnn Greenlee, who on oath says that she is Legal Advertising Representative of The News Herald, a daily newspaper published at Panama City, in Bay County, Florida; that the attached copy of advertisement, being a Legal Advertisement # 1769 in the matter of Public Notice of Intent to Issue Air Permit - Florida Department of Environmental Protection/ Florida Gas Transmission Company in the Bay County Court, was published in said newspaper in the issue of April 6, 2009.

Affiant further says that The News Herald is a direct successor of the Panama City News and that this publication, together with its direct predecessor, has been continuously published in said Bay County, Florida, each day (except that the predecessor, Panama City News, was not published on Sundays), and that this publication together with its said predecessor, has been entered as periodicals matter at the post office in Panama City, in said Bay County, Florida, for a period of 1 year next preceding the first publication of the attached copy of advertisement; and affiant further says that he or she has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.

JoAnn Greenlee

State of Florida
County of Bay

Sworn and subscribed before me this 6th day of April, A.D., 2009, by JoAnn Greenlee, Legal Advertising Representative of The News Herald, who is personally known to me or has produced N/A as identification.



Maura J. Levent
Notary Public, State of Florida at Large

RECEIVED

APR 29 2009

BUREAU OF AIR REGULATION

of the installation of one new 223 bhp emergency generator at existing Compressor Station No. 13. The proposed emergency generator exclusively fires natural gas. The project is not subject to preconstruction review pursuant to the Prevention of Significant Deterioration (PSD) of air quality.

The new emergency generator is subject to the federal standards for carbon monoxide, nitrogen oxides and volatile organic compounds in New Source Performance Standards (NSPS) Subparts A and JJJ and for hazardous air pollutants in National Emissions Standards for Hazardous Air Pollutants (NESHAP) Subparts A and ZZZZ. After completing construction, the facility will remain a major PSD stationary source and a Title V major source. The emergency generator will only operate during power failures and periodically to ensure the unit remains operational.

Based upon 100 hours per year of estimated operation, the new emergency generator will have the potential to emit the following pollutants: 0.1 tons of carbon monoxide per year; 0.05 tons of nitrogen oxides per year; 0.002 tons of particulate matter per year; 0.003 tons of sulfur dioxide per year; and 0.02 ton of volatile organic compounds per year.

1769 PUBLIC NOTICE OF INTENT TO ISSUE AIR PERMIT

Florida Department of Environmental Protection
Division of Air Resource Management, Bureau of Air Regulation
Draft Air Permit No. 1330005-008-AC
Florida Gas Transmission Company, Compressor Station No. 13
Washington County, Florida

Applicant: The applicant for this project is Florida Gas Transmission Company. The applicant's authorized representative and mailing address is: David Shellhouse, Vice President, Southeastern Operations, Florida Gas Transmission Company, 2405 Lucien Way, Suite 200, Maitland, FL 32751.

Facility Location: Florida Gas Transmission Company operates the existing Compressor Station No. 13, which is located in Washington County at 2508 River Road in Caryville, Florida.

Project: The proposed project is part of Florida Gas Transmission Company's overall Phase VIII project intended to increase the availability and reliability of natural gas supplied by the existing natural gas pipelines. The proposed expansion consists

of the installation of one new 223 bhp emergency generator at existing Compressor Station No. 13. The proposed emergency generator exclusively fires natural gas. The project is not subject to preconstruction review pursuant to the Prevention of Significant Deterioration (PSD) of air quality. The new emergency generator is subject to the federal standards for carbon monoxide, nitrogen oxides and volatile organic compounds in New Source Performance Standards (NSPS) Subparts A and JJJ and for hazardous air pollutants in National Emissions Standards for Hazardous Air Pollutants (NESHAP) Subparts A and ZZZZ. After completing construction, the facility will remain a major PSD stationary source and a Title V major source. The emergency generator will only operate during power failures and periodically to ensure the unit remains operational. Based upon 100 hours per year of estimated operation, the new emergency generator will have the potential to emit the following pollutants: 0.1 tons of carbon monoxide per year; 0.05 tons of nitrogen oxides per year; 0.002 tons of particulate matter per year; 0.003 tons of sulfur dioxide per year; and 0.02 ton of volatile organic compounds per year.

Permitting Authority: Applications for air construction permits are subject to review in accordance with the provisions of Chapter 403, Florida Statutes (F.S.) and Chapters 62-4, 62-210 and 62-212 of the Florida Administrative Code (F.A.C.). The proposed project is not exempt from air permitting requirements and an air permit is required to perform the proposed work. The Permitting Authority responsible for making a permit determination for this project is the Bureau of Air Regulation in the Department of Environmental Protection's Division of Air Resource Management. The Permitting Authority's physical address is: 111 South Magnolia Drive, Suite #4, Tallahassee, Florida. The Permitting Authority's mailing address is: 2600 Blair Stone Road, MS #5505, Tallahassee, Florida 32399-2400. The Permitting Authority's telephone number is 850/488-0114.

Project File: A complete project file is available for public inspection during the normal business hours of 8:00 a.m. to 5:00 p.m., Monday through Friday (except legal holidays), at the physical address indicated above for the Permitting Authority. The complete project file includes: the Draft Permit, the Technical Evaluation and Preliminary Determination, the application and information submitted by the applicant (exclusive of confidential records under Section 403.111, F.S.). Interested persons may contact the Permitting Authority's project engineer for additional information at the address and phone number listed above. In addition, electronic copies of these documents are available on the following web site: <http://www.dep.state.fl.us/air/products/apcis/default.asp>.

Notice of Intent to Issue Air Permit: The Permitting Authority gives notice of its intent to issue an air construction permit to the applicant for the project described above. The applicant has provided reasonable assurance that operation of proposed equipment will not adversely impact air quality and that the project will comply with all appropriate provisions of Chapters 62-4, 62-204, 62-210, 62-212, 62-296 and 62-297, F.A.C. The Permitting Authority will issue a Final Permit in accordance with the conditions of the proposed Draft Permit unless a timely petition for an administrative hearing is filed under Sections 120.569 and 120.57, F.S. or unless public comment received in accordance with this notice results in a different decision or a significant change of terms or conditions.

Comments: The Permitting Authority will accept written comments concerning the proposed Draft Permit for a period of 14 days from the date of publication of the Public Notice. Written comments must be received by the Permitting Authority by close of business (5:00 p.m.) on or before the end of this 14-day period. If written comments received result in a significant change to the Draft Permit, the Permitting Authority shall revise the Draft Permit and require, if applicable, another Public Notice. All comments filed will be made available for public inspection.

Petitions: A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative hearing in accordance with Sections 120.569 and 120.57, F.S. The petition must contain the information set forth below and must be filed with (received by) the Department's Agency Clerk in the Office of General Counsel of the Department of Environmental Protection at 3900

Comments: The Permitting Authority will accept written comments concerning the proposed Draft Permit for a period of 14 days from the date of publication of the Public Notice. Written comments must be received by the Permitting Authority by close of business (5:00 p.m.) on or before the end of this 14-day period. If written comments received result in a significant change to the Draft Permit, the Permitting Authority shall revise the Draft Permit and require, if applicable, another Public Notice. All comments filed will be made available for public inspection.

Project File: A complete project file is available for public inspection during the normal business hours of 8:00 a.m. to 5:00 p.m., Monday through Friday (except legal holidays), at the physical address indicated above for the Permitting Authority. The complete project file includes: the Draft Permit, the Technical Evaluation and Preliminary Determination, the application and information submitted by the applicant (exclusive of confidential records under Section 403.111, F.S.). Interested persons may contact the Permitting Authority's project engineer for additional information at the address and phone number listed above. In addition, electronic copies of these documents are available on the following web site: <http://www.dep.state.fl.us/air/products/apcis/default.asp>.

of the installation of one new 223 bhp emergency generator at existing Compressor Station No. 13. The proposed emergency generator exclusively fires natural gas. The project is not subject to preconstruction review pursuant to the Prevention of Significant Deterioration (PSD) of air quality. The new emergency generator is subject to the federal standards for carbon monoxide, nitrogen oxides and volatile organic compounds in New Source Performance Standards (NSPS) Subparts A and JJJ and for hazardous air pollutants in National Emissions Standards for Hazardous Air Pollutants (NESHAP) Subparts A and ZZZZ. After completing construction, the facility will remain a major PSD stationary source and a Title V major source. The emergency generator will only operate during power failures and periodically to ensure the unit remains operational. Based upon 100 hours per year of estimated operation, the new emergency generator will have the potential to emit the following pollutants: 0.1 tons of carbon monoxide per year; 0.05 tons of nitrogen oxides per year; 0.002 tons of particulate matter per year; 0.003 tons of sulfur dioxide per year; and 0.02 ton of volatile organic compounds per year.

Comments: The Permitting Authority will accept written comments concerning the proposed Draft Permit for a period of 14 days from the date of publication of the Public Notice. Written comments must be received by the Permitting Authority by close of business (5:00 p.m.) on or before the end of this 14-day period. If written comments received result in a significant change to the Draft Permit, the Permitting Authority shall revise the Draft Permit and require, if applicable, another Public Notice. All comments filed will be made available for public inspection.

Petitions: A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative hearing in accordance with Sections 120.569 and 120.57, F.S. The petition must contain the information set forth below and must be filed with (received by) the Department's Agency Clerk in the Office of General Counsel of the Department of Environmental Protection at 3900

Project File: A complete project file is available for public inspection during the normal business hours of 8:00 a.m. to 5:00 p.m., Monday through Friday (except legal holidays), at the physical address indicated above for the Permitting Authority. The complete project file includes: the Draft Permit, the Technical Evaluation and Preliminary Determination, the application and information submitted by the applicant (exclusive of confidential records under Section 403.111, F.S.). Interested persons may contact the Permitting Authority's project engineer for additional information at the address and phone number listed above. In addition, electronic copies of these documents are available on the following web site: <http://www.dep.state.fl.us/air/products/apcis/default.asp>.

of the installation of one new 223 bhp emergency generator at existing Compressor Station No. 13. The proposed emergency generator exclusively fires natural gas. The project is not subject to preconstruction review pursuant to the Prevention of Significant Deterioration (PSD) of air quality. The new emergency generator is subject to the federal standards for carbon monoxide, nitrogen oxides and volatile organic compounds in New Source Performance Standards (NSPS) Subparts A and JJJ and for hazardous air pollutants in National Emissions Standards for Hazardous Air Pollutants (NESHAP) Subparts A and ZZZZ. After completing construction, the facility will remain a major PSD stationary source and a Title V major source. The emergency generator will only operate during power failures and periodically to ensure the unit remains operational. Based upon 100 hours per year of estimated operation, the new emergency generator will have the potential to emit the following pollutants: 0.1 tons of carbon monoxide per year; 0.05 tons of nitrogen oxides per year; 0.002 tons of particulate matter per year; 0.003 tons of sulfur dioxide per year; and 0.02 ton of volatile organic compounds per year.

Mediation: Mediation not available for this hearing. April 6, 2009

Because the administrative hearing process is designed to formulate agency action, the filing of a petition means that the Permitting Authority's action may be deferred from the position taken in this Public Notice to issue Air Permits whose substantial interests will be affected by such final decision. The Permitting Authority's application have right to petition be a party to this proceeding in accordance with the requirements set forth above.

A person that disputes the material facts on which the Permitting Authority's action is based, must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address and telephone number of the petitioner; (c) A statement of how the petitioner's substantial rights will be affected by the agency determination; (d) A statement of when and how the petitioner received notice of the agency's action or proposed decision; (e) A statement of all disputed issues of material fact, if there are none, the petition must so state; (f) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (g) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action, including an explanation of how the alleged facts relate to the specific rules or statutes; and (h) A statement of the relief sought by the petitioner, stating precisely the action the petitioner wishes the agency to take with respect to the