

MEMORANDUM

TO: Clair Fancy, P.E.  
FROM: Ross Pollock *R.P.*  
THRU: Jonathan Holtom, P.E. *J.H.*  
DATE: November 10, 1999  
Re: Intent package for DRAFT Permit No.: 7770179-002-AC  
Angelo's Recycled Materials, Inc.  
Aggregate Processing Plant No. 3

Day 90: December ~~14~~<sup>12</sup>, 1999

This facility has previously received a construction permit. This is a permit modification for a change in the initial location of the facility and an extension to the original expiration date. Since the initial construction permit was issued, changes have also been made to the facility. The facility initially had two crushers. One of the crushers has been removed. The permit modification reflects all changes that have been made to the facility.

The applicant submitted an application, which described all changes that had been made to the facility since the initial construction permit was issued. The application was received on September 13, 1999. Due to the changes made to the facility another public notice will be required.

I recommend that this Notice of Permit Extension and Minor Modification be sent out as attached.

CHF/rjp

[electronic file name: xxxxxxx1.mem]

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1.  Addressee's Address
- 2.  Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:  
 Mr. Bob Coble, General Manager  
 Angelo's Recycled Materials, Inc.  
 Post Office Box 1493  
 Largo, Florida 33779-1493

4a. Article Number  
 Z 094 212 698

4b. Service Type  
 Registered  Certified  
 Express Mail  Insured  
 Return Receipt for Merchandise  COD


7. Date of Delivery

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)

X



PS Form 3811, December 1994

102595-98-B-0229

Domestic Return Receipt

Thank you for using Return Receipt Service.

Z 094 212 698

US Postal Service

**Receipt for Certified Mail**

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

Sent to Mr. Bob Coble, General Manager	
Street & Number Post Office Box 1493	
Post Office, State, & ZIP Code Largo, Florida 33779-1493	
Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
<b>TOTAL Postage &amp; Fees</b>	<b>\$</b>
Postmark or Date 11/19/99 Angelo's Recycled Materials, Inc.-7770179-002-AC	

PS Form 3800, April 1995



Jeb Bush  
Governor

# Department of Environmental Protection

Marjory Stoneman Douglas Building  
3900 Commonwealth Boulevard  
Tallahassee, Florida 32399-3000

David B. Struhs  
Secretary

## P.E. Certification Statement

Angelo's Recycled Materials, Inc., Plant No. 3

Initial Project Site:

1440 South Perimeter Road  
West Palm Beach, FL 33406


DEP File No.: 7770179-002-AC

Facility ID No.: 7770179-002

**Project:** Modification to Relocatable Source Air Construction Permit, Plant No. 3

**I HEREBY CERTIFY** that the engineering features described in the above referenced application and related additional information submittals, if any, and subject to the proposed permit conditions, provide reasonable assurance of compliance with applicable provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Chapters 62-4 and 62-204 through 62-297. However, I have not evaluated and I do not certify aspects of the proposal outside of my area of expertise (including but not limited to the electrical, mechanical, structural, hydrological, and geological features).

This review was conducted by Ross Pollock under my responsible supervision.



Jonathan Holtom, P.E.

Registration Number: 0052664

11/15/99  
Date

Permitting Authority:

Florida Department of Environmental Protection  
Division of Air Resources Management  
Bureau of Air Regulation  
New Source Review Section  
Mail Station #5505  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Telephone: 850/488-0114

Fax: 850/922-6979

*"Protect, Conserve and Manage Florida's Environment and Natural Resources"*

*Printed on recycled paper.*



Jeb Bush  
Governor

# Department of Environmental Protection

Marjory Stoneman Douglas Building  
3900 Commonwealth Boulevard  
Tallahassee, Florida 32399-3000

David B. Struhs  
Secretary

## NOTICE OF PERMIT EXTENSION AND MINOR MODIFICATION

Mr. Bob Coble, General Manager  
Angelo's Recycled Materials, Inc.  
Post Office Box 1493  
Largo, Florida 33779-1493

**RE: Angelo's Recycled Materilas, Inc., Plant No.3, Permit No. 7770179-002-AC (Expiration Date Extension and Minor Modification for Construction Permit No. 7770179-001-AC)**

Dear Mr. Coble:

The Department received your letter dated August 30, 1999 requesting an extension of time for the above referenced air permit as well as a change in the initial location of the facility. As requested, the Department hereby amends this permit, by revising the expiration date from **September 15, 1999**, to **March 31, 2000**. Enclosed, please find the revised permit, which includes the changes outlined below.

The initial location of operation has been changed as follows:

**From:**  
Central Control Road  
Air Force Demolition and Debris Landfill Site  
Cape Canaveral

**To:**  
1440 South Perimeter Road  
West Palm Beach, FL 33406

In addition, Appendix PC has been added to the permit and conditions 5 and 20 of the referenced permit are changed:

**From:**  
5. Extension of Expiration Date: This air construction permit shall expire on September 15, 1999. The permittee may, for good cause, request that this construction permit be extended. Such a request shall be submitted to the Department's Bureau of Air Regulation prior to 60 days before the expiration of the permit.

[Rules 62-210.300(1), 62-4.070(4) and 62-4.210, F.A.C]

20. Test Notification: The owner or operator shall notify the Department's district office and, if applicable, appropriate local program, at least 30 days prior to the date on which each formal compliance test is to begin. Notification shall include the date, time, and place of each such test, and the test contact person who will be responsible for coordinating and having such test conducted for the owner or operator.

[Rule 62-297.310(7)(a)9., F.A.C., 40 CFR 60.8]

[Note: The federal requirements of 40 CFR 60.8 require 30 days notice of the initial test and any tests required under section 114 of the Clean Air Act.]

**To:**

5. Extension of Expiration Date: This air construction permit shall expire on March 31, 2000. The permittee may, for good cause, request that this construction permit be extended. Such a request shall be submitted to the Department's Bureau of Air Regulation prior to 60 days before the expiration of the permit.

[Rules 62-210.300(1), 62-4.070(4) and 62-4.210, F.A.C.]

20. Test Notification: The owner or operator shall notify the Department's district office and, if applicable, appropriate local program, at least 15 days prior to the date on which each formal compliance test is to begin. Notification shall include the date, time, and place of each such test, and the test contact person who will be responsible for coordinating and having such test conducted for the owner or operator.

[Rule 62-297.310(7)(a)9., F.A.C., 40 CFR 60.8]

[Note: The federal requirements of 40 CFR 60.8 require 30 days notice of the initial test and any tests required under section 114 of the Clean Air Act, but the Department rules require 15 days notice for the annual compliance tests. Unless otherwise advised by the Department, provide 15 days notice prior to conducting annual tests, except for the initial test when 30 days notice is required.]

The applicant has also removed equipment from the facility since the original construction permit was issued. Therefore the facility description has been changed:

**From:**

This facility consists of a 200 ton per hour (TPH) Cedarapids, Inc. Model 3054 Crusher, a 200 TPH Bohringer Inc., Model RC14 secondary impact crusher and associated equipment (feeder, screens, and conveyors) and a 545 kilowatt (KW) Caterpillar Model 3412 diesel powered generator. Fugitive particulate matter emissions throughout the crushing unit are controlled by a water suppression system with spray bars located at the various emissions points throughout the plant. Emissions from the diesel engine powered generator are uncontrolled.

**To:**

This facility consists of a 200 ton per hour (TPH) Bohringer, Inc., Model RC14 crusher and associated equipment (feeder, screens, and conveyors) and a 545 kilowatt (KW) Caterpillar Model 3412 diesel powered generator. Fugitive particulate matter emissions throughout the crushing unit are controlled by a water suppression system with spray bars located at the various emissions points throughout the plant. Emissions from the diesel engine powered generator are uncontrolled.

A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative hearing in accordance with Sections 120.569 and 120.57, F.S. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department of Environmental Protection, 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida 32399-3000 (Telephone: 850/488-9730; Fax: 850/487-4938). Petitions filed by the permit applicant or any of the parties listed below must be filed within fourteen days of receipt of this notice of intent. Petitions filed by any persons other than those entitled to written notice under Section 120.60(3), F.S., must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. Under Section 120.60(3), F.S., however, any person who asked the permitting authority for notice of agency action may file a petition within fourteen days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petition to the applicant at the address indicated above, at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under Sections 120.569 and 120.57, F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205, F.A.C.

A petition that disputes the material facts on which the permitting authority's action is based must contain the following information:

(a) The name and address of each agency affected and each agency's file or identification number, if known;

(b) The name, address, and telephone number of the petitioner; the name, address and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination;

(c) A statement of how and when each petitioner received notice of the agency action or proposed action;

(d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate;

(e) A concise statement of the ultimate facts alleged, as well as the rules and statutes which entitle the petitioner to relief; and,

(f) A demand for relief.

A petition that does not dispute the material facts upon which the permitting authority's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301, F.A.C.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the permitting authority's final action may be different from the position taken by it in this notice of intent. Persons whose substantial interests will be affected by any such final decision of the permitting authority on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

Mediation will not be available in this proceeding.

In addition to the above, a person subject to regulation has a right to apply to the Department of Environmental Protection for a variance from or waiver of the requirements of particular rules, on certain conditions, under Section 120.542, F.S. The relief provided by this state statute applies only to state rules, not statutes, and not to any federal regulatory requirements. Applying for a variance or waiver does not substitute or extend the time for filing a petition for an administrative hearing or exercising any other right that a person may have in relation to the action proposed in this notice of intent.

The application for a variance or waiver is made by filing a petition with the Office of General Counsel of the Department of Environmental Protection, 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida 32399-3000. The petition must specify the following information:


- (a) The name, address, and telephone number of the petitioner;
- (b) The name, address, and telephone number of the attorney or qualified representative of the petitioner, if any;
- (c) Each rule or portion of a rule from which a variance or waiver is requested;
- (d) The citation to the statute underlying (implemented by) the rule identified in (c) above;
- (e) The type of action requested;
- (f) The specific facts that would justify a variance or waiver for the petitioner;
- (g) The reason why the variance or waiver would serve the purposes of the underlying statute (implemented by the rule); and,
- (h) A statement whether the variance or waiver is permanent or temporary and, if temporary, a statement of the dates showing the duration of the variance or waiver requested.

The Department will grant a variance or waiver when the petition demonstrates both that the application of the rule would create a substantial hardship or violate principles of fairness, as each of those terms is defined in Section 120.542(2), F.S., and that the purpose of the underlying statute will be or has been achieved by other means by the petitioner.

Any party to this order has the right to seek judicial review of the permit pursuant to Section 120.68, F.S., by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the permitting authority in the Legal Office; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 (thirty) days from the date this Notice is filed with the Clerk of the permitting authority.

This application is being processed and is available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at the Florida Department of Environmental Protection, 111 South Magnolia, Tallahassee, Florida 32301.

Executed in Tallahassee, Florida.

*for*   
C. H. Fancy, P.E., Chief,  
Bureau of Air Regulation


Certificate of Service

The undersigned duly designated deputy agency clerk hereby certifies that this NOTICE OF PERMIT EXTENSION AND MINOR MODIFICATION was sent by certified mail (\*) and copies were mailed by U.S. Mail before the close of business on 11/19/99 to the persons listed:

- Mr. Bob Coble, General Manager, Angelo's Recycled Materials, Inc.\*
- Mr. Bernard A. Ball, Jr., Central Florida Testing Laboratories
- Len Kozlov, DEP Central District
- Isidore Goldman, DEP Southeast District
- James Stormer, Palm Beach County Health Department
- Marie Driscoll, Orange County Environmental Protection Department

*11/19/99 cc - Reading File*

Clerk Stamp  
FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to Sec. 120.52, Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

  
(Clerk) 11/19/99  
(Date)



**Amendment to Technical Evaluation and Preliminary Determination  
Angelo's Recycled Materials, Inc., Plant No. 3  
Permit No. 7770179-002-AC  
Relocatable Concrete and Asphalt Crusher**

Angelo's Recycled Materials, Inc. has previously applied for and received a construction permit for this facility. Angelo's Recycled Materials, Inc. has applied for a modification to the construction permit due to minor changes to the facility, and to change the initial location of operation. Due to the changes in the facility the Department has reevaluated the potential impact of emissions from the facility.

The applicant has removed equipment from the facility, including a secondary impact crusher and a feeder, since the original construction permit was issued. Therefore, the facility description has been changed:

**From:**

This facility consists of a 200 ton per hour (TPH) Cedarapids, Inc. Model 3054 Crusher, a 200 TPH Bohringer Inc., Model RC14 secondary impact crusher and associated equipment (feeder, screens, and conveyors) and a 545 kilowatt (KW) Caterpillar Model 3412 diesel powered generator. Fugitive particulate matter emissions throughout the crushing unit are controlled by a water suppression system with spray bars located at the various emissions points throughout the plant. Emissions from the diesel engine powered generator are uncontrolled.

**To:**

This facility consists of a 200 ton per hour (TPH) Bohringer, Inc., Model RC14 crusher and associated equipment (feeder, screens, and conveyors) and a 545 kilowatt (KW) Caterpillar Model 3412 diesel powered generator. Fugitive particulate matter emissions throughout the crushing unit are controlled by a water suppression system with spray bars located at the various emissions points throughout the plant. Emissions from the diesel engine powered generator are uncontrolled.

The changes in the facility have resulted in a change in emissions from the facility. The emissions have changed as follows:

**From:**

Pollutants	Estimated Hourly Emissions lb/hr	Estimated Annual Emissions TPY
<b>Crusher</b>		
PM/PM <sub>10</sub>	0.1	0.2
<b>Diesel Power</b>		
NO <sub>x</sub>	18.3	28.5
SO <sub>2</sub>	1.2	1.9
CO	3.9	6.1
PM <sub>10</sub>	1.3	2.0
VOC	1.5	2.3

**To:**

Pollutants	Estimated Hourly Emissions lb/hr	Estimated Annual Emissions TPY
<b>Crusher</b>		
PM/PM <sub>10</sub>	2.1	3.3
<b>Diesel Power</b>		
NO <sub>x</sub>	15.2	23.7
SO <sub>2</sub>	1.0	1.6
CO	3.3	5.1
PM <sub>10</sub>	1.1	1.7
VOC	1.2	1.9

[Note: The particulate matter emissions from the crusher in the original Technical Evaluation are only for the primary crusher. The emissions in the modification reflect particulate matter emissions from feeders, conveyors and screeners at the facility resulting in higher emissions.]

**Conclusion**

Based on the previous technical evaluation of the original application, and an evaluation of the request to modify the construction permit the Department has made a preliminary determination that the proposed project will comply with all applicable state and federal air pollution regulations provided the Department's restrictions described in the Specific Conditions of the proposed permit are met. The General and Specific Conditions are listed in the attached permit.

TECHNICAL EVALUATION  
AND  
PRELIMINARY DETERMINATION

Angelo's Recycled Materials  
Aggregate Processing Plant No. 3

Portable Concrete and Asphalt Crusher  
State Wide Operation

Air Construction Permit No. 7770179-001-AC

Facility ID No. 7770179  
Unit No. 01 (Crusher, Conveyors, Materials handling)  
Unit No. 02 (Diesel Engine Powered Generator)  
Relocatable Unit

Department of Environmental Protection  
Division of Air Resources Management  
Bureau of Air Regulation

January 13, 1999

# TECHNICAL EVALUATION AND PRELIMINARY DETERMINATION

---

## 1. APPLICATION INFORMATION

### 1.1 Applicant's Name and Address

*Mr. Bob Coble, General Manager*  
Angelo's Recycled Materials, Inc.  
P. O. Box 1493  
Largo, Florida 33779-1493

### 1.2 *Reviewing and Processing Schedule*

November 2, 1998      Date of Receipt of Complete Application

## 2. FACILITY INFORMATION

### 2.1 *Relocatable concrete and asphalt crushing unit operating throughout Florida.*

Angelo's Recycled Materials, Inc. plans to operate a 200 TPH Cedarapids, Inc. Model No. 3054 mobile crushing unit at sites in Florida. Major components of the crusher are a grizzly feeder, impact crusher, vibrating screen, conveyors, and 545 KW Caterpillar Model No.3412 diesel powered generator. Water will be added as needed to control fugitive dust emissions.

### 2.2 *Standard Industrial Classification Code (SIC)*

Major Group No.	14	Mining and Quarrying of Nonmetallic Minerals
Group No.	1429	Stone Quarrying/Processing

### 2.3 *Facility Category*

The portable crusher emits particulate matter from the handling and crushing of the concrete and asphalt material and the normal products of combustion from the diesel fuel burned in the diesel engine used to power the crusher.

The portable crusher operated by the applicant is classified as a minor air pollutant emitting facility. Air pollutant emissions are less than 100 TPY of any single criteria air pollutant.

This facility is not on the list of the 28 Major Facility Categories, Table 62-212.400-1. This facility is also classified as a synthetic non-Title V facility.

Based on the specific conditions in the draft permit and the physical restrictions of the equipment, this facility is classified as a *minor source* of air pollution.

# TECHNICAL EVALUATION AND PRELIMINARY DETERMINATION

---

## 3. PROJECT DESCRIPTION

3.1 *This permit addresses the following emissions units:*

EMISSION UNIT NO.	SYSTEM	EMISSION UNIT DESCRIPTION
001	Size Reduction	Cedarapids, Inc. Crusher, Model No. 3054
002	Diesel Powered Generator	545 KW Caterpillar Model 3412 diesel powered generator

## 4. PROCESS DESCRIPTION

4.1 *General Information*

Concrete or asphalt material is fed to the crusher and reduced in size. The crushed material is screened and stored in an open area. It is loaded and unloaded from trucks. Dust from the crushing of the rocks will be controlled by wetting with water when necessary. Power for the unit comes from a diesel engine which burns a maximum of 30 gallons per hour of fuel containing up to 0.5 percent sulfur.

## 5. RULE APPLICABILITY

The proposed project is subject to preconstruction review requirements under the provisions of Chapter 403, Florida Statutes, and Chapters 62-4, 62-204, 62-210, and 62-212, of the Florida Administrative Code (F.A.C.).

This relocatable facility may operate in more than one county in Florida. The proposed project is not subject to review under Rule 62-212.400., F.A.C., Prevention of Significant Deterioration (PSD), because it is a minor unit and the potential emission increases for all criteria pollutants do not exceed the significant emission rates given in Chapter 62-212, Table 62-212.400-2, F.A.C.

A determination of Best Available Control Technology (BACT) is not required for this minor facility. No analysis of the air quality impact of the proposed project's impacts on soils, vegetation and visibility; along with air quality impacts resulting from associated commercial, residential and industrial growth is required for a minor facility.

The crusher and associated equipment are subject to 40 CFR 60, Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants. The diesel engine is subject to Rule 62-210.300, Permits Required, however there are no unit specific regulatory requirements that apply. Its potential emissions will be limited by the hours of operation. No regular testing is required, however if the Department has reason to believe that a violation of the facility wide visible emissions limit has occurred, a special compliance test can be ordered.

# TECHNICAL EVALUATION AND PRELIMINARY DETERMINATION

The emission units affected by this permit shall comply with all applicable provisions of the Florida Administrative Code and, specifically, the following Chapters and Rules:

Chapter 62-4	Permits.
Rule 62-210.300	Permits Required
Rule 62-210.350	Public Notice and Comments
Rule 62-210.370	Reports
Rule 62-210.650	Circumvention
Rule 62-210.700	Excess Emissions
Rule 62-210.900	Forms and Instructions
Rule 62-212.300	General Preconstruction Review Requirements
Rule 62-296.320	General Pollutant Emission Limiting Standards
Rule 62-297.310	General Test Requirements
Rule 62-297.400	EPA Methods Adopted by Reference
Rule 62-297.401	EPA Test Procedures

## 6. SOURCE IMPACT ANALYSIS

### 6.1 *Emission Limitations*

The proposed portable crusher will emit the following PSD pollutants (Table 212.400-2): particulate matter, sulfur dioxide, nitrogen oxides, volatile organic compounds, and carbon monoxide. The estimated emissions for these emission units are summarized in the following table.

### 6.2 *Emission Summary*

The unit is a minor source for all criteria air pollutants. Following are the estimated emissions which are based on 3,120 hours per year of operation.

Pollutants	Estimated Hourly Emissions lb/hr	Estimated Annual Emissions TPY
<b>Crusher</b>		
PM/PM <sub>10</sub>	0.8	3.49
<b>Diesel Power</b>		
NO <sub>x</sub>	18.3	28.5
SO <sub>2</sub>	1.2	1.9
CO	3.9	6.1
PM <sub>10</sub>	1.3	2.0
VOC	1.5	2.3

# TECHNICAL EVALUATION AND PRELIMINARY DETERMINATION

---

## 6.3 *Control Technology Review*

The crusher unit and associated conveyors are potential sources of fugitive particulate matter emissions. Emissions shall be controlled by wetting the material being processed when needed.

The diesel engine powering the crusher will emit products of combustion. However, there are no unit specific regulatory requirements which apply to the diesel engine. In order to reasonably assure that the facility does not become subject to Title V regulations, at the applicant's request, a facility-wide limitation to the hours of operation has been imposed.

Emissions from these units are limited by production and hours per year operation limits.

## 6.4 *Air Quality Analysis*

An air quality analysis was not conducted for this project. The Department does not expect the low emissions from this operation to have a significant impact on the ambient air quality.

## 7. **CONCLUSION**

Based on the foregoing technical evaluation of the application, the Department has made a preliminary determination that the proposed project will comply with all applicable state and federal air pollution regulations provided the Department's restrictions described in the Specific Conditions of the proposed permits are met. The General and Specific Conditions are listed in the attached permit.

*Permit Engineer: Ross Pollock*

*Reviewed and Approved by: Jonathan Holtom, P.E.*

**PUBLIC NOTICE OF INTENT TO ISSUE AIR PERMIT**

STATE OF FLORIDA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION

DRAFT Permit No.: 7770179-002-AC  
Angelo's Recycled Materials, Inc.

The Department of Environmental Protection (Department) gives notice of its intent to issue an amended air construction permit to Angelo's Recycled Materials, Inc. for a diesel engine powered portable concrete and asphalt material crusher that will be operated at construction and industrial sites throughout Florida. The crusher is a minor source of air pollution and not subject to the Prevention of Significant Deterioration (PSD) regulations, Rule 62-212.400, F.A.C. A Best Available Control Technology determination was not required for this facility. The applicant's name and address are: Angelo's Recycled Materials, Inc., P. O. Box 1493, Largo, Florida 33779-1493.

The applicant proposes to operate the facility in counties covered by this notice. The proposed initial location is 1440 South Perimeter Road, West Palm Beach, Palm Beach County. The units will emit fugitive particulate matter and the products of combustion from the diesel fuel. Air pollution control is accomplished by wetting as needed.

Total emissions of pollutants from the facility are estimated to be:

Pollutants	Estimated Hourly Emissions lb/hr	Estimated Annual Emissions TPY
<b>Crusher</b>		
PM/PM <sub>10</sub>	2.1	3.3
<b>Diesel Power</b>		
NO <sub>x</sub>	15.2	23.7
SO <sub>2</sub>	1.0	1.6
CO	3.3	5.1
PM <sub>10</sub>	1.1	1.7
VOC	1.2	1.9

Because of the low emissions and limited time of operation at any one site, the crusher will not cause or contribute to any violation of an ambient air quality standard.

The Department will issue the Amended Construction Permit unless a response received in accordance with the following procedures results in a different decision or significant change of terms or conditions.

The Department will accept written comments concerning the proposed Amended Construction Permit issuance actions for a period of 14 (fourteen) days from the date of publication of this Notice. Written comments should be provided to the Department's Bureau of Air Regulation, 2600 Blair Stone Road, Mail Station #5505, Tallahassee, Florida 32399-2400. Any written comments filed shall be made available for public inspection. If written comments received result in a significant change in this Amended Permit, the Department shall issue a Revised Permit and require, if applicable, another Public Notice.

The Department will issue the Amended Construction Permit unless a timely petition for an administrative hearing is filed pursuant to Sections 120.569 and 120.57 F.S. Mediation is not available for this action. The procedures for petitioning for a hearing are set forth below.

A person whose substantial interests are affected by the Department's proposed permitting decision may petition for an administrative hearing in accordance with Sections 120.569 and 120.57 F.S. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department, 3900 Commonwealth Boulevard, Mail Station #35, Tallahassee, Florida 32399-3000, telephone: 850/488-9370, fax: 850/487-4938. Petitions must be filed within fourteen days of publication of the public notice or within fourteen days of receipt of this notice of intent, whichever occurs first. A petitioner must mail a copy of the petition to the applicant at the address indicated above, at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under



Sections 120.569 and 120.57 F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-5.207 of the Florida Administrative Code.

A petition must contain the following information: (a) The name, address, and telephone number of each petitioner, the applicant's name and address, the Permit File Numbers and the county in which the project is proposed; (b) A statement of how and when each petitioner received notice of the Department's action or proposed action; (c) A statement of how each petitioner's substantial interests are affected by the Department's action or proposed action; (d) A statement of the material facts disputed by petitioner, if any; (e) A statement of the facts that the petitioner contends warrant reversal or modification of the Department's action or proposed action; (f) A statement identifying the rules or statutes that the petitioner contends require reversal or modification of the Department's action or proposed action; and (g) A statement of the relief sought by the petitioner, stating precisely the action that the petitioner wants the Department to take with respect to the Department's action or proposed action addressed in this notice of intent.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice of intent. Persons whose substantial interests will be affected by any such final decision of the Department on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

A copy of the amended construction permit and the technical evaluation are available for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays, at:

Florida Dept. of Environmental  
Protection  
Bureau of Air Regulation  
111 S. Magnolia Drive, Suite 4  
Tallahassee, Florida 32301  
Telephone: 850/488-0114

Palm Beach County Health Department  
Division of Environmental Science &  
Engineering  
901 Evernia Street  
West Palm Beach, Florida 33401  
Telephone: 561/355-3070

Dept. of Environmental Protection  
Southeast District  
400 North Congress Avenue  
West Palm Beach, Florida 33401  
Telephone: 561/681-6600

The complete project file, which includes the application, technical evaluation, permits, and the information submitted by the responsible official, exclusive of confidential records under Section 403.111, F.S., is available in the office of the permitting authority in Tallahassee. Interested persons may contact either Jonathan Holtom, P.E. or Ross Pollock, project engineer at 111 South Magnolia Drive, Suite 4, Tallahassee, Florida 32301, or call 850/488-0114, for additional information.



Jeb Bush  
Governor

# Department of Environmental Protection

Marjory Stoneman Douglas Building  
3900 Commonwealth Boulevard  
Tallahassee, Florida 32399-3000

David B. Struhs  
Secretary

## PERMITTEE

Angelo's Recycled Materials, Inc.  
Aggregate Processing Plant No. 3  
P.O. Box 1493  
Largo, Florida 33779-1493

<b>FID No.:</b>	7770179
<b>Permit No.:</b>	7770179-002-AC
<b>SIC No.:</b>	1429
<b>Expires:</b>	March 31, 2000

## AUTHORIZED REPRESENTATIVE:

Mr. Dennis Price, General Manager

## PROJECT

This permit allows the applicant to construct a relocatable diesel engine powered portable concrete and asphalt material crushing plant.

## STATEMENT OF BASIS

This construction permit is issued under the provisions of Chapter 403 of the Florida Statutes (F.S.), and the Florida Administrative Code (F.A.C.) Chapters 62-4, 62-204, 62-210, 62-212, 62-296, and 62-297. The above named permittee is authorized to construct the facility in accordance with the conditions of this permit and as described in the application, approved drawings, plans, and other documents on file with the Department of Environmental Protection (Department).

## APPENDIX

The attached appendices are a part of this permit:

Appendix GC General Permit Conditions  
Appendix PC Permitted Counties

Howard L. Rhodes, Director  
Division of Air Resources  
Management

**SECTION II. FACILITY-WIDE SPECIFIC CONDITIONS**

---

**FACILITY DESCRIPTION**

This facility consists of a 200 ton per hour (TPH) Bohringer, Inc., Model RC14 crusher and associated equipment (feeder, screens, and conveyors) and a 545 kilowatt (KW) Caterpillar Model 3412 diesel powered generator. Fugitive particulate matter emissions throughout the crushing unit are controlled by a water suppression system with spray bars located at the various emissions points throughout the plant. Emissions from the diesel engine powered generator are uncontrolled.

**REGULATORY CLASSIFICATION**

The crusher portion of this facility is subject to regulation under 40 CFR 60, Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants. The generator portion of the facility is regulated under 62-210.300, Permits Required, however there are no unit specific regulatory requirements that apply.

**RELEVANT DOCUMENTS**

The documents listed below are the basis of the permit. They are specifically related to this permitting action. These documents are on file with the Department.

- Application received (Bureau of Air Regulation) November 2, 1998
- Draft Permit issued January 20, 1999
- Public Notice of Intent published January 29, 1999 in the Orlando Sentinel
- Public Notice of Intent published February 8, 1999 in the Tampa Tribune
- Draft Permit comments received from Gary Robbins, Pinellas County February 10, 1999
- Request for permit extension and modification received September 13, 1999

**PERMITTED COUNTIES**

See Appendix PC – Permitted Counties.

**OPERATING LOCATION**

The facility will begin initial operation at 1440 South Perimeter, West Palm Beach, Palm Beach County. The UTM coordinates of this location are Zone 17 ; 592.1 km E ; 2951.4 km N. Latitude 26° 40' 55"N/Longitude 80° 04' 27"W.

**SECTION II. FACILITY-WIDE SPECIFIC CONDITIONS**

---

The following specific conditions apply to all emissions units at this facility.

**ADMINISTRATIVE**

1. Regulating Agencies: All documents relating to the initial application for a permit to operate and all initial compliance tests shall be submitted to the Department's Bureau of Air Regulation in Tallahassee. Subsequent applications for permit renewals, reports, tests, minor modifications, and notifications shall be submitted to the district office or local program that has permitting/compliance jurisdiction over the current or proposed operating location.
2. General Conditions: The owner and operator are subject to and shall operate under the attached General Permit Conditions G.1 through G.15 listed in Appendix GC of this permit. General Permit Conditions are binding and enforceable pursuant to Chapter 403 of the Florida Statutes.  
**[Rule 62-4.160, F.A.C.]**
3. Terminology: The terms used in this permit have specific meanings as defined in the corresponding chapters of the Florida Administrative Code.
4. Forms and Application Procedures: The permittee shall use the applicable forms listed in Rule 62-210.900, F.A.C. and follow the application procedures in Chapter 62-4, F.A.C.  
**[Rule 62-210.900, F.A.C.]**
5. Extension of Expiration Date: This air construction permit shall expire on March 31, 2000. The permittee may, for good cause, request that this construction permit be extended. Such a request shall be submitted to the Department's Bureau of Air Regulation prior to 60 days before the expiration of the permit.  
**[Rules 62-210.300(1), 62-4.070(4) and 62-4.210, F.A.C]**
6. Relocation Notification: At least 7 days prior to relocating the plant to an approved county where public notice was published within the last 5 years, the permittee shall notify the air program administrator for the Department's district office and/or, if applicable, appropriate local program. The notification shall be submitted using DEP Form 62-210.900(3), F.A.C., along with the appropriate processing fee. All potential operation sites shall be shown on a USGS topographic map. A county license, a discretionary public notice, or additional restrictions for the operation at a specific site may be imposed by the district office or local program. If the public notice for a proposed county is more than 5 years old, or if the proposed county was never covered by a public notice, this form shall be submitted at least 30 days in advance of the move and a public notice shall be published prior to operating in the proposed county. Each time that the permittee submits a Notice to Relocate, the operation permit shall be revised to reflect the new location.  
**[Rule 62-210.370(1), F.A.C.]**
7. Operation Permit Required: This permit authorizes construction and/or installation of the permitted emissions unit and initial operation to determine compliance with Department rules. An operation permit is required for regular operation of the permitted emissions unit. The owner or operator shall apply for and receive an operation permit prior to expiration of this permit. To apply for an operation permit, the applicant shall submit the appropriate application fee and, in quadruplicate, the appropriate application form, a certification that construction was completed with a notation of any deviations from the conditions in the construction permit, compliance test results, and such additional information as the Department may by law require.  
**[F.A.C. Rules 62-4.030, 62-4.050, 62-4.220 and 62-210.300(2)]**

**SECTION II. FACILITY-WIDE SPECIFIC CONDITIONS**

---

8. Applicable Regulations: Unless otherwise indicated in this permit, the construction and operation of the subject emissions units shall be in accordance with the capacities and specifications stated in the application. The facility is subject to all applicable provisions of Chapter 403, F.S. and Florida Administrative Code Chapters 62-4, 62-110, 62-204, 62-296, 62-297 and the Code of Federal Regulations Title 40, Part 60, adopted by reference in the Florida Administrative Code (F.A.C.) regulations. Issuance of this permit does not relieve the facility owner or operator from compliance with any applicable federal, state, or local permitting or regulations.  
[Rules 62-204.800 and 62-210.300, F.A.C.]

**EMISSION LIMITING STANDARDS**

9. General Visible Emissions Standard: Except for emissions units that are subject to a particulate matter or opacity limit set forth or established by rule and reflected by conditions elsewhere in this permit, no person shall cause, let, permit, suffer, or allow to be discharged into the atmosphere the emissions of air pollutants from any activity, the density of which is equal to or greater than that designated as Number 1 on the Ringelmann Chart (20% opacity). If a special compliance test is required (see specific condition 21), the test method for visible emissions shall be EPA Method 9, incorporated and adopted by reference in Chapter 62-297, F.A.C.  
[Rule 62-296.320(4)(b)1, F.A.C.]

10. Unconfined Emissions of Particulate Matter:

- (a) No person shall cause, let, permit, suffer or allow the emissions of unconfined particulate matter from any activity, including vehicular movement; transportation of materials; construction, alteration, demolition or wrecking; or industrially related activities such as loading, unloading, storing or handling; without taking reasonable precautions to prevent such emissions.
- (b) Any permit issued to a facility with emissions of unconfined particulate matter shall specify the reasonable precautions to be taken by that facility to control the emissions of unconfined particulate matter.
- (c) Reasonable precautions committed to by the permittee:
  - Emissions that might be generated from various emission points throughout the crushing unit are controlled by a water suppression system with spray bars located at the various emissions points located throughout the plant.
  - All stockpiles and roadways where this crushing unit is located are watered on a regular basis by water truck equipped with spray bars, to control any fugitive emissions that may be generated by vehicular traffic or prevailing winds.
- (d) In determining what constitutes reasonable precautions for a particular source, the Department shall consider the cost of the control technique or work practice, the environmental impacts of the technique or practice, and the degree of reduction of emissions expected from a particular technique or practice.

[Rule 62-296.320(4)(c), F.A.C. and Permit Application received 11/2/98.]

**SECTION II. FACILITY-WIDE SPECIFIC CONDITIONS**

---

**11. General Pollutant Emission Limiting Standards:**

- (a) No person shall store, pump, handle, process, load, unload or use in any process or installation, volatile organic compounds or organic solvents without applying known and existing vapor emission control devices or systems deemed necessary and ordered by the Department.
- (b) No person shall cause, suffer, allow or permit the discharge of air pollutants which cause or contribute to an objectionable odor.

[Note: An objectionable odor is defined in Rule 62-210.200(198), F.A.C., as any odor present in the outdoor atmosphere which by itself or in combination with other odors, is or may be harmful or injurious to human health or welfare, which unreasonably interferes with the comfortable use and enjoyment of life or property, or which creates a nuisance.]

**[Rule 62-296.320(1)(a)&(2), F.A.C.]**

**OPERATIONAL REQUIREMENTS**

- 12. **Modifications:** No emissions unit or facility subject to this rule shall be constructed or modified without obtaining an air construction permit from the Department. Such permit must be obtained prior to the beginning of construction or modification.  
**[Rules 62-210.300(1) and 62-212.300(1)(a), F.A.C.]**
- 13. **Plant Operation - Problems:** If temporarily unable to comply with any of the conditions of the permit due to breakdown of equipment or destruction by hazard of fire, wind or by other cause, the permittee shall immediately notify the Department's district office and, if applicable, appropriate local program. The notification shall include pertinent information as to the cause of the problem, and what steps are being taken to correct the problem and to prevent its recurrence, and where applicable, the owner's intent toward reconstruction of destroyed facilities. Such notification does not release the permittee from any liability for failure to comply with Department rules.  
**[Rule 62-4.130, F.A.C.]**
- 14. **Circumvention:** No person shall circumvent any air pollution control device or allow the emission of air pollutants without the applicable air pollution control device operating properly.  
**[Rule 62-210.650, F.A.C.]**
- 15. **Hours of Operation:** This facility is allowed to operate up to 3,120 hours during any calendar year.  
**[Rule 62-210.200, F.A.C., Definitions-potential to emit (PTE) and applicant request.]**
- 16. **Excess Emissions:** The following excess emissions provisions can not be used to vary any NSPS requirements (from any subpart of 40 CFR 60).
  - (a) Excess emissions resulting from start-up, shutdown or malfunction of any emissions units shall be permitted providing (1) best operational practices to minimize emissions are adhered to and (2) the duration of excess emissions shall be minimized, but in no case exceed two hours in any 24 hour period unless specifically authorized by the Department for longer duration.  
**[Rule 62-210.700(1), F.A.C.]**
  - (b) Excess emissions which are caused entirely or in part by poor maintenance, poor operation, or any other equipment or process failure which may reasonably be prevented during start-up, shutdown, or malfunction shall be prohibited.  
**[Rule 62-210.700(4), F.A.C.]**

**SECTION II. FACILITY-WIDE SPECIFIC CONDITIONS**

---

**COMPLIANCE MONITORING AND TESTING REQUIREMENTS**

17. Operating Rate During Testing: Unless otherwise stated in the applicable emission limiting standard rule, testing of emissions shall be conducted with the emissions unit operating at permitted capacity. Permitted capacity is defined as 90 to 100 percent of the maximum operation rate allowed by the permit. If it is impractical to test at permitted capacity, an emissions unit may be tested at less than the minimum permitted capacity (i.e., at less than 90 percent of the maximum operation rate allowed by the permit); in this case, subsequent emissions unit operation is limited to 110 percent of the test load until a new test is conducted provided however, operations do not exceed 100 percent of the maximum operation rate allowed by the permit. Once the unit is so limited, operation at higher capacities is allowed for no more than 15 consecutive days for the purpose of additional compliance testing to regain the authority to operate at the permitted capacity.

**[Rule 62-297.310(2), F.A.C.]**

18. Test Procedures shall meet all applicable requirements of Rule 62-297.310(4), F.A.C.

**[Rule 62-297.310(4), F.A.C.]**

19. Determination of Process Variables:

(a) Required Equipment. The owner or operator of an emissions unit for which compliance tests are required shall install, operate, and maintain equipment or instruments necessary to determine process variables, such as process weight input or heat input, when such data are needed in conjunction with emissions data to determine the compliance of the emissions unit with applicable emission limiting standards.

(b) Accuracy of Equipment. Equipment or instruments used to directly or indirectly determine process variables, including devices such as belt scales, weight hoppers, flow meters, and tank scales, shall be calibrated and adjusted to indicate the true value of the parameter being measured with sufficient accuracy to allow the applicable process variable to be determined within 10% of its true value.

**[Rule 62-297.310(5), F.A.C.]**

20. Test Notification: The owner or operator shall notify the Department's district office and, if applicable, appropriate local program, at least 15 days prior to the date on which each formal compliance test is to begin. Notification shall include the date, time, and place of each such test, and the test contact person who will be responsible for coordinating and having such test conducted for the owner or operator.

**[Rule 62-297.310(7)(a)9., F.A.C., 40 CFR 60.8]**

[Note: The federal requirements of 40 CFR 60.8 require 30 days notice of the initial test and any tests required under section 114 of the Clean Air Act, but the Department rules require 15 days notice for the annual compliance tests. Unless otherwise advised by the Department, provide 15 days notice prior to conducting annual tests, except for the initial test when 30 days notice is required.]

**SECTION II. FACILITY-WIDE SPECIFIC CONDITIONS**

---

21. Special Compliance Tests: When the Department, after investigation, has good reason (such as complaints, increased visible emissions or questionable maintenance of control equipment) to believe that any applicable emission standard contained in a Department rule or in a permit issued pursuant to those rules is being violated, it shall require the owner or operator of the facility to conduct compliance tests which identify the nature and quantity of pollutant emissions from the emissions units and to provide a report on the results of said tests to the Department.  
[Rule 62-297.310(7)(b), F.A.C.]

**REPORTING AND RECORD KEEPING REQUIREMENTS**

22. Duration of Record Keeping: Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department. The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application for this permit. These records shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.  
[Rule 62-4.160(14)(a)&(b), F.A.C.]
23. Test Reports: The owner or operator of an emissions unit for which a compliance test is required shall file a report with the Department on the results of each such test. The required test report shall be filed with the Department as soon as practical but no later than 45 days after the last sampling run of each test is completed. The test report shall provide sufficient detail on the emissions unit tested and the test procedures used to allow the Department to determine if the test was properly conducted and the test results properly computed. As a minimum, the test report, other than for an EPA or DEP Method 9 test, shall provide the applicable information listed in Rule 62-297.310(8)(c), F.A.C.  
[Rule 62-297.310(8), F.A.C.]
24. Excess Emissions Report: If excess emissions occur, the owner or operator shall notify the Department within one working day of: the nature, extent, and duration of the excess emissions; the cause of the excess emissions; and the actions taken to correct the problem. In addition, the Department may request a written summary report of the incident. Pursuant to the Standards of Performance for New Stationary Sources, excess emissions shall also be reported in accordance with 40 CFR 60.7, Subpart A.  
[Rule 62-4.130, F.A.C.]
25. Excess Emissions Report - Malfunctions: In case of excess emissions resulting from malfunctions, each owner or operator shall notify the Department or the appropriate local program in accordance with Rule 62-4.130, F.A.C. A full written report on the malfunctions shall be submitted in a quarterly report if requested by the Department.  
[Rule 62-210.700(6), F.A.C.]



**SECTION III. EMISSIONS UNITS SPECIFIC CONDITIONS**

The following specific conditions apply to the following emissions units after construction:

EMISSIONS UNIT NO.	EMISSIONS UNIT DESCRIPTION
001	This unit consists of a 200 TPH Bohringer, Inc. Model RC14 impact crusher and associated equipment (feeder, screens, and conveyors).
002	545 KW Caterpillar Model 3412 diesel powered generator.

NOTE: Emissions unit 001 is subject to 40 CFR 60, Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants (40 CFR 60.670 - 60.676) and 40 CFR 60 Subpart A, revised as of July 1, 1997.

**OPERATIONAL REQUIREMENTS**

- Hours of Operation:** These emissions units are allowed to operate up to 3,120 hours during any calendar year.  
[Rule 62-210.200, F.A.C., Definitions-potential to emit (PTE) and applicant request]
- Permitted Capacity:** The crusher may process up to 200 TPH (monthly average) and 624,000 TPY of material (total).  
[Rule 62-210.200, F.A.C., Definitions-potential to emit (PTE) and applicant request]
- Operation and Maintenance (O&M):** The permittee shall keep an O&M plan for the air pollution control equipment with the facility. The O&M log shall include the list of the parameters being monitored, the frequency of the check/maintenance, observations, and comments.  
[Rule 62-4.070(3), F.A.C.]

**EMISSION LIMITATIONS AND PERFORMANCE STANDARDS**

- Visible Emissions:** The emission points described in unit 001 are subject to the visible emission limits of 40 CFR 60 Subpart OOO, as outlined below in Table 1.

*Table 1: Process Emission Source Visible Emission Limits*

Emission Source	VE Limit (% Opacity)
Receiving Hopper/Grizzly Feeder	10
Crusher	15*
Portable Belt Conveyor(s)	10**
Screen(s)	15
Truck Loading/Unloading	<20

\* This limit applies since no capture system is used.

\*\* This limit applies to transfer points onto conveyor belts only.

[40 CFR 60.672]

**SECTION III. EMISSIONS UNITS SPECIFIC CONDITIONS**

---

5. No Visible Emissions - Saturated Materials: No owner or operator shall cause to be discharged into the atmosphere any visible emissions from:
- (a) Wet screening operations and subsequent screening operations, bucket elevators, and belt conveyors that process saturated material in the production line up to the next crusher, grinding mill or storage bin.
  - (b) Screening operations, bucket elevators, and belt conveyors in the production line downstream of wet mining operations, where such screening operations, bucket elevators, and belt conveyors process saturated materials up to the first crusher, grinding mill, or storage bin in the production line.
- [40 CFR 60.672 (h)(1)&(2)]**

**COMPLIANCE MONITORING AND TESTING REQUIREMENTS**

6. Test Frequency: The owner or operator of the facility shall conduct visible emissions tests annually, in accordance with the conditions listed below.  
**[Rule 62-297.310(7)(a)4.a. F.A.C.]**
7. Visible Emissions Test Duration - Truck Loading/Unloading: For the truck loading/unloading operation, compliance with the visible emissions limitation shall be determined using EPA Method 9 as contained in Rule 62-297.401, F.A.C. The visible emissions test shall be conducted by a certified observer and be a minimum of: 12 minutes in duration (or 3 batches) during truck loading. The visible emissions test observation period shall include the period during which the highest opacity emissions can reasonably be expected to occur. The minimum requirements for stationary point source emission test procedures shall be in accordance with Rule 62-297, F.A.C., and 40 CFR 60, Appendix A.  
**[Rule 62-210.200, F.A.C.]**
8. Visible Emissions Test Method: In determining compliance with the particulate matter standards in 40 CFR 60.672 (b) and (c) (see specific condition 4), the owner or operator shall use Method 9 and the procedures in 40 CFR 60.11, with the following additions:
- (a) The minimum distance between the observer and the emissions source shall be 4.57 meters (15 feet).
  - (b) The observer shall, when possible, select a position that minimizes interference from other fugitive emissions units (e.g., road dust). The required observer position relative to the sun (Method 9, Section 2.1) must be followed.
  - (c) For affected emissions units using wet dust suppression for particulate matter control, a visible mist is sometimes generated by the spray. The water mist must not be confused with particulate matter emissions and is not to be considered a visible emission. When a water mist of this nature is present, the observation of emissions is to be made at a point in the plume where the mist is no longer visible.
- [40 CFR 60.675(c)(1)(i), (ii) & (iii)]**

**SECTION III. EMISSIONS UNITS SPECIFIC CONDITIONS**

---

9. Visible Emissions Test Duration - Initial

(a) When determining compliance with the fugitive emissions standard for any affected facility described under 40 CFR 60.672(b) (see specific condition 3), the duration of the Method 9 observations may be reduced from 3 hours (thirty 6-minute averages) to 1 hour (ten 6-minute averages) only if the following conditions apply:

- (i) There are no individual readings greater than 10 percent opacity; and
- (ii) There are no more than 3 readings of 10 percent for the 1-hour period.

**[40 CFR 60.675(c)(3)(i) & (ii)]**

(b) When determining compliance with the fugitive emissions standard for any crusher at which a capture system is not used as described under 40 CFR 60.672(c), the duration of the Method 9 observations may be reduced from 3 hours (thirty 6-minute averages) to 1 hour (ten 6-minute averages) only if the following conditions apply:

- (i) There are no individual readings greater than 15 percent opacity; and
- (ii) There are no more than 3 readings of 15 percent for the 1-hour period.

**[40 CFR 60.675(c)(4)(i) & (ii)]**

10. Visible Emissions Test Duration – Annual

When either EPA Method 9 or DEP Method 9 is specified as the applicable opacity test method, the required minimum period of observation for a compliance test shall be sixty (60) minutes for emissions units which emit or have the potential to emit 100 tons per year or more of particulate matter, and thirty (30) minutes for emissions units which have potential emissions less than 100 tons per year of particulate matter and are not subject to a multiple-valued opacity standard. The opacity test observation period shall include the period during which the highest opacity emissions can reasonably be expected to occur.

**[Rule 62-297.310(4)(a)2]**

11. Visible Emissions Test - Emissions Interference: For the method and procedure of 40 CFR 60.675(c) [specific condition 8 of Section III of this permit, above], if emissions from two or more emissions units continuously interfere so that the opacity of fugitive emissions from an individual affected emissions unit cannot be read, either of the following procedures may be used:

- (a) Use for the combined emission stream the highest fugitive opacity standard applicable to any of the individual affected emissions units contributing to the emissions stream
- (b) Separate the emissions so that the opacity of emissions from each affected emissions unit can be read.

**[40 CFR 60.675(e)(1)(i)&(ii)]**

12. No Tests Required - Saturated Materials: Method 9 performance tests under 40 CFR 60.11 and 40 CFR 60.675 are not required for:

- (a) Wet screening operations and subsequent screening operations, bucket elevators, and belt conveyors that process saturated material in the production line up to, but not including the next crusher, grinding mill or storage bin.
- (b) Screening operations, bucket elevators, and belt conveyors in the production line downstream of wet mining operations, that process saturated materials up to the first crusher, grinding mill, or storage bin in the production line.

**[40 CFR 60.675(h)(1)&(2)]**

**SECTION III. EMISSIONS UNITS SPECIFIC CONDITIONS**

---

**REPORTING AND RECORD KEEPING REQUIREMENTS**

13. Log: The permittee shall maintain a log showing the annual hours of operation per year and fuel consumption. Operators shall keep a log to include, at a minimum, the following information:
- (a) The daily location and production rate.
  - (b) The daily hours of operation of the crusher system.
  - (c) Daily diesel fuel usage.
  - (d) Maintenance and repair logs for any work performed on the permitted emissions units.
  - (e) Daily logs regarding the use of wetting agents to control fugitive dust.

This data shall be made available to the Department or county upon request.

**[Rule 62-4.070(3), F.A.C. ]**

14. Test Reports: The owner or operator shall submit written reports of the results of all performance tests conducted to demonstrate compliance with the standards set forth in 40 CFR 60.672, including reports of opacity observations made using Method 9 to demonstrate compliance with 40 CFR 60.672(b) and 40 CFR 60.672(c).

(b) The required test report shall be filed with the Department as soon as practical but no later than 45 days after the last sampling run of each test is completed.

(c) The test report shall provide sufficient detail on the emissions unit tested and the test procedures used to allow the Department to determine if the test was properly conducted and the test results properly computed. As a minimum, the test report, other than for an EPA Method 9 test, shall provide the following information:

1. The type, location, and designation of the emissions unit tested.
2. The facility at which the emissions unit is located.
3. The owner or operator of the emissions unit.
4. The normal type and amount of fuels used and materials processed, and the types and amounts of fuels used and material processed during each test run.
5. The method, raw data and computations used to determine the amount of fuels used and materials processed, if necessary to determine compliance with an applicable emission limiting standard.
6. The type of air pollution control devices installed on the emissions unit, its general condition, their normal operating parameters (pressure drops, total operating current and GPM scrubber water), and their operating parameters during each test run.

**[40 CFR 60.676(f), Rule 62-297.310(8)(b)&(c)1. - 6., F.A.C.]**

15. Change From Saturated to Unsaturated Material: The owner or operator of any screening operation, bucket elevator, or belt conveyor that processes saturated material and is subject to 40 CFR 60.672(h) and subsequently processes unsaturated materials, shall submit a report of this change within 30 days following such change. This screening operation, bucket elevator, or belt conveyor is then subject to the 10 percent opacity limit in 40 CFR 60.672(b) and the emission test requirements of 40 CFR 60.11 and 40 CFR Subpart 000. Likewise a screening operation, bucket elevator, or belt conveyor that processes unsaturated material but subsequently processes saturated material shall submit a report of this change within 30 days following such change. This screening operation, bucket elevator, or belt conveyor is then subject to the no visible emission limit in 40 CFR 60.672(h).  
**[40 CFR 60.676(g)]**

**SECTION III. EMISSIONS UNITS SPECIFIC CONDITIONS**

---

16. Records Retention: This facility shall maintain a central file containing all measurements, records, and other data that are required to be collected pursuant to the various specific conditions of this permit. (See also, specific condition 22, Section II of this permit.)  
[Rule 62-4.160(14)(a)&(b), F.A.C.]

**SECTION III. EMISSIONS UNITS SPECIFIC CONDITIONS**

---

**NSPS GENERAL PROVISIONS**

[Note: The numbering of the original rules in the following conditions has been preserved for ease of reference.]

**17. Pursuant to 40 CFR 60.7 Notification And Record Keeping:**

- (a) Any owner or operator subject to the provisions of 40 CFR 60 shall furnish the Administrator written notification as follows:
- (4) A notification of any physical or operational change to an existing facility which may increase the emission rate of any air pollutant to which a standard applies, unless that change is specifically exempted under an applicable subpart or in 40 CFR 60.14(e). This notice shall be postmarked 60 days or as soon as practicable before the change is commenced and shall include information describing the precise nature of the change, present and proposed emission control systems, productive capacity of the facility before and after the change, and the expected completion date of the change. The Administrator may request additional relevant information subsequent to this notice.
- (b) The owner or operator subject to the provisions of 40 CFR 60 shall maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility; any malfunction of the air pollution control equipment; or any periods during which a continuous monitoring system or monitoring device is inoperative.
- (f) The owner or operator subject to the provisions of 40 CFR 60 shall maintain a file of all measurements, including continuous monitoring system, monitoring device, and performance testing measurements; all continuous monitoring system performance evaluations; all continuous monitoring system or monitoring device calibration checks; adjustments and maintenance performed on these systems or devices; and all other information required by 40 CFR 60 recorded in a permanent form suitable for inspection. The file shall be retained for at least three years following the date of such measurements, maintenance, reports, and records.

**[40 CFR 60.7]**

**18. Pursuant to 40 CFR 60.8 Performance Tests:**

- (a) Within 60 days after achieving the maximum production rate at which the affected facility will be operated, but not later than 180 days after initial startup of such facility and at such other times as may be required by the Administrator under section 114 of the Act, the owner or operator of such facility shall conduct performance test(s) and furnish the Administrator a written report of the results of such performance test(s).
- (b) Performance tests shall be conducted and data reduced in accordance with the test methods and procedures contained in each applicable subpart unless the Administrator (1) specifies or approves, in specific cases, the use of a reference method with minor changes in methodology, (2) approves the use of an equivalent method, (3) approves the use of an alternative method the results of which he has determined to be adequate for indicating whether a specific source is in compliance, (4) waives the requirement for performance tests because the owner or operator of a source has demonstrated by other means to the Administrator's satisfaction that the affected facility is in compliance with the standard, or (5) approves shorter sampling times and smaller sample volumes when necessitated by process variables or other factors. Nothing in this paragraph shall be construed to abrogate the Administrator's authority to require testing under section 114 of the Act.

**SECTION III. EMISSIONS UNITS SPECIFIC CONDITIONS**

---

- (c) Performance tests shall be conducted under such conditions as the Administrator shall specify to the plant operator based on representative performance of the affected facility. The owner or operator shall make available to the Administrator such records as may be necessary to determine the conditions of the performance tests. Operations during periods of startup, shutdown, and malfunction shall not constitute representative conditions for the purpose of a performance test nor shall emissions in excess of the level of the applicable emission limit during periods of startup, shutdown, and malfunction be considered a violation of the applicable emission limit unless otherwise specified in the applicable standard.
- (d) The owner or operator of an affected facility shall provide the Administrator at least 30 days prior notice of any performance test, except as specified under other subparts, to afford the Administrator the opportunity to have an observer present.

**[40 CFR 60.8]**

**19. Pursuant to 40 CFR 60.11 Compliance With Standards And Maintenance Requirements:**

- (a) Compliance with standards in 40 CFR 60, other than opacity standards, shall be determined only by performance tests established by 40 CFR 60.8, unless otherwise specified in the applicable standard.
- (b) Compliance with opacity standards in 40 CFR 60.11 shall be determined by conducting observations in accordance with Reference Method 9 in appendix A of 40 CFR 60.11, any alternative method that is approved by the Administrator, or as provided in 40 CFR 60.11(e)(5). [Under certain conditions (40 CFR 60.675(c)(3)&(4)), Method 9 observation time may be reduced from 3 hours to 1 hour. Some affected facilities are exempted from Method 9 tests (40 CFR 60.675 (h)). See specific condition 9, Section III, above for test duration requirements.]
- (c) The opacity standards set forth in 40 CFR 60.11 shall apply at all times except during periods of startup, shutdown, malfunction, and as otherwise provided in the applicable standard.
- (d) At all times, including periods of startup, shutdown, and malfunction, owners and operators shall, to the extent practicable, maintain and operate any affected facility including associated air pollution control equipment in a manner consistent with good air pollution control practice for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the Administrator which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source.
- (g) For the purpose of submitting compliance certifications or establishing whether or not a person has violated or is in violation of any standard in this part, nothing in this part shall preclude the use, including the exclusive use, of any credible evidence or information, relevant to whether a source would have been in compliance with applicable requirements if the appropriate performance or compliance test or procedure had been performed.

**[40 CFR 60.11]**

---

**SECTION III. EMISSIONS UNITS SPECIFIC CONDITIONS**

---

**20. Pursuant to 40 CFR 60.12 Circumvention:**

No owner or operator subject to the provisions of 40 CFR 60.12 shall build, erect, install, or use any article, machine, equipment or process, the use of which conceals an emission which would otherwise constitute a violation of an applicable standard. Such concealment includes, but is not limited to, the use of gaseous diluents to achieve compliance with an opacity standard or with a standard which is based on the concentration of a pollutant in the gases discharged to the atmosphere.

**[40 CFR 60.12]**

**21. Pursuant to 40 CFR 60.19 General notification and reporting requirements:**

- (a) For the purposes of this part, time periods specified in days shall be measured in calendar days, even if the word "calendar" is absent, unless otherwise specified in an applicable requirement.
- (b) For the purposes of this part, if an explicit postmark deadline is not specified in an applicable requirement for the submittal of a notification, application, report, or other written communication to the Administrator, the owner or operator shall postmark the submittal on or before the number of days specified in the applicable requirement. For example, if a notification must be submitted 15 days before a particular event is scheduled to take place, the notification shall be postmarked on or before 15 days preceding the event; likewise, if a notification must be submitted 15 days after a particular event takes place, the notification shall be delivered or postmarked on or before 15 days following the end of the event. The use of reliable non-Government mail carriers that provide indications of verifiable delivery of information required to be submitted to the Administrator, similar to the postmark provided by the U.S. Postal Service, or alternative means of delivery agreed to by the permitting authority, is acceptable.
- (c) Notwithstanding time periods or postmark deadlines specified in this part for the submittal of information to the Administrator by an owner or operator, or the review of such information by the Administrator, such time periods or deadlines may be changed by mutual agreement between the owner or operator and the Administrator. Procedures governing the implementation of this provision are specified in paragraph (f) of this section.
- (d) If an owner or operator of an affected facility in a State with delegated authority is required to submit periodic reports under this part to the State, and if the State has an established timeline for the submission of periodic reports that is consistent with the reporting frequency(ies) specified for such facility under this part, the owner or operator may change the dates by which periodic reports under this part shall be submitted (without changing the frequency of reporting) to be consistent with the State's schedule by mutual agreement between the owner or operator and the State. The allowance in the previous sentence applies in each State beginning 1 year after the affected facility is required to be in compliance with the applicable subpart in this part. Procedures governing the implementation of this provision are specified in paragraph (f) of this section.
- (f)(1)(i) Until an adjustment of a time period or postmark deadline has been approved by the Administrator under paragraphs (f)(2) and (f)(3) of this section, the owner or operator of an affected facility remains strictly subject to the requirements of this part.
- (ii) An owner or operator shall request the adjustment provided for in paragraphs (f)(2) and (f)(3) of this section each time he or she wishes to change an applicable time period or postmark deadline specified in this part.



**SECTION III. EMISSIONS UNITS SPECIFIC CONDITIONS**

---

- (2) Notwithstanding time periods or postmark deadlines specified in this part for the submittal of information to the Administrator by an owner or operator, or the review of such information by the Administrator, such time periods or deadlines may be changed by mutual agreement between the owner or operator and the Administrator. An owner or operator who wishes to request a change in a time period or postmark deadline for a particular requirement shall request the adjustment in writing as soon as practicable before the subject activity is required to take place. The owner or operator shall include in the request whatever information he or she considers useful to convince the Administrator that an adjustment is warranted.
- (3) If, in the Administrator's judgment, an owner or operator's request for an adjustment to a particular time period or postmark deadline is warranted, the Administrator will approve the adjustment. The Administrator will notify the owner or operator in writing of approval or disapproval of the request for an adjustment within 15 calendar days of receiving sufficient information to evaluate the request.
- (4) If the Administrator is unable to meet a specified deadline, he or she will notify the owner or operator of any significant delay and inform the owner or operator of the amended schedule.

**[40 CFR 60.19]**