

Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

February 26, 1999

CERTIFIED MAIL -RETURN RECEIPT REQUESTED

Mr. Kennard Kosky
Golder Associates Inc.
6241 NW 23rd Street Suite 500
Gainesville, FL 32653-1500

Subject: DEP Files No.: PSD-FL-112(B)/PA 86-22 Request for Permit Modification


Dear Mr. Kosky:

This letter is to confirm the telephone conversations and the e-mail correspondence between you and Ms. Teresa Heron of my staff. We are in the process of finalizing the proposed permit amendment, however we need the data verbally requested to complete it. Basically the information needed is repeated as follows:

1. Pursuant to Rules 62-4.070 (3), 62-210.200 and 62-212.400(2)(a)2. F.A.C., please provide reasonable assurance that the burning of the proposed wastes and the operation of the boilers at the proposed conditions will not be construed as a modification (no emissions increases). Include all assumptions, reference materials and calculations (i.e., test data, comparison of actual emissions vs. representative actual emissions in TPY).
2. What is the net steam energy (difference between the enthalpy of the steam & feedwater)? Please see attached correspondence from CDM for reference.
3. Consolidation of the emission limits between the PSD permit and the PPSC conditions of certification.

If you have any questions regarding this matter, please call Teresa Heron (Review Engineer) at (850) 921-9529 or write to me at the above address.

Sincerely,

 2/26
for A. A. Linero, P.E. Administrator
New Source Review Section

AAAL/th/t

cc: Buck Oven, DEP PPSC
Thomas D. Kirk, WNB