

Medley Landfill and Recycling Center
9350 N.W. 89th Avenue
Medley, Florida 33178
305/883-7670



*Partly, copy for all
(include etc)*

A Waste Management Company

October 15, 1993

RECEIVED
OCT 18 1993
Division of Air
Resources Management

Mr. Preston Lewis
Bureau of Air Regulation
Florida Department of Environmental Protection
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Dear Mr. Lewis:

SUBJECT: PROOF OF PUBLICATION AND COMMENTS FOR
NOTICE OF INTENT TO ISSUE
DEP FILE NO. AC13-218495
MEDLEY LANDFILL
DADE COUNTY, FLORIDA

Submitted herein is proof of publication for the above-referenced project as well as comments we have prepared after review of the draft permit.

Comment No. 1

Our records indicate the flare model number is CF1430I12 rather than CF143112 as listed in the Technical Evaluation, third paragraph of Section II, Project Description.

Comment No. 2

Specific Condition No. 2 indicates that the flare flame "shall always" be operated at or above 1400°F. This is the intention of the system, and every effort will be made to meet this requirement. However, this is a utility flare, and changing wind conditions will alter the temperature sensed by the temperature monitor. The system will be calibrated such that if the flame temperature is less than 1400°F., the system will automatically shut down.

Comment No. 3

Specific Condition No. 12 refers to continuous monitoring and recording of total gas flow rate and flare flame temperature.

We do not believe that continuous monitoring of the flare flame temperature will provide the intended results. As explained above, changing wind directions will shift the location of the hot spot

A:\PRFPUBLIC.MED



Mr. Preston Lewis
Page 2
October 15, 1993


toward and away from the sensor such that the reading will probably not reflect the true flame temperature and may indicate less than 1400°F. much of the time.

The flow rate of gas through the blower will be fixed to 1250 SCFM in accordance with the permit conditions and measured utilizing an orifice plate & Magnehelic Gauges.

We believe manually checking and recording the flow and temperature will provide more representative results of the actual temperature and flow rate. We propose checking and recording this information on a weekly basis.

We appreciate your consideration of these comments in preparation of the final permit. If you have any questions, please call Richard Dormier at (305) 977-9551, Ext. 47.

Sincerely,



for Michael J. Berg
General Manager

RD/dt

Enclosure

cc: E. L. Anderson, DERM
Mary Ardoff, WMX
Jim Barrett, WMX
S. Brooks, FDEP, West Palm Beach
Richard Dormier, WMX
Joey Litchfield, WMX
Scott McCallister, WMX

S. Cassin

The Miami Herald

A Knight-Ridder Newspaper

PUBLISHED DAILY
MIAMI-DADE-FLORIDA

STATE OF FLORIDA
COUNTY OF DADE

Before the undersigned authority
personally appeared:

ANN MARTULA

who on oath says that he/she is:

CUSTODIAN OF RECORDS

of The Miami Herald, a daily news-
paper published at Miami in Dade
County, Florida; that the attached
copy of advertisement was published
in said newspaper in the issues of:

OCTOBER 4, 1993

Affiant further says that the said
The Miami Herald is a newspaper
published at Miami, in the said
Dade County, Florida and that the
said newspaper has heretofore been
continuously published in said Dade
County, Florida each day and has
been entered as second class mail
matter at the post office in Miami,
in said Dade County, Florida, for a
period of one year next preceding
the first publication of the at-
tached copy of advertisement; and
affiant further says that he has
neither paid nor promised any per-
son, firm or corporation any dis-
count, rebate, commission or refund
for the purpose of securing this
advertisement for publication in
the said newspaper(s).

Ann Martula

Sworn to and subscribed before me
this 4th day of October A.D. 1993

My Commission
expires:

Elyse Benton
Elyse Benton

NOTARY PUBLIC STATE OF FLORIDA
MY COMMISSION EXP. MAR. 15, 1995
BOND NO. 1000 GENERAL INS. UNO.

One Herald Plaza, Miami, Florida 33132-1693 (305) 350-2111

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION NOTICE OF INTENT TO ISSUE PERMIT

The Department of
Environmental Protection
gives notice of its intent
to issue a permit to Waste
Management of North
America, 800 Cypress Creek
Road, Suite 300, Fort
Lauderdale, Florida 33309 to
construct a flare for the
collection and disposal of
active gases from extraction
wells at the City of Medley
Sanitary Landfill and
Recycling Center located at
9350 N.W. 85th Street,
Medley, Dade County,
Florida. The calculated
emissions from this source
are:

Pollutant	Emission Rate Tons/Year	Emission Rate Lb./Hr.
NOx	10.0	2.3
CO	244.0	55.7
SO2	.3	.06
PM 10	Trace	Trace
VOC	Trace	Trace

These emissions impacts
will not violate any ambient
air quality standards. A
determination of Best
Available Control Technology
(BACT) was not required. The
Department is issuing this
Intent to Issue for the
reasons stated in the
Technical Evaluation and
Preliminary Determination.

A person whose substantial
interests are affected by the
Department's proposed
permitting decision may
petition for an
administrative proceeding
(hearing) in accordance
with Section 120.57,
Florida Statutes. The petition
must contain the information
set forth below and must be
filed (received) in the Office of
General Counsel at the
Department at 2800 Blair
Stone Road, Tallahassee,
Florida 32399-2400, within
(14) days of publication of
this notice. Petitioners shall
mail a copy of the petition to
the applicant at the address
indicated above at the time of
filing. Failure to file a petition
within this time period shall
constitute a waiver of any
right such person may have to
request an administrative
(hearing) under Section
120.57, Florida Statutes.

The petition shall contain
the following information: (a)
The name, address, and
telephone number of each
petitioner, the applicant's
name and address, the
Department Permit File
Number and the county in
which the project is
proposed; (b) A statement
of how and when each
petitioner received notice
of the Department's action
or proposed action; (c) A
statement of how each
petitioner's substantial
interests are affected by the
Department's action
or proposed action; (d) A
statement of the material
facts disputed by Petitioner,
if any; (e) A statement of
facts which petitioner
contends warrant reversal or
modification of the
Department's action or
proposed action; (f) A
statement of which rules
or statutes petitioner
contends require reversal
or modification of the
Department's action or
proposed action; and (g)
A statement of the relief
sought by petitioner,
stating precisely the
action petitioner wants the
Department to take with
respect to the Department's
action or proposed action.

If a petition is filed, the
administrative hearing
process is designed to
formulate agency action.
Accordingly, the
Department's final action
may be different from the
position taken by it in
this Notice. Persons
whose substantial interests
will be affected by
any decision of the
Department with regard
to the application have
the right to petition to
become a party to the
proceeding. The petition
must conform to the
requirements specified
above and be filed (received)
within 14 days of publication
of this notice in the Office
of General Counsel at the
above address of the
Department. Failure to
petition within the allowed
time frame constitutes a
waiver of any right such
person has to request a
hearing under Section
120.57, F.S., and to
participate as a party
to this proceeding. Any
subsequent intervention will
only be at the approval of the
presiding officer upon motion
filed pursuant to Rule

28-D.F.A.C.

*The application is available
for public inspection during
normal business hours, 8:00
a.m. to 5:00 p.m., Monday
through Friday, except legal
holidays, at:

Department of
Environmental Protection
Bureau of Air Regulation
111 S. Magnolia Drive,
Suite 4
Tallahassee, Florida 32301

Dade County Department of
Environmental Resources
Management
Metro Dade Government
Center
111 Northwest First Street,
Suite 1310
Miami, Florida 33128-1971

Department of
Environmental Protection
Southeast District Office
1800 South Congress
Avenue, Suite A,
West Palm Beach, Florida
33408.

Any person may send
written comments on the
proposed action to Mr.
Preston Lewis at the
Department of
Environmental Protection,
2800 Blair Stone Road,
Tallahassee, Florida 32399.
All comments received within
14 days of the publication of
this notice will be considered
in the Department's final
determination.