F.J. GANNON STATION UNITS 5 AND 6 STACK HEIGHT INCREASE CONSTRUCTION PERMIT APPLICATION

Prepared for:



Prepared by:



Environmental Consulting & Technology, Inc.

3701 Northwest 98th Street Gainesville, Florida 32606

ECT No. 98873-0100

October 1998

RECEIVED

OCT 3 0 1998

F.J. GANNON STATION UNITS 5 AND 6 STACK HEIGHT INCREASE CONSTRUCTION PERMIT APPLICATION

Prepared for:



Prepared by:



Environmental Consulting & Technology, Inc.

3701 Northwest 98th Street Gainesville, Florida 32606

ECT No. 98873-0100

October 1998

TABLE OF CONTENTS

<u>Section</u> <u>Tab</u>

Introduction Introduction

Application for Air Permit - Long Form Application

Attachments

Francis J. Gannon Station

Sulfur Dioxide Regulatory Compliance Plan Attachment A

Stack Drawings Attachment B

INTRODUCTION

INTRODUCTION

The Tampa Electric Company (TEC) Francis J. Gannon Station located in Tampa, Hillsborough County, Florida is a nominal 1,317 megawatt (MW) electric generation facility. The F.J. Gannon Station consists of six steam boilers (Unit Nos. 1 through 6), six steam turbines, one simple-cycle combustion turbine (CT No. 1), a once-through cooling water system, solid fuels, fluxing material, fly ash, and slag storage and handling facilities, fuel oil storage tank, and ancillary support equipment.

TEC submitted a Title V permit application for the F.J. Gannon Station in June 1996. In its review of the Title permit application, the Florida Department of Environmental Protection (FDEP) expressed concern with potential exceedances of sulfur dioxide (SO₂) ambient air quality standards (AAQS).

In response to the Department's concern, TEC proposes to increase the stack height of F.J. Gannon Station Unit No. 5 and Unit No. 6 from their current height of 315 feet (96 meters) to 361 feet (110 meters) and to implement a new, *additional* 24-hour average SO₂ limit for F.J. Gannon Station Units 1 through 6. No revisions to any existing F.J. Gannon Station emission limitations are requested.

A completed FDEP Application for Air Permit – Long Form follows this introduction. This application only addresses the proposed increase in stack height for Unit No. 5 and Unit No. 6 and the new, additional 24-hour average SO₂ limit for F.J. Gannon Station Units 1 through 6. As previously mentioned, TEC is not requesting revisions to any existing F.J. Gannon Station emission limitation. Attachments A and B provide the F.J. Gannon Station Sulfur Dioxide Regulatory Compliance Plan and stack drawings, respectively.

APPLICATION

FLORIDA DEP LOGO

Department of **Environmental Protection**

DIVISION OF AIR RESOURCES MANAGEMENT

APPLICATION FOR AIR PERMIT - LONG FORM

See Instructions for Form No. 62-210.900(1)

I. APPLICATION INFORMATION

This section of the Application for Air Permit form identifies the facility and provides general information on the scope and purpose of this application. This section also includes information on the owner or authorized representative of the facility (or the responsible official in the case of a Title V source) and the necessary statements for the applicant and professional engineer, where required, to sign and date for formal submittal of the Application for Air Permit to the Department. If the application form is submitted to the Department using ELSA, this section of the Application for Air Permit must also be submitted in hard-copy.

Identification of Facility Addressed in This Application

Enter the name of the corporation, business, governmental entity, or individual that has ownership or control of the facility; the facility site name, if any; and the facility's physical location. If known, also enter the facility identification number.

	•				
1.	Facility Owner/Company Name:				
	Tampa Electric Company				
2.	Site Name:				
	F.J. Gannon Station				
3.	Facility Identification Number:			[] Unknown	
	0570040				
4.	Facility Location:	-			
	Street Address or Other Locator: Port	Sut	ton Road		
	City: Tampa Coun	ity:]	Hillsborough	Zip Code: 33619	
	•		J	•	
5.	Relocatable Facility?		6. Existing Per	mitted Facility?	
	[] Yes [X] No		[X] Yes	[] No	
Aı	oplication Processing Information (DE	P U	se)		

1. Date of Receipt of Application:	
2. Permit Number:	•
3. PSD Number (if applicable):	
4. Siting Number (if applicable):	·

Owner/Authorized Representative or Responsible Official

1. Name and Title of Owner/Authorized Representative or Responsible Official: Gregory M. Nelson, P.E.

Manager - Environmental Planning

2. Owner/Authorized Representative or Responsible Official Mailing Address:

Street Address:

Organization/Firm: Tampa Electric Company 6944 U.S. Highway 41 North

City:

Apollo Beach

State: FL

Zip Code: 33572-9200

10/29/98

3. Owner/Authorized Representative or Responsible Official Telephone Numbers:

Telephone: (813) 641-5016

Fax: (813) 641-5081

4. Owner/Authorized Representative or Responsible Official Statement:

I, the undersigned, am the owner or authorized representative* of the non-Title V source addressed in this Application for Air Permit or the responsible official, as defined in Rule 62-210.200, F.A.C., of the Title V source addressed in this application, whichever is applicable. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this application are true, accurate and complete and that, to the best of my knowledge, any estimates of emissions reported in this application are based upon reasonable techniques for calculating emissions. The air pollutant emissions units and air pollution control equipment described in this application will be operated and maintained so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof. I understand that a permit, if granted by the Department, cannot be transferred without authorization from the Department, and I will promptly notify the Department upon sale or legal transfer of any permitted emissions unit.

Jugory M. Wela

Effective: 3-21-96

* Attach letter of authorization if not currently on file.

Scope of Application

This Application for Air Permit addresses the following emissions unit(s) at the facility. An Emissions Unit Information Section (a Section III of the form) must be included for each emissions unit listed.

Emissions Unit ID	Description of Emissions Unit	Permit Type
005	Unit No. 5 – Solid Fuel-Fired Steam Generator	AC1E
006	Unit No. 6 – Solid Fuel-Fired Steam Generator	AC1E
	-	
	·	
		_
·	-	

Purpose of Application and Category

Check one (except as otherwise indicated):

Category I: All Air Operation Permit Applications Subject to Processing Under Chapter 62-213, F.A.C.

Τŀ	nis Application for Air Permit is submitted to obtain:
[] Initial air operation permit under Chapter 62-213, F.A.C., for an existing facility which is classified as a Title V source.
[] Initial air operation permit under Chapter 62-213, F.A.C., for a facility which, upon start up of one or more newly constructed or modified emissions units addressed in this application, would become classified as a Title V source.
	Current construction permit number:
[] Air operation permit renewal under Chapter 62-213, F.A.C., for a Title V source.
	Operation permit to be renewed:
[] Air operation permit revision for a Title V source to address one or more newly constructe or modified emissions units addressed in this application.
	Current construction permit number:
	Operation permit to be revised:
]] Air operation permit revision or administrative correction for a Title V source to address one or more proposed new or modified emissions units and to be processed concurrently with the air construction permit application. Also check Category III.
	Operation permit to be revised/corrected:
[] Air operation permit revision for a Title V source for reasons other than construction or modification of an emissions unit. Give reason for the revision; e.g., to comply with a new applicable requirement or to request approval of an "Early Reductions" proposal.
	Operation permit to be revised:
	Reason for revision:

Category II: All Air Operation Permit Applications Subject to Processing Under Rule 62-210.300(2)(b), F.A.C. This Application for Air Permit is submitted to obtain: [] Initial air operation permit under Rule 62-210.300(2)(b), F.A.C., for an existing facility seeking classification as a synthetic non-Title V source. Current operation/construction permit number(s): [] Renewal air operation permit under Rule 62-210.300(2)(b), F.A.C., for a synthetic non-Title V source. Operation permit to be renewed: [] Air operation permit revision for a synthetic non-Title V source. Give reason for revision; e.g., to address one or more newly constructed or modified emissions units. Operation permit to be revised:

Category III: All Air Construction Permit Applications for All Facilities and Emissions Units

This Application for Air Permit is submitted to obtain:

[X] Air construction permit to construct or modify one or more emissions units within a facility (including any facility classified as a Title V source).

Current operation permit number(s), if any: __AO29-203511, AO29-203512

Reason for revision:

] Air construction permit to make federally enforceable an assumed restriction on the potential emissions of one or more existing, permitted emissions units.

Current operation permit number(s):

Air construction permit for one or more existing, but unpermitted, emissions units.

Application Processing Fee

Check	one:
-------	------

[X] Attached - Amount: \$ 250 [] Not Applicable.

Construction/Modification Information

1. Description of Proposed Project or Alterations:

As part of its review of the F.J. Gannon Station Title V permit application, the Florida Department of Environmental Protection (FDEP) expressed concern with potential exceedances of ambient air quality standards (AAQS) for sulfur dioxide (SO₂). In response to this concern, Tampa Electric Company (TEC) proposes to increase the stack height of Unit No. 5 and Unit No. 6 from 315 ft (96 meters) to 361 ft (110 meters) and implement a new, additional 24-hour average SO₂ emission limit for the F.J. Gannon Station.

A dispersion modeling assessment of ambient SO₂ impacts due to F.J. Gannon Station operations was submitted to the Department on October 15, 1998. This assessment provides reasonable assurance that the stack height increase, together with the additional daily limit on F.J. Gannon Station SO₂ emissions, will result in ambient impacts that are below the applicable SO₂ AAQS. No revisions to existing F.J. Gannon Station SO₂ emission limitations are requested. TEC's SO₂ compliance plan for the F.J. Gannon Station is provided in Attachment A of this permit application.

Pursuant to guidance received from FDEP, TEC also requests permit revisions to Unit No. 1 through No. 6 to allow for the combustion of up to 48 gallon per minute of used oil, including liquid oil and oil-contaminated solids, in each unit.

2. Projected or Actual Date of Commencement of Construction:

Unit 5 - 3rd Quarter 1999, Unit 6 - 3rd Quarter 2000

3. Projected Date of Completion of Construction:

Unit 5 - 1/1/2000, Unit 6 - 1/1/2001

Professional Engineer Certification

1. Professional Engineer Name: Thomas W. Davis

Registration Number: 36777

2. Professional Engineer Mailing Address:

Organization/Firm: Environmental Consulting & Technology, Inc.

Street Address:

Effective: 3-21-96

3701 NW 98th Street

City:

Gainesville

State: FL

Zip Code: 32606

3. Professional Engineer Telephone Numbers:

Telephone: (352) 332-0444

Fax: (352) 332-6722

4. Professional Engineer Statement:

I, the undersigned, hereby certify, except as particularly noted herein*, that:

- (1) To the best of my knowledge, there is reasonable assurance that the air pollutant emissions unit(s) and the air pollution control equipment described in this Application for Air Permit, when properly operated and maintained, will comply with all applicable standards for control of air pollutant emissions found in the Florida Statutes and rules of the Department of Environmental Protection; and
- (2) To the best of my knowledge, any emission estimates reported or relied on in this application are true, accurate, and complete and are either based upon reasonable techniques available for calculating emissions or, for emission estimates of hazardous air pollutants not regulated for an emissions unit addressed in this application, based solely upon the materials, information and calculations submitted with this application.

If the purpose of this application is to obtain a Title V source air operation permit (check here [] if so), I further certify that each emissions unit described in this Application for Air Permit, when properly operated and maintained, will comply with the applicable requirements identified in this application to which the unit is subject, except those emissions units for which a compliance schedule is submitted with this application.

If the purpose of this application is to obtain an air construction permit for one or more proposed new or modified emissions units (check here [] if so), I further certify that the engineering features of each such emissions unit described in this application have been designed or examined by me or individuals under my direct supervision and found to be in conformity with sound engineering principles applicable to the control of emissions of the air pollutants characterized in this application.

If the purpose of this application is to obtain an initial air operation permit or operation permit revision for one or more newly constructed or modified emissions units (check here [X] if so), I further certify that, with the exception of any changes detailed as part of this application, each such emissions unit has been constructed or modified in substantial accordance with the information given in the corresponding application for air construction permit and with all provisions contained in such permit.

Signature Date

Date

^{*} Attach any exception to certification statement.

Application Contact

1. Name and Title of Application Contact:

Theresa J.L. Watley Consulting Engineer

2. Application Contact Mailing Address:

Street Address:

Organization/Firm: Tampa Electric Company 6944 U.S. Highway 41 North

City:

Apollo Beach

State: FL Zip Code: 33572-5081

3. Application Contact Telephone Numbers:

Telephone: (813) 641-5034

Fax: (813) 641-5081

Application Comment

This application addresses only the stack height increase proposed for Unit No. 5 and Unit No. 6 and a new, additional daily average SO₂ emission limitation for the F.J. Gannon Station. No revisions to any existing F.J. Gannon Station emission limitations are requested.

II. FACILITY INFORMATION

A. GENERAL FACILITY INFORMATION

Facility Location and Type

							_
1.	Facility UTM Coor	dinates:					
	Zone: 17		East (km):	360.00	Nort	th (km): 3087.50	
		•		•			
2.	Facility Latitude/Lo	ngitude:	-				
	Latitude (DD/MM/	SS):	Lor	ngitude (DD/M	M/SS):		
				· · · · · · · · · · · · · · · · · · ·		-	
3.	Governmental	4. Facility	Status	5. Facility Ma		6. Facility SIC(s):	
	Facility Code:	Code:		Group SIC	Code:		
	0	A		49		4911	
<u> </u>							_
7.	Facility Comment (limit to 500 cl	haracters):				
		. *					

Facility Contact

1.	Name and Title of Facility Contact:						
	Cindy Barringer, Environmental Coordinator						
2.	Facility Contact Mailing Address:						
	Organization/Firm: Tampa Electric Company						
	Street Address: Port Sutton Road						
	City:	Tampa	State:	\mathbf{FL}	Zip Code: 33619		
					<u> </u>		
3.	. Facility Contact Telephone Numbers:						
	Telephone: (813)	641-5497		Fax:	(813) 641-5566		
	- ,						

Facility Regulatory Classifications

1.	Small Business Stationary Sc	ource?	
	[] Yes	[X] No	[] Unknown
2.	Title V Source?		
	[X] Yes	[] No .	
3.	Synthetic Non-Title V Source	e?	
	[] Yes	[X] No	
4.	Major Source of Pollutants C	Other than Hazardous Air Pollu	itants (HAPs)?
	[X] Yes	[] No	
5.	Synthetic Minor Source of P		
	[] Yes	[X] No	
6.	Major Source of Hazardous	Air Pollutants (HAPs)?	
	[X] Yes	[] No	
_	0 4 4 3 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
7.	Synthetic Minor Source of H		
	[] Yes	[X] No	
8.	One or More Emissions Unit		
	[] Yes	[X] No	
9.	One or More Emission Units	Subject to NESHAP?	
	[] Yes	[X] No	
10.	Title V Source by EPA Design		
	[] Yes	[X] No	
11.	Facility Regulatory Classifica	ations Comment (limit to 200 c	haracters):
	NA		

B. FACILITY REGULATIONS

<u>Rule Applicability Analysis</u> (Required for Category II applications and Category III applications involving non Title-V sources. See Instructions.)

Not applicable			
·			
		•	
		•	
	-	•	
,			

<u>List of Applicable Regulations</u> (Required for Category I applications and Category III applications involving Title-V sources. See Instructions.)

A complete list of all federal and state applicable requirements was previously submitted with the initial F.J. Gannon Station Title V permit application.	
·	
	·

C. FACILITY POLLUTANTS

Facility Pollutant Information

1. Pollutant Emitted	2. Pollutant Classification
Provided with initial F.J. Gannon Station Title V permit application.	
•	

D. FACILITY POLLUTANT DETAIL INFORMATION

Facility Pollutant Detail Information: Pollutant 1 of 2					
1.	Pollutant Emitted: Sulfur Dioxide				
2.	Requested Emissions Cap:	10.6 (ton/hour)	N/A (tons/year)		
3.	Basis for Emissions Cap Code: FD	EP Rule 62-296.405(1)(c)2.a.,	F.A.C.		
4.	Facility Pollutant Comment (limit to	400 characters):			
	Hourly sulfur dioxide emission rate cap (Field 2) represents total sulfur dioxide emissions from F.J. Gannon Station Unit No. 1 through Unit No. 6 on a weekly average basis. This is an existing requirement per FDEP Rule 62-296.405(1)(c)2.a., F.A.C.				
<u>Fa</u>	cility Pollutant Detail Information	: Pollutant <u>2</u> of <u>2</u>			
1.	Pollutant Emitted: Sulfur Dioxide				
2.	Requested Emissions Cap:	276 (tons/day)	N/A (tons/year)		
3.	Basis for Emissions Cap Code: Am	bient			
4.	Facility Pollutant Comment (limit to	400 characters):			
	Daily sulfur dioxide emission rate cap (Field 2) represents total sulfur dioxide emissions from F.J. Gannon Station Unit No. 1 through Unit No. 6 on a 24-hour block average basis. This is a proposed new, additional emission limitation requested for the purpose of providing reasonable assurance to the FDEP that the F.J. Gannon Station will not cause nor contribute to any exceedance of the SO ₂ AAQS. No change to existing F.J. Gannon Station emission limits are requested.				

14

DEP Form No. 62-210.900(1) - Form

Effective: 3-21-96

E. FACILITY SUPPLEMENTAL INFORMATION

Supplemental Requirements for All Applications

1	Area Map Showing Facility Location:
	[] Attached, Document ID: [] Not Applicable [X] Waiver Requested
	Previously submitted with initial Title V permit application.
2	Facility Plot Plan:
	[X] Attached, Document ID: [] Not Applicable [] Waiver Requested
	Stack drawings are provided in Attachment B.
3	Process Flow Diagram(s):
•	[] Attached, Document ID: [] Not Applicable [X] Waiver Requested
	Previously submitted with initial Title V permit application.
4	Precautions to Prevent Emissions of Unconfined Particulate Matter:
٦.	[] Attached, Document ID: [X] Not Applicable [] Waiver Requested
	[] Attachea, Document ID[M] Not Applicable [] Walver Requested
5	Fugitive Emissions Identification:
٥.	[] Attached, Document ID: [X] Not Applicable [] Waiver Requested
	[] Networked, Boothment 13[12] Not 12pphotocol [] Warver 10 question
6.	Supplemental Information for Construction Permit Application:
•	[] Attached, Document ID: [X] Not Applicable
	[1] Tittashea, Bosament IB[11] Titot Tipphoasis
Ad	Iditional Supplemental Requirements for Category I Applications Only - N/A
7.	List of Proposed Exempt Activities:
	[] Attached, Document ID: [] Not Applicable
8.	List of Equipment/Activities Regulated under Title VI:
	[] Attached, Document ID:
	[] Equipment/Activities On site but Not Required to be Individually Listed
	[] Not Applicable
	[] Lt
9.	Alternative Methods of Operation:
	[] Attached, Document ID: [] Not Applicable
10	Alternative Modes of Operation (Emissions Trading):
	[] Attached, Document ID: [] Not Applicable
	[]
	· · · · · · · · · · · · · · · · · · ·

11. Identification of Additional Applicable Requirements:			
[] Attached, Document ID: [] Not Applicable			
12. Compliance Assurance Monitoring Plan:			
[] Attached, Document ID: [] Not Applicable			
13. Risk Management Plan Verification:			
[] Plan Submitted to Implementing Agency - Verification Attached, Document ID:			
Document ID			
[] Plan to be Submitted to Implementing Agency by Required Date			
[] Not Applicable			
14. Compliance Report and Plan:			
[] Attached, Document ID: [] Not Applicable			
[] Attached, Document ID[] Not Applicable			
15. Compliance Certification (Hard-copy Required):			
[] Attached, Document ID:[] Not Applicable			

Emissions Unit Information Section	1	of	2
---	---	----	---

III. EMISSIONS UNIT INFORMATION

A separate Emissions Unit Information Section (including subsections A through L as required) must be completed for each emissions unit addressed in this Application for Air Permit. If submitting the application form in hard copy, indicate, in the space provided at the top of each page, the number of this Emissions Unit Information Section and the total number of Emissions Unit Information Sections submitted as part of this application. Some of the subsections comprising the Emissions Unit Information Section of the form are intended for regulated emissions units only. Others are intended for both regulated and unregulated emissions units. Each subsection is appropriately marked.

A. TYPE OF EMISSIONS UNIT (Regulated and Unregulated Emissions Units)
Type of Emissions Unit Addressed in This Section
1. Regulated or Unregulated Emissions Unit? Check one:
[X] The emissions unit addressed in this Emissions Unit Information Section is a regulated emissions unit.
[] The emissions unit addressed in this Emissions Unit Information Section is an unregulated emissions unit.
2. Single Process, Group of Processes, or Fugitive Only? Check one:
[X] This Emissions Unit Information Section addresses, as a single emissions unit, a single process or production unit, or activity, which produces one or more air pollutants and which has at least one definable emission point (stack or vent).
[] This Emissions Unit Information Section addresses, as a single emissions unit, a group of process or production units and activities which has at least one definable emission point (stack or vent) but may also produce fugitive emissions.
[] This Emissions Unit Information Section addresses, as a single emissions unit, one or more process or production units and activities which produce fugitive emissions only.

Emissions	Unit Info	armation	Section	1	οf	2
THII22IOH2		Ji mation (Section	1	UI	_

B. GENERAL EMISSIONS UNIT INFORMATION (Regulated and Unregulated Emissions Units)

Emissions Unit Description and Status

	Zimiotono Cint Description una Status						
1.	1. Description of Emissions Unit Addressed in This Section (limit to 60 characters):						
	Unit No. 5, Solid Fuel Ste	eam Generator					
2.	Emissions Unit Identification	on Number: [] No Corre	sponding ID [] Unknown				
3.	Emissions Unit Status	4. Acid Rain Unit?	5. Emissions Unit Major				
	Code:	[X] Yes [] No	Group SIC Code:				
	A		49				
6.	Emissions Unit Comment (limit to 500 characters):	· · ·				
"							
	N/A						
		-					
En	nissions Unit Control Equi	<u>ipment</u>					
•							
A.	Description (limit to 200 ch	haracters):					
1.	Description (limit to 200 ci	maracters).					
	Electrostatic precipitator system.						
	• •	•					
2.	Control Device or Method	Code: 10					
1							

En	nissions Unit Information Section1 of2
<u>B</u> .	
1.	Description (limit to 200 characters):
	N/A
2.	Control Device or Method Code:
<u>C.</u>	Description (limit to 200 characters):
	N/A
2.	Control Device or Method Code:

Emissions Unit Information Section1 of2					
C. EMISSIONS UNIT DETAIL INFORMA (Regulated Emissions Units Only)	TION				
(Regulated Emissions Units Only)					
Emissions Unit Details					
1. Initial Startup Date: N/A					
2. Long-term Reserve Shutdown Date: N/A					
3. Package Unit: N/A					
Manufacturer: Model Number:					
4. Generator Nameplate Rating: 239 MW					
5. Incinerator Information: N/A Dwell Temperature:	°F				
Dwell Time:	seconds				
Incinerator Afterburner Temperature:	°F				
Emissions Unit Operating Capacity					
1. Maximum Heat Input Rate: 2,28	84 mmBtu/hr				
2. Maximum Incineration Rate: N/A lb/hr	tons/day				
3. Maximum Process or Throughput Rate: N/A					
4. Maximum Production Rate: N/A					
5. Operating Capacity Comment (limit to 200 characters):					
Maximum heat input rate of 2,284 MMBtu/hr is on a monthly average basis.					

Requested Maximum Operating Schedule:			
24 hours/day	7 days/week		
52 weeks/year	8,760 hours/year		

DEP Form No. 62-210.900(1) - Form Effective: 3-21-96

Emissions	Unit	Information	Section	1	of	2

D. EMISSIONS UNIT REGULATIONS (Regulated Emissions Units Only)

<u>Rule Applicability Analysis</u> (Required for Category II applications and Category III applications involving non Title-V sources. See Instructions.)

N/A	
_	

Effective: 3-21-96

Emissions Unit Information Section1	of <u>2</u>				
<u>List of Applicable Regulations</u> (Required for Category I applications and Category III applications involving Title-V sources. See Instructions.)					
A complete list of all federal and state applicable requirements was previously submitted with the initial F.J. Gannon Station Title V permit application.					
·					
		·			
-					
	,				
		 			

Emissions Unit	Information	Section	1	of	2

E. EMISSION POINT (STACK/VENT) INFORMATION (Regulated Emissions Units Only)

Emission Point Description and Type

1.	Identification of Point on Plot Plan or F	lov	v Diagran	n: CS- 0	005		
2	Emission Point Type Code:						
۷.		ז	2	Г	1 4		
	[X] 1 [] 2 [1	3	L	.] "		
3.	Descriptions of Emissions Points Comp 100 characters per point):	orisi	ng this E	missions	Unit 1	for VE	Tracking (limit to
	Unit No. 5 – Solid Fuel-Fired Steam	Ge	nerator				
							•
	·						
4.	ID Numbers or Descriptions of Emission	n U	Jnits with	this Em	nission	Point	in Common:
	•						
	N/A						
5.	Discharge Type Code:						
	[] D [] F []	H	[] P		
	[] R [X] V []	W				
6.	Stack Height:					361	feet
			<u> </u>				
7.	Exit Diameter:			-		10.3	feet
	<u> </u>						
8.	Exit Temperature:					293.4	ŀ°F
	-						

Emissions Unit Information Section _____ of ____ 2

9.	Actual Volumetric Flow Rate:	837,100	acfm
10.	Percent Water Vapor :	N/A	%
11.	. Maximum Dry Standard Flow Rate:	N/A	dscfm
12.	Nonstack Emission Point Height:	N/A	feet
13	Emission Point UTM Coordinates:		
	Zone: East (km): North (km):	
14	. Emission Point Comment (limit to 200 characters):		
	Stack exit temperature (Field 8) and exhaust flow rate (Field 9) continuous emissions monitoring system (CEMS) data.	are base	d on

Emissions Unit Information Section	1	of	2
------------------------------------	---	----	---

F. SEGMENT (PROCESS/FUEL) INFORMATION (Regulated and Unregulated Emissions Units)

Se	gment Description and Rate: Segment	of
1.	Segment Description (Process/Fuel Type and (limit to 500 characters):	d Associated Operating Method/Mode)
	Process/fuel information for Unit No. 5 w Gannon Station Title V permit application does not request any changes in the process	n. This construction permit application
2.	Source Classification Code (SCC):	
3.	SCC Units:	
4.	Maximum Hourly Rate:	5. Maximum Annual Rate:
6.	Estimated Annual Activity Factor:	
7.	Maximum Percent Sulfur:	8. Maximum Percent Ash:
9.	Million Btu per SCC Unit:	· · · · · · · · · · · · · · · · · · ·
10.	Segment Comment (limit to 200 characters)	

	missions Unit Information Section1	of of
1.	Segment Description (Process/Fuel Type ar (limit to 500 characters):	
	N/A	
2	Source Classification Code (SCC):	
2.	boulee classification code (Bee).	
3.	SCC Units:	
4.	Maximum Hourly Rate:	5. Maximum Annual Rate:
6.	Estimated Annual Activity Factor:	
7.	Maximum Percent Sulfur:	8. Maximum Percent Ash:
9.	Million Btu per SCC Unit:	
10	Segment Comment (limit to 200 characters)):

Emissions	Unit	Information	Section	1	of	2
		TILL OI MANGETOR	Noction.		•	_

G. EMISSIONS UNIT POLLUTANTS (Regulated and Unregulated Emissions Units)

1. Pollutant Emitted	Primary Control Device Code	3. Secondary Control Device Code	4. Pollutant Regulatory Code
Provided with initial F.J. Gannon Station Title V permit application.			
	·		-
-			

Emissions	Unit	Information	Section	1	of	2

H. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION (Regulated Emissions Units Only - Emissions Limited Pollutants Only)

Pollutant Detail Information:

1.	Pollutant Emitted: Sulfur Dioxide	
2.	Total Percent Efficiency of Control:	N/A %
3.	Potential Emissions: 5,481.60 lb/hour	24,009.40 tons/year
4.	Synthetically Limited? [] Yes [X] No	
5.	Range of Estimated Fugitive/Other Emissions: N/A [] 1	tons/year
6.	Emission Factor: 2.40 lb/MMBtu Reference: Allowable Emission Rate	
	Emissions Method Code: [X] 0 [] 1 [] 2 [] 3 [] 4	[] 5
8.	Calculation of Emissions (limit to 600 characters):	
	Potential emissions set equal to allowable emissions.	
9.	Pollutant Potential/Estimated Emissions Comment (limit to 200 charac	ters):
	(

En	nissions Unit Information Section1 of2
<u>All</u>	lowable Emissions (Pollutant identified on front of page)
1. 2.	Basis for Allowable Emissions Code: Rule
	Future Effective Date of Allowable Emissions: N/A
3.	Requested Allowable Emissions and Units: 2.40 lb/MMBtu
4.	Equivalent Allowable Emissions: 5,481.60 lb/hour 24,009.40 tons/year
5.	Method of Compliance (limit to 60 characters): Continuous emissions monitoring system (CEMS)
	Pollutant Allowable Emissions Comment (Desc. of Related Operating Method/Mode) (limit 200 characters):
	Requested allowable emissions (Field 3) is on a weekly average basis, per Specific Condition No. 4 of FDEP Operation Permit AO29-203511 and FDEP Rule 62-296.405(1)(c)2.a., F.A.C.
	Equivalent allowable emissions (Field 4) represents total maximum emissions for Unit No. 1 through Unit No. 6 on an hourly (weekly average) and annual average basis.
В.	
1.	Basis for Allowable Emissions Code: Rule

- 2
- 2. Future Effective Date of Allowable Emissions: N/A
- 3. Requested Allowable Emissions and Units: 10.60 tons/hour
- 4. Equivalent Allowable Emissions:

1,780.8 tons/week

92,856.0 tons/year

5. Method of Compliance (limit to 60 characters):

Continuous emissions monitoring system (CEMS)

6. Pollutant Allowable Emissions Comment (Desc. of Related Operating Method/Mode) (limit to 200 characters):

Requested allowable emissions (Field 3) represents total hourly emissions for Unit No. 1 through Unit No. 6 on a weekly average basis, per Specific Condition No. 4 of FDEP Operation Permit AO29-203511 and FDEP Rule 62-296.405(1)(c)(2.a., F.A.C.

Equivalent allowable emissions (Field 4) represents total maximum emissions for Unit No. 1 through Unit No. 6 on a weekly and annual average basis.

Emissions Unit Information Section 1 of 2

Allowable Emissions (Pollutant identified on front of page)

C.

- 1. Basis for Allowable Emissions Code: Ambient
- 2. Future Effective Date of Allowable Emissions: N/A
- 3. Requested Allowable Emissions and Units: 276.0 tons/day
- 4. Equivalent Allowable Emissions:

276.0 tons/day

N/A tons/year

- 5. Method of Compliance (limit to 60 characters):
 Continuous emissions monitoring system (CEMS)
- 6. Pollutant Allowable Emissions Comment (Desc. of Related Operating Method/Mode) (limit to 200 characters):

Requested allowable emissions (Fields 3 and 4) represents total maximum emissions for Unit No. 1 through Unit No. 6 on a daily (24-hour block) average basis. On a weekly average basis, daily SO₂ emissions will be lower consistent with the existing 1,780.8 tons/week cap for Unit No. 1 through Unit No. 6.

Emissions	Unit	Informa	tion	Section	1	οf	2
TH112210112	UIIIL	liiivi iiia	uvii	Section	1	UL	<u> </u>

I. VISIBLE EMISSIONS INFORMATION (Regulated Emissions Units Only)

<u>V</u> i	sible Emissions Limitation: Visible Emissions Limitation of
1.	Visible Emissions Subtype:
2.	Basis for Allowable Opacity: [] Rule [] Other
3.	Requested Allowable Opacity: Normal Conditions: % Exceptional Conditions: % Maximum Period of Excess Opacity Allowed: min/hour
4.	Method of Compliance:
5.	Visible Emissions Comment (limit to 200 characters):
	Visible emission information for Unit No. 5 was previously provided in the initial F.J. Gannon Station Title V permit application. This construction permit application does not request any change in visible emission limitations.
<u>V</u> i	sible Emissions Limitation: Visible Emissions Limitation of
	Visible Emissions Limitation: Visible Emissions Limitation of Visible Emissions Subtype:
1.	
1.	Visible Emissions Subtype: Basis for Allowable Opacity: [] Rule [] Other
1. 2. 3.	Visible Emissions Subtype: Basis for Allowable Opacity: [] Rule [] Other Requested Allowable Opacity: Normal Conditions: % Exceptional Conditions: %
1. 2. 3.	Visible Emissions Subtype: Basis for Allowable Opacity: [] Rule [] Other Requested Allowable Opacity: Normal Conditions: % Exceptional Conditions: % Maximum Period of Excess Opacity Allowed: min/hour
1. 2. 3.	Visible Emissions Subtype: Basis for Allowable Opacity: [] Rule [] Other Requested Allowable Opacity: Normal Conditions: % Exceptional Conditions: % min/hour Method of Compliance:
1. 2. 3.	Visible Emissions Subtype: Basis for Allowable Opacity: [] Rule [] Other Requested Allowable Opacity: Normal Conditions: % Exceptional Conditions: % min/hour Method of Compliance:

Emissions Unit Information Section 1	of	2
--------------------------------------	----	---

J. CONTINUOUS MONITOR INFORMATION (Regulated Emissions Units Only)

<u>Co</u>	ontinuous Monitoring System: Continu	ious	Monitor o	of		
1.	Parameter Code:	2.	Pollutant(s):			
3.	CMS Requirement:]] Rule	[]	Other
4.	Monitor Information: Manufacturer: Model Number:		Serial N	umbe	:r:	
5.	Installation Date:					
6.	Performance Specification Test Date:		 -			
7.	Continuous Monitor Comment (limit to	200	characters):			
	Continuous monitoring system inform the initial F.J. Gannon Station Title application does not request any char	V p	ermit application	n. Tl	ris	construction permit
<u>Co</u>	ontinuous Monitoring System: Continu	ious	Monitor c	of		
	Parameter Code:		Monitor c	of		·
				of		Other
3.	Parameter Code: CMS Requirement: Monitor Information: Manufacturer:		Pollutant(s):]]	
3.	Parameter Code: CMS Requirement: Monitor Information:		Pollutant(s):]]	
1. 3. 4.	Parameter Code: CMS Requirement: Monitor Information: Manufacturer: Model Number:		Pollutant(s):]]	
1. 3. 4.	Parameter Code: CMS Requirement: Monitor Information: Manufacturer: Model Number: Installation Date:	2.	Pollutant(s):] Rule Serial N]]	
1. 3. 4. 5.	Parameter Code: CMS Requirement: Monitor Information: Manufacturer: Model Number: Installation Date: Performance Specification Test Date:	2.	Pollutant(s):] Rule Serial N]]	
1. 3. 4. 5.	Parameter Code: CMS Requirement: Monitor Information: Manufacturer: Model Number: Installation Date: Performance Specification Test Date:	2.	Pollutant(s):] Rule Serial N]]	
1. 3. 4. 5.	Parameter Code: CMS Requirement: Monitor Information: Manufacturer: Model Number: Installation Date: Performance Specification Test Date:	2.	Pollutant(s):] Rule Serial N]]	
1. 3. 4. 5.	Parameter Code: CMS Requirement: Monitor Information: Manufacturer: Model Number: Installation Date: Performance Specification Test Date:	2.	Pollutant(s):] Rule Serial N]]	

Emissions	Unit !	Information	Section	1	of	2

K. PREVENTION OF SIGNIFICANT DETERIORATION (PSD) INCREMENT TRACKING INFORMATION

(Regulated and Unregulated Emissions Units)

PSD Increment Consumption Determination

1. Increment Consuming for Particulate Matter or Sulfur Dioxide?

If the emissions unit addressed in this section emits particulate matter or sulfur dioxide, answer the following series of questions to make a preliminary determination as to whether or not the emissions unit consumes PSD increment for particulate matter or sulfur dioxide. Check the first statement, if any, that applies and skip remaining statements. The emissions unit is undergoing PSD review as part of this application, or has undergone PSD review previously, for particulate matter or sulfur dioxide. If so, emissions unit consumes increment. The facility addressed in this application is classified as an EPA major source pursuant to paragraph (c) of the definition of "major source of air pollution" in Chapter 62-213, F.A.C., and the emissions unit addressed in this section commenced (or will commence) construction after January 6, 1975. If so, baseline emissions are zero, and emissions unit consumes increment. The facility addressed in this application is classified as an EPA major source, and the emissions unit began initial operation after January 6, 1975, but before December 27, 1977. If so, baseline emissions are zero, and emissions unit consumes increment.

For any facility, the emissions unit began (or will begin) initial operation after December 27, 1977. If so, baseline emissions are zero, and emissions unit consumes increment.

[X] None of the above apply. If so, the baseline emissions of the emissions unit are nonzero. In such case, additional analysis, beyond the scope of this application, is needed to determine whether changes in emissions have occurred (or will occur) after the baseline date that may consume or expand increment.

En	nissions Unit Information Section _	of	2
2.	Increment Consuming for Nitrogen I	Dioxide?	
	series of questions to make a prelimi	nary determinati	nitrogen oxides, answer the following ion as to whether or not the emissions Check first statement, if any, that applies
		PSD review prev	undergoing PSD review as part of this viously, for nitrogen dioxide. If so,
	paragraph (c) of the definition F.A.C., and the emissions unit	of "major source addressed in this	sified as an EPA major source pursuant to e of air pollution" in Chapter 62-213, s section commenced (or will commence) eline emissions are zero, and emissions
	emissions unit began initial ope	eration after Feb	sified as an EPA major source, and the ruary 8, 1988, but before March 28, missions unit consumes increment.
		• '	rill begin) initial operation after March 28, missions unit consumes increment.
	In such case, additional analysi	s, beyond the so emissions have o	nissions of the emissions unit are nonzero. cope of this application, is needed to occurred (or will occur) after the baseline
3.	Increment Consuming/Expanding Co	ode:	
	PM [] C	[]E	[X] Unknown
	SO2 [] C	[]E .	[X] Unknown
	NO2 [] C	[] E	[X] Unknown
4.	Baseline Emissions:		
	PM	lb/hour	tons/year
	SO2	lb/hour	tons/year
_	NO2		tons/year
5.	PSD Comment (limit to 200 characte	ers):	

34

Emissions	Unit	Information	Section	1	of	2

L. EMISSIONS UNIT SUPPLEMENTAL INFORMATION (Regulated Emissions Units Only)

Supplemental Requirements for All Applications

1.	Process Flow Diagram
	[] Attached, Document ID: [] Not Applicable [X] Waiver Requested
	Previously submitted with initial Title V permit application.
2.	Fuel Analysis or Specification
	[] Attached, Document ID: [] Not Applicable [X] Waiver Requested
	Previously submitted with initial Title V permit application.
3.	Detailed Description of Control Equipment
	[] Attached, Document ID:[] Not Applicable [X] Waiver Requested
	Previously submitted with initial Title V permit application.
4.	Description of Stack Sampling Facilities
	[] Attached, Document ID: [] Not Applicable [X] Waiver Requested
	Previously submitted with initial Title V permit application.
5.	Compliance Test Report
	[] Attached, Document ID:
	[] Previously submitted, Date:
	[X] Not Applicable
6.	Procedures for Startup and Shutdown
	[] Attached, Document ID: [X] Not Applicable
7.	Operation and Maintenance Plan
	[] Attached, Document ID: [X] Not Applicable
8.	Supplemental Information for Construction Permit Application
	[] Attached, Document ID: [X] Not Applicable
9.	Other Information Required by Rule or Statute
	[] Attached, Document ID: [X] Not Applicable
	· · · · · · · · · · · · · · · · · ·

Emissions Unit Information Section	1	of	2
---	---	----	---

Additional Supplemental Requirements for Category I Applications Only N/A

10. Alternative Methods of Operation
[] Attached, Document ID:[] Not Applicable
11. Alternative Modes of Operation (Emissions Trading)
[] Attached, Document ID: [] Not Applicable
12. Identification of Additional Applicable Requirements
[] Attached, Document ID: [] Not Applicable
13. Compliance Assurance Monitoring Plan
[] Attached, Document ID:[] Not Applicable
14. Acid Rain Application (Hard-copy Required)
[] Acid Rain Part - Phase II (Form No. 62-210.900(1)(a)) Attached, Document ID:
[] Repowering Extension Plan (Form No. 62-210.900(1)(a)1.) Attached, Document ID:
[] New Unit Exemption (Form No. 62-210.900(1)(a)2.) Attached, Document ID:
[] Retired Unit Exemption (Form No. 62-210.900(1)(a)3.) Attached, Document ID:
[] Not Applicable

Emissions	Unit	Information	Section	2	of	2

III. EMISSIONS UNIT INFORMATION

A separate Emissions Unit Information Section (including subsections A through L as required) must be completed for each emissions unit addressed in this Application for Air Permit. If submitting the application form in hard copy, indicate, in the space provided at the top of each page, the number of this Emissions Unit Information Section and the total number of Emissions Unit Information Sections submitted as part of this application. Some of the subsections comprising the Emissions Unit Information Section of the form are intended for regulated emissions units only. Others are intended for both regulated and unregulated emissions units. Each subsection is appropriately marked.

A. TYPE OF EMISSIONS UNIT (Regulated and Unregulated Emissions Units)
Type of Emissions Unit Addressed in This Section
1. Regulated or Unregulated Emissions Unit? Check one:
[X] The emissions unit addressed in this Emissions Unit Information Section is a regulated emissions unit.
[] The emissions unit addressed in this Emissions Unit Information Section is an unregulated emissions unit.
2. Single Process, Group of Processes, or Fugitive Only? Check one:
[X] This Emissions Unit Information Section addresses, as a single emissions unit, a single process or production unit, or activity, which produces one or more air pollutants and which has at least one definable emission point (stack or vent).
[] This Emissions Unit Information Section addresses, as a single emissions unit, a group of process or production units and activities which has at least one definable emission point (stack or vent) but may also produce fugitive emissions.
[] This Emissions Unit Information Section addresses, as a single emissions unit, one or more process or production units and activities which produce fugitive emissions only.

Emissions Unit Information Section 2 of	Z	01	L	n	Section	iation	TUIOLI	Unit	Sions	Lmis
--	---	----	---	---	---------	--------	--------	------	-------	------

B. GENERAL EMISSIONS UNIT INFORMATION (Regulated and Unregulated Emissions Units)

Emissions Unit Description and Status

1.	1. Description of Emissions Unit Addressed in This Section (limit to 60 characters):						
	Unit No. 6, Solid Fuel Steam Generator						
	·						
2.	Emissions Unit Identification Number: [] No Corresponding ID [] Unknown 006						
3.	. Emissions Unit Status 4. Acid Rain Unit? 5. Emissions Unit Major Code: [X] Yes [] No Group SIC Code:						
	A A	[A] les [] No	49				
6.	Emissions Unit Comment (I	limit to 500 characters):	-				
	N/A						
<u>En</u>	nissions Unit Control Equi	pment					
A.		<u>. </u>					
1.	Description (limit to 200 ch	naracters):					
	Electrostatic precipitator	system.					
		·					
2	Control Device or Method	Code: 10	· · · · · · · · · · · · · · · · · · ·				
۷.	Control Device of Intellion	Couc. 10					

missions Unit Information Section 2 of	2
	<u> </u>
. Description (limit to 200 characters):	-
	•
N/A	
Control Device or Method Code:	·
Description (limit to 200 characters):	
N/A	
	•
Control Device or Method Code:	
Control Device of Monion Cone.	

Emissions U	Init Inf	ormation	Section	2	of	2	

C. EMISSIONS UNIT DETAIL INFORMATION (Regulated Emissions Units Only)

Emissions	Unit	Details
Dinisolons	Unit	Details

1.	Initial Startup Date: N/A	-			
2.	. Long-term Reserve Shutdown Date: N/A				
3.	Package Unit: N/A				
	Manufacturer:	Model Number:			
4.	Generator Nameplate Rating: 446	MW			
5.	Incinerator Information: N/A				
	Dwell Temperature:		°F		
	Dwell Time:		seconds		
	Incinerator Afterburner Temperature:		°F		

Emissions Unit Operating Capacity

1.	Maximum Heat Input Rate:		3,798	mmBtu/hr	
2.	Maximum Incineration Rate: N/A	lb/hr		tons/day	
3.	Maximum Process or Throughput Rate	: N/A			
4.	Maximum Production Rate: N/A				
5.	Operating Capacity Comment (limit to 2	200 charact	ters):		
	Maximum heat input rate of 3,798 M	IMBtu/hr	is on a monthly a	verage basis.	
					į
	-				\

Emissions Unit Operating Schedule

Requested Maximum Operating Schedule:				
24 hours/day	7 days/week			
52 weeks/year	8,760 hours/year			

Emissions	Unit	Information	Section	2	of	2

D. EMISSIONS UNIT REGULATIONS (Regulated Emissions Units Only)

<u>Rule Applicability Analysis</u> (Required for Category II applications and Category III applications involving non Title-V sources. See Instructions.)

N/A		
	,	
·		

<u>List of Applicable Regulations</u> (Required for Category I applications and Category III applications involving Title-V sources. See Instructions.)					
A complete list of all federal and state applicable requirements was previously submitted with the initial F.J. Gannon Station Title V permit application.					
	·				
•					
·					
-					
					
	·				
· .					
-					
<u> </u>					
	•				

Emissions Unit Information Section 2 of 2

Emissions	Unit	Informat	ion	Section	2	of	2

E. EMISSION POINT (STACK/VENT) INFORMATION (Regulated Emissions Units Only)

Emission Point Description and Type

1.	Identification of Point on Plot Plan or Flow Diagram: CS-006	
2.	Emission Point Type Code:	
ļ	[X] 1 [] 2 [] 3 [] 4	
3	Descriptions of Emissions Points Comprising this Emissions Unit for VE Tracking (limit	to
-	100 characters per point):	••
ł	100 characters per point).	
	Unit No. 6 – Solid Fuel-Fired Steam Generator	
	Ont 10, 0 - Sond I del-Incu Steam Generator	
i		
<u> </u>	ID Numbers on Descriptions of Emission Huits with this Emission Daint in Comment	
4 .	ID Numbers or Descriptions of Emission Units with this Emission Point in Common:	
	N/A	
5	Discharge Type Code:	
~.		
	[] R [X] V [] W	
<u> </u>		
6.	Stack Height: 361 feet	
7.	Exit Diameter: 17.46 feet	
' '		
-	Evit Tomporature	
8.	Exit Temperature: 260.0 °F	
l		

Emissions Unit Information Section 2 of 2

9. Actual Volumetr	ic Flow Rate:	1,	568,4	00 acfm
10. Percent Water V	apor :	N	J/A	%
11. Maximum Dry S	tandard Flow Rate:	N	J/A	dscfm
12. Nonstack Emiss	ion Point Height:	Ŋ	I/A	feet
13. Emission Point U	JTM Coordinates:			
Zone:	East (km):	North (km):		
	erature (Field 8) and exhaus ssions monitoring system (C	t flow rate (Field 9) ar	re bas	ed on
Stack exit temp	erature (Field 8) and exhaus	t flow rate (Field 9) ar	re bas	ed on
Stack exit temp	erature (Field 8) and exhaus	t flow rate (Field 9) ar	re bas	ed on
Stack exit temp	erature (Field 8) and exhaus	t flow rate (Field 9) ar	re bas	ed on
Stack exit temp	erature (Field 8) and exhaus	t flow rate (Field 9) ar	re bas	ed on
Stack exit temp	erature (Field 8) and exhaus	t flow rate (Field 9) ar	re bas	ed on
Stack exit temp	erature (Field 8) and exhaus	t flow rate (Field 9) ar	re bas	ed on

Emissions Unit Information Section	2	of	2
------------------------------------	---	----	---

F. SEGMENT (PROCESS/FUEL) INFORMATION (Regulated and Unregulated Emissions Units)

Segment Description and Rate: Segment of

		•			
1.	Segment Description (Process/Fuel Type and Associated Operating Method/Mode) (limit to 500 characters):				
	Process/fuel information for Unit No. 6 was previously provided in the initial F.J. Gannon Station Title V permit application. This construction permit application does not request any changes in the process/fuel data previously provided.				
2.	Source Classification Code (SCC):				
3.	SCC Units:				
4.	Maximum Hourly Rate:	5. Maximum Annual Rate:			
6.	Estimated Annual Activity Factor:				
7.	Maximum Percent Sulfur:	8. Maximum Percent Ash:			
9.	Million Btu per SCC Unit:				
10.	Segment Comment (limit to 200 characters):				
	<u> </u>				
	·				

•	Segment Description (Process/Fuel Type a (limit to 500 characters):	and Associated Operating Method/Mode)
	N/A	
	Source Classification Code (SCC):	
	SCC Units:	<u> </u>
	Maximum Hourly Rate:	5. Maximum Annual Rate:
_	Estimated Annual Activity Factor:	L .
	Maximum Percent Sulfur:	8. Maximum Percent Ash:
_	Million Btu per SCC Unit:	<u>L</u>
0	Segment Comment (limit to 200 character	rs):

Emissions Unit Information Section	2	of	2
---	---	----	---

G. EMISSIONS UNIT POLLUTANTS (Regulated and Unregulated Emissions Units)

1. Pollutant Emitted	Primary Control Device Code	3. Secondary Control Device Code	4. Pollutant Regulatory Code
Provided with initial F.J. Gannon Station Title V permit application.		20.000	= 118
·			
·			
	· . · · ·		
			-

Emissions	Unit	Information	Section	2	of	2
			~~~~	_	-	_

# H. EMISSIONS UNIT POLLUTANT DETAIL INFORMATION (Regulated Emissions Units Only - Emissions Limited Pollutants Only)

### **Pollutant Detail Information:**

1.	Pollutant Emitted: Sulfur Dioxide
2.	Total Percent Efficiency of Control: N/A %
3.	Potential Emissions: 9,115.2 lb/hour 39,924.6 tons/year
4.	Synthetically Limited? [ ] Yes [ X ] No
5.	Range of Estimated Fugitive/Other Emissions: N/A  [ ] 1
6.	Emission Factor: 2.40 lb/MMBtu Reference: Allowable Emission Rate
7.	Emissions Method Code: [X] 0 [] 1 [] 2 [] 3 [] 4 [] 5
8.	Calculation of Emissions (limit to 600 characters):
	Potential emissions set equal to allowable emissions.
9.	Pollutant Potential/Estimated Emissions Comment (limit to 200 characters):

Emissions Unit Information Section 2 of 2							
Allowable Emissions (Pollutant identified on front of page)							
<b>A.</b>							
1. Basis for Allowable Emissions Code: Rule							
2. Future Effective Date of Allowable Emissions: N/A							
3. Requested Allowable Emissions and Units: 2.40 lb/MMBtu							
4. Equivalent Allowable Emissions: 9,115.20 lb/hour 39,924.60 tons/year							
5. Method of Compliance (limit to 60 characters):							
Continuous emissions monitoring system (CEMS)							
6. Pollutant Allowable Emissions Comment (Desc. of Related Operating Method/Mode) (limit							
to 200 characters):  Requested allowable emissions (Field 3) is on a weekly average basis, per Specific							
Condition No. 4 of FDEP Operation Permit AO29-203511 and FDEP Rule 62-							
296.405(1)(c)2.a., F.A.C.							
Equivalent allowable emissions (Field 4) represents total maximum emissions for Unit							
No. 1 through Unit No. 6 on an hourly (weekly average) and annual average basis.							
В.							
Basis for Allowable Emissions Code: Rule							
2. Future Effective Date of Allowable Emissions: N/A							
3. Requested Allowable Emissions and Units: 10.60 tons/hour							
4. Equivalent Allowable Emissions: 1,780.8 tons/week 92,856.0 tons/year							
5. Method of Compliance (limit to 60 characters):							
Continuous emissions monitoring system (CEMS)							

6. Pollutant Allowable Emissions Comment (Desc. of Related Operating Method/Mode) (limit to 200 characters):

Requested allowable emissions (Field 3) represents total hourly emissions for Unit No. 1 through Unit No. 6 on a weekly average basis, per Specific Condition No. 4 of FDEP Operation Permit AO29-203511 and FDEP Rule 62-296.405(1)(c)(2.a., F.A.C.

Equivalent allowable emissions (Field 4) represents total maximum emissions for Unit No. 1 through Unit No. 6 on a weekly and annual average basis.

Er	missions Unit Information Section 2 of 2
<u>Al</u>	llowable Emissions (Pollutant identified on front of page)
C.	
1.	Basis for Allowable Emissions Code: Ambient
2.	Future Effective Date of Allowable Emissions: N/A
3.	Requested Allowable Emissions and Units: 276.0 tons/day
4.	Equivalent Allowable Emissions: 276.0 tons/day N/A tons/year
5,	Method of Compliance (limit to 60 characters): Continuous emissions monitoring system (CEMS)
	Pollutant Allowable Emissions Comment (Desc. of Related Operating Method/Mode) (limit 200 characters):
	Requested allowable emissions (Fields 3 and 4) represents total <i>maximum</i> emissions for Unit No. 1 through Unit No. 6 on a daily (24-hour block) average basis. On a weekly average basis, daily SO ₂ emissions will be lower consistent with the existing 1,780.8 tons/week cap for Unit No. 1 through Unit No. 6.

	<b>Emissions</b>	<b>Unit Information Section</b>	2	of	2
--	------------------	---------------------------------	---	----	---

# I. VISIBLE EMISSIONS INFORMATION (Regulated Emissions Units Only)

<u>Vı</u>	sible Emissions Limitation: Visible Emissions Limitation of	-
1.	Visible Emissions Subtype:	
2.	Basis for Allowable Opacity: [ ] Rule [ ] Other	
3.	Requested Allowable Opacity: Normal Conditions: % Exceptional Conditions: Maximum Period of Excess Opacity Allowed:	% min/hour
4.	Method of Compliance:	
5.	Visible Emissions Comment (limit to 200 characters):	
	Visible emission information for Unit No. 6 was previously provided in the F.J. Gannon Station Title V permit application. This construction permit does not request any change in visible emission limitations.	
<u>Vi</u>	sible Emissions Limitation: Visible Emissions Limitation of	
1.	Visible Emissions Subtype:	
2.	Basis for Allowable Opacity: [ ] Rule [ ] Other	
3.	Requested Allowable Opacity: Normal Conditions:  Maximum Period of Excess Opacity Allowed:	% min/hour
4.	Method of Compliance:	
5.	Visible Emissions Comment (limit to 200 characters):	

<b>Emissions</b>	Unit	Information	Section	2	of	2
------------------	------	-------------	---------	---	----	---

# J. CONTINUOUS MONITOR INFORMATION (Regulated Emissions Units Only)

	ontinuous Monitoring System: Continu	ous Monitor	_ of	<u> </u>
1.	Parameter Code:	2. Pollutant(s):		
3.	CMS Requirement:	[ ] Rule	[	] Other
4.	Monitor Information:			
	Manufacturer:			
	Model Number:	Serial	Numbe	r:
5.	Installation Date:			
6.	Performance Specification Test Date:	_		
7.	Continuous Monitor Comment (limit to	200 characters):		
	Continuous monitoring system inform the initial F.J. Gannon Station Title application does not request any chan	V permit applicat	tion. Th	nis construction permit
<u>C</u>	ntinuous Monitoring System: Continu	ous Monitor	_ of	_
1.	Parameter Code:	2. Pollutant(s):	_ of	<del></del>
		···	_ of	] Other
3.	Parameter Code:  CMS Requirement:  Monitor Information:	2. Pollutant(s):		
3.	Parameter Code:  CMS Requirement:  Monitor Information: Manufacturer:	2. Pollutant(s):  [ ] Rule	[	] Other
3. 4.	Parameter Code:  CMS Requirement:  Monitor Information:     Manufacturer:     Model Number:	2. Pollutant(s):  [ ] Rule		] Other
3.	Parameter Code:  CMS Requirement:  Monitor Information: Manufacturer:	2. Pollutant(s):  [ ] Rule	[	] Other
<ol> <li>3.</li> <li>4.</li> <li>5.</li> </ol>	Parameter Code:  CMS Requirement:  Monitor Information:     Manufacturer:     Model Number:	2. Pollutant(s):  [ ] Rule	[	] Other
<ol> <li>3.</li> <li>4.</li> <li>5.</li> <li>6.</li> </ol>	Parameter Code:  CMS Requirement:  Monitor Information:     Manufacturer:     Model Number:  Installation Date:	2. Pollutant(s):  [ ] Rule  Serial	[	] Other
<ol> <li>3.</li> <li>4.</li> <li>5.</li> <li>6.</li> </ol>	Parameter Code:  CMS Requirement:  Monitor Information:     Manufacturer:     Model Number:  Installation Date:  Performance Specification Test Date:	2. Pollutant(s):  [ ] Rule  Serial	[	] Other
<ol> <li>3.</li> <li>4.</li> <li>5.</li> <li>6.</li> </ol>	Parameter Code:  CMS Requirement:  Monitor Information:     Manufacturer:     Model Number:  Installation Date:  Performance Specification Test Date:	2. Pollutant(s):  [ ] Rule  Serial	[	] Other
<ol> <li>3.</li> <li>4.</li> <li>5.</li> <li>6.</li> </ol>	Parameter Code:  CMS Requirement:  Monitor Information:     Manufacturer:     Model Number:  Installation Date:  Performance Specification Test Date:	2. Pollutant(s):  [ ] Rule  Serial	[	] Other
<ol> <li>3.</li> <li>4.</li> <li>5.</li> <li>6.</li> </ol>	Parameter Code:  CMS Requirement:  Monitor Information:     Manufacturer:     Model Number:  Installation Date:  Performance Specification Test Date:	2. Pollutant(s):  [ ] Rule  Serial	[	] Other
<ol> <li>3.</li> <li>4.</li> <li>5.</li> <li>6.</li> </ol>	Parameter Code:  CMS Requirement:  Monitor Information:     Manufacturer:     Model Number:  Installation Date:  Performance Specification Test Date:	2. Pollutant(s):  [ ] Rule  Serial	[	] Other

<b>Emissions</b>	<b>Unit Inform</b>	nation Section	2	of	2
------------------	--------------------	----------------	---	----	---

#### K. PREVENTION OF SIGNIFICANT DETERIORATION (PSD) INCREMENT TRACKING INFORMATION

(Regulated and Unregulated Emissions Units)

#### **PSD Increment Consumption Determination**

1. Increment Consuming for Particulate Matter or Sulfur Dioxide? If the emissions unit addressed in this section emits particulate matter or sulfur dioxide, answer the following series of questions to make a preliminary determination as to whether or not the emissions unit consumes PSD increment for particulate matter or sulfur dioxide. Check the first statement, if any, that applies and skip remaining statements. The emissions unit is undergoing PSD review as part of this application, or has undergone PSD review previously, for particulate matter or sulfur dioxide. If so, emissions unit consumes increment. The facility addressed in this application is classified as an EPA major source pursuant to paragraph (c) of the definition of "major source of air pollution" in Chapter 62-213, F.A.C., and the emissions unit addressed in this section commenced (or will commence) construction after January 6, 1975. If so, baseline emissions are zero, and emissions unit consumes increment. The facility addressed in this application is classified as an EPA major source, and the emissions unit began initial operation after January 6, 1975, but before December 27, 1977. If so, baseline emissions are zero, and emissions unit consumes increment.

For any facility, the emissions unit began (or will begin) initial operation after December 27, 1977. If so, baseline emissions are zero, and emissions unit consumes increment.

[X] None of the above apply. If so, the baseline emissions of the emissions unit are nonzero. In such case, additional analysis, beyond the scope of this application, is needed to determine whether changes in emissions have occurred (or will occur) after the baseline date that may consume or expand increment.

En	nissions Unit Information Section	2	_ of _	2	
2.	Increment Consuming for Nitrogen Dioxide?				
	If the emissions unit addressed in this series of questions to make a preliminant consumes PSD increment for nit and skip remaining statements.	inary de	eterminat	ion as to v	whether or not the emissions
	[ ] The emissions unit addressed is application, or has undergone emissions unit consumes increase.	PSD re		_	<del>-</del>
	paragraph (c) of the definition	of "ma addres	jor sourc sed in thi	e of air po s section o	commenced (or will commence)
	[ ] The facility addressed in this application is classified as an EPA major source, and the emissions unit began initial operation after February 8, 1988, but before March 28, 1988. If so, baseline emissions are zero, and emissions unit consumes increment.				
	[ ] For any facility, the emissions unit began (or will begin) initial operation after March 28, 1988. If so, baseline emissions are zero, and emissions unit consumes increment.				
	[X] None of the above apply. If so In such case, additional analysis determine whether changes in date that may consume or expansion	is, beyo emissio	ond the so	cope of thi	
3.	Increment Consuming/Expanding Co	ode:			
	PM [ ] Ĉ	[ ]	E	[X]	Unknown
	SO2 [ ] C	[ ]	E		Unknown
	NO2 [ ] C	[ ]	E	[X]	Unknown
4.	Baseline Emissions:				
	PM .	lb/ho			tons/year
	SO2	lb/ho	ur		tons/year
	NO2				tons/year
5.	PSD Comment (limit to 200 charact	ers):			

DEP Form No. 62-210.900(1) - Form Effective: 3-21-96

Emissions	Unit	<b>Information</b>	Section	2	of	2

# L. EMISSIONS UNIT SUPPLEMENTAL INFORMATION (Regulated Emissions Units Only)

## **Supplemental Requirements for All Applications**

1.	Process Flow Diagram
	[ ] Attached, Document ID: [ ] Not Applicable [X] Waiver Requested
	Previously submitted with initial Title V permit application.
2.	Fuel Analysis or Specification
	[ ] Attached, Document ID: [ ] Not Applicable [X] Waiver Requested
	Previously submitted with initial Title V permit application.
3.	Detailed Description of Control Equipment
	[ ] Attached, Document ID: [ ] Not Applicable [X] Waiver Requested
	Previously submitted with initial Title V permit application.
4.	Description of Stack Sampling Facilities
	[ ] Attached, Document ID:[ ] Not Applicable [X] Waiver Requested
	Previously submitted with initial Title V permit application.
5.	Compliance Test Report
	[ ] Attached, Document ID:
	Previously submitted, Date:
	[X] Not Applicable
	<u> </u>
6.	Procedures for Startup and Shutdown
	[ ] Attached, Document ID:[X] Not Applicable
7.	Operation and Maintenance Plan
	[ ] Attached, Document ID: [X] Not Applicable
8.	Supplemental Information for Construction Permit Application
	[ ] Attached, Document ID: [X] Not Applicable
9.	Other Information Required by Rule or Statute
	[ ] Attached, Document ID: [X] Not Applicable

<b>Emissions Unit Information Section</b>	2	of	2
-------------------------------------------	---	----	---

## Additional Supplemental Requirements for Category I Applications Only N/A

10. Alternative Methods of Operation
[ ] Attached, Document ID:[ ] Not Applicable
11. Alternative Modes of Operation (Emissions Trading)
[ ] Attached, Document ID: [ ] Not Applicable
12. Identification of Additional Applicable Requirements
[ ] Attached, Document ID:[ ] Not Applicable
13. Compliance Assurance Monitoring Plan
[ ] Attached, Document ID: [ ] Not Applicable
14. Acid Rain Application (Hard-copy Required)
[ ] Acid Rain Part - Phase II (Form No. 62-210.900(1)(a)) Attached, Document ID:
[ ] Repowering Extension Plan (Form No. 62-210.900(1)(a)1.) Attached, Document ID:
[ ] New Unit Exemption (Form No. 62-210.900(1)(a)2.) Attached, Document ID:
[ ] Retired Unit Exemption (Form No. 62-210.900(1)(a)3.) Attached, Document ID:
[ ] Not Applicable

## ATTACHMENT A

FRANCIS J. GANNON STATION
SULFUR DIOXIDE REGULATORY COMPLIANCE PLAN

#### **PROPOSED**

TAMPA ELECTRIC COMPANY

FRANCIS J. GANNON STATION

**SULFUR DIOXIDE** 

**REGULATORY COMPLIANCE PLAN** 

October 1998

#### **PROPOSED**

#### FRANCIS J. GANNON STATION

#### **SULFUR DIOXIDE**

#### REGULATORY COMPLIANCE PLAN

#### INTRODUCTION

This compliance plan was initially developed during the mid 1980's to explain how Tampa Electric Company (TEC) would demonstrate that the operation of F.J. Gannon Station would not increase current allowable sulfur dioxide (SO₂) emissions and that the Florida Ambient Air Quality Standards (AAQS) would be protected. The compliance methodology was fuel sampling and analysis.

Pursuant to the Clean Air Act Amendments of 1990, TEC installed continuous emissions monitors (CEMs) on Gannon Units 1-6. These monitors measure several process variables, including SO₂ emissions for verification of compliance with Acid Rain regulations. Based on this use of CEM's, it has become redundant for TEC to verify compliance with SO₂ AAQS via fuel analysis. Therefore, this submittal represents TEC's proposal of how compliance with the SO₂ AAQS at F.J. Gannon Station will be demonstrated through the sole use of CEMs.

# COMPLIANCE WITH EMISSION LIMITS FOR PROTECTION OF FLORIDA AMBIENT AIR QUALITY STANDARDS

The current allowable SO₂ emission rate for individual coal burning units at F.J. Gannon Station is 2.4 pounds per million British Thermal Units (lb/MMBtu) on a weekly average. The current allowable SO₂ emission rate for the entire station is 10.6 tons per hour (tph) on a weekly average, (e.g., 1,780.8 tons/week). Allowable SO₂ emission rates over a 24-hour averaging time are limited by the ambient air impacts predicted with dispersion modeling.

Based on dispersion modeling conducted during the F.J. Gannon Station Title V permitting process, it was determined that the current SO₂ emission rates could contribute to modeled violations of the 24-hour AAQS.

To rectify this, TEC conducted updated dispersion modeling for F.J. Gannon Station to evaluate the potential worst case conditions that will become applicable per F.J. Gannon Station's Phase II Acid Rain Compliance plan. TEC determined that by increasing F.J. Gannon Station Units 5 and 6 stacks to 110 meters and limiting the Station to a SO₂ cap of 276 tons per day, (e.g., 11.5 tph on a 24-hour block average), the Station can demonstrate compliance with the air dispersion modeling.

As such, Tampa Electric Company is proposing the incorporation of an additional allowable SO₂ emission limitation for the entire station of 276 tons per day. TEC would still maintain compliance with the current allowable SO₂ emission rates of 2.4 lb/MMBtu on a weekly average for individual coal burning units; and 10.6 tph on a weekly average.

#### CONTINUOUS EMISSION MONITORING NETWORK AND ALARMS

To demonstrate TEC's compliance with emission limits that are protective of AAQS, data inputs will consist of hourly CEM data from the SO₂, Flow, and CO2 monitors for each of the six units at F.J. Gannon Station.

In the event any monitor fails for 4 hours or less, hourly data from the failed monitor(s) will be discarded and excluded from the Station's daily or weekly averages.

In the event any monitor fails for more than 4 hours up through 24 hours, TEC will incorporate Method of Determination Code (MODC) 6 pursuant to 40 CFR 75, Subpart D - The Missing Data Substitution Procedure. In general, this procedure allows for use of average hourly data from the hours before and after the outage.

In the event any monitor fails for more than 24 hours, TEC will incorporate MODC 11 pursuant to 40 CFR 75, Subpart D - The Missing Data Substitution Procedure. In general, this procedure allows for use of average hourly data from corresponding load ranges within the reporting quarter.

#### **COMPLIANCE PLAN VERIFICATION**

The CEMs at F.J. Gannon Station are subject to the quality assurance requirements of 40 CFR 70. Therefore, an examination of weekly and/or daily CEMs data will allow a straightforward evaluation of compliance with allowable SO₂ emission rates.

#### **COMPLIANCE REPORTING**

- Frequency Reporting of compliance status shall be performed on a quarterly calendar basis. Reports will be due no later than 45 days following the last day of the reporting quarter.
- 2. <u>Content</u> Quarterly reports will consist of:
  - Weekly average SO₂ emissions rate per unit in lb/MMBtu;
  - Weekly average SO₂ emissions for the station in tons per hour; and
  - Daily average SO₂ emissions for the station in tons per day.

ATTACHMENT B
STACK DRAWINGS



