

Harvey, Mary

From: Harvey, Mary
Sent: Friday, September 14, 2007 3:08 PM
To: 'Gary E. Willer, ICLP:'; 'Nick Laryea, ICLP:'; Hoefert, Lee; 'David A. Buff:'; 'Katy Forney, EPA Region 4:'; 'James Little, EPA Region 4:'
Cc: Cascio, Tom; Adams, Patty; Gibson, Victoria
Subject: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL
Attachments: 0850102.012.AC.F_pdf.zip

Tracking:	Recipient	Delivery	Read
	✓ 'Gary E. Willer, ICLP:'		
	✓ 'Nick Laryea, ICLP:'		
	✓ Hoefert, Lee	Delivered: 9/14/2007 3:08 PM	Read: 9/14/2007 3:09 PM
	✓ 'David A. Buff:'		
	✓ 'Katy Forney, EPA Region 4:'		
	✓ 'James Little, EPA Region 4:'		
	✓ Cascio, Tom		Read: 9/14/2007 3:08 PM
	Adams, Patty		
	✓ Gibson, Victoria		Read: 9/14/2007 3:08 PM

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site:
<http://www.adobe.com/products/acrobat/readstep.html>.

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

Thank you,

DEP, Bureau of Air Regulation

9/14/2007

Harvey, Mary

From: Willer, Gary [GaryWiller@Cogentrix.com]
Sent: Friday, September 14, 2007 4:07 PM
To: Harvey, Mary
Subject: RE: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Gary E. Willer
General Manager
Indiantown Cogeneration L.P.
(772) 597-6500 Ext.25
Fax (772) 597-6210
garywiller@kogentrix.com

-----Original Message-----

From: Harvey, Mary [mailto:Mary.Harvey@dep.state.fl.us]
Sent: Friday, September 14, 2007 3:08 PM
To: Willer, Gary; Laryea, Nicholas; Hoefert, Lee; David A. Buff.; Katy Forney, EPA Region 4.; James Little, EPA Region 4:
Cc: Cascio, Tom; Adams, Patty; Gibson, Victoria
Subject: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site:
<http://www.adobe.com/products/acrobat/readstep.html>.

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

Thank you,

DEP, Bureau of Air Regulation

9/14/2007

Harvey, Mary

From: Forney.Kathleen@epamail.epa.gov
Sent: Friday, September 14, 2007 3:15 PM
To: Harvey, Mary
Cc: little.james@epamail.epa.gov
Subject: Re: FW: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Thanks we got this.
Katy

Katy R. Forney
Air Permits Section
EPA - Region 4
61 Forsyth St., SW
Atlanta, GA 30024

Phone: 404-562-9130
Fax: 404-562-9019

"Harvey, Mary"
<Mary.Harvey@dep
.state.fl.us>

09/14/2007 03:08
PM

To
Kathleen Forney/R4/USEPA/US@EPA,
James Little/R4/USEPA/US@EPA

cc

Subject
FW: INDIANTOWN COGENERATION -
FACILITY #0850102-012-AC-FINAL

From: Harvey, Mary
Sent: Friday, September 14, 2007 3:08 PM
To: 'Gary E. Willer, ICLP: '; 'Nick Laryea, ICLP: '; Hoefert, Lee; 'David A. Buff: '; 'Katy Forney, EPA Region 4: '; 'James Little, EPA Region 4: '
Cc: Cascio, Tom; Adams, Patty; Gibson, Victoria
Subject: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open

Harvey, Mary

From: Willer, Gary [GaryWiller@Cogentrix.com]
To: Harvey, Mary
Sent: Friday, September 14, 2007 3:13 PM
Subject: Read: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Your message

To: GaryWiller@Cogentrix.com
Subject:

was read on 9/14/2007 3:13 PM.

Harvey, Mary

From: Cascio, Tom
To: Harvey, Mary
Sent: Friday, September 14, 2007 3:08 PM
Subject: Read: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Your message

To: 'Gary E. Willer, ICLP:>'; 'Nick Laryea, ICLP:>'; Hoefert, Lee; 'David A. Buff:>'; 'Katy Forney, EPA Region 4:>'; 'James Little, EPA Region 4:.'
Cc: Cascio, Tom; Adams, Patty; Gibson, Victoria
Subject: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL
Sent: 9/14/2007 3:08 PM

was read on 9/14/2007 3:08 PM.

Harvey, Mary

From: Gibson, Victoria
To: Harvey, Mary
Sent: Friday, September 14, 2007 3:08 PM
Subject: Read: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Your message

To: 'Gary E. Willer, ICLP:>'; 'Nick Laryea, ICLP:>'; Hoefert, Lee; 'David A. Buff:>'; 'Katy Forney, EPA Region 4:>'; 'James Little, EPA Region 4:.'
Cc: Cascio, Tom; Adams, Patty; Gibson, Victoria
Subject: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL
Sent: 9/14/2007 3:08 PM

was read on 9/14/2007 3:08 PM.

Harvey, Mary

From: Hoefert, Lee
To: Harvey, Mary
Sent: Friday, September 14, 2007 3:09 PM
Subject: Read: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Your message

To: 'Gary E. Willer, ICLP:>'; 'Nick Laryea, ICLP:>'; Hoefert, Lee; 'David A. Buff:>'; 'Katy Forney, EPA Region 4:>'; 'James Little, EPA Region 4:'
Cc: Cascio, Tom; Adams, Patty; Gibson, Victoria
Subject: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL
Sent: 9/14/2007 3:08 PM

was read on 9/14/2007 3:09 PM.

Harvey, Mary

From: Hoefert, Lee
Sent: Friday, September 14, 2007 3:10 PM
To: Harvey, Mary
Subject: RE: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Lee C. Hoefert, P.E.
Air Program Administrator
Florida Department of Environmental Protection
Southeast District
400 N. Congress Ave., Suite 200
West Palm Beach, FL 33401
561-681-6626(Phone), 561-681-6790(Fax)

From: Harvey, Mary
Sent: Friday, September 14, 2007 3:08 PM
To: 'Gary E. Willer, ICLP:>'; 'Nick Laryea, ICLP:>'; Hoefert, Lee; 'David A. Buff:>'; 'Katy Forney, EPA Region 4:>'; 'James Little, EPA Region 4:'
Cc: Cascio, Tom; Adams, Patty; Gibson, Victoria
Subject: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site:
<http://www.adobe.com/products/acrobat/readstep.html>.

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

Thank you,

DEP, Bureau of Air Regulation

9/14/2007

Harvey, Mary

From: Buff, Dave [DBuff@GOLDER.com]
To: undisclosed-recipients
Sent: Friday, September 14, 2007 4:33 PM
Subject: Read: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Your message .

To: DBuff@GOLDER.com
Subject:

was read on 9/14/2007 4:33 PM.

Harvey, Mary

From: Laryea, Nicholas [NicholasLaryea@cogentrix.com]
To: Harvey, Mary
Sent: Friday, September 14, 2007 10:53 PM
Subject: Read: INDIANTOWN COGENERATION - FACILITY #0850102-012-AC-FINAL

Your message

To: NicholasLaryea@Cogentrix.com
Subject:

was read on 9/14/2007 10:53 PM.

MEMORANDUM

To: Joseph Kahn

From: *coj* Trina L. Vielhauer

Subject: Indiantown Cogeneration Plant
Air Construction Permit No. 0850102-012-AC

Date: September 14, 2007

Attached is the final air construction permit for the subject facility. This permit revises the language of one specific condition of the Prevention of Significant Deterioration (PSD) air construction permit No. PSD-FL-168. Changes in coal supplier logistics have mandated that the facility no longer treat the two coal piles as "active" (located in a building) and "inactive" (located outside), respectively, – both now are considered as having active status. Previously, the inactive coal pile was routinely covered. This practice is required by the facility's PSD air construction permit. This change has prompted the facility's management to request an air construction permit to remove the requirement to routinely cover the outside coal pile. Implementing this change will have no effect on particulate matter (PM) or any other air pollution emissions.

The Department distributed an "Intent to Issue Permit" package on August 20, 2007. The applicant published the "Public Notice of Intent to Issue" in the Stuart News on August 29, 2007. No petitions for administrative hearings or extensions of time to petition for an administrative hearing were filed. No comments were received from the applicant, EPA Region 4, or the public at large on the Intent to Issue the Air Construction Permit package.

I recommend your signature.



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

September 14, 2007

Electronically Sent – Received Receipt Requested.

Mr. Gary E. Willer, General Manager: GaryWiller@Cogentrix.com
Indiantown Cogeneration, L.P.
P.O. Box 1799
13303 SW Silver Fox Lane
Indiantown, Florida 34956

Re: DEP File No. 0850102-012-AC
Indiantown Cogeneration Plant
Coal Pile Operation

Dear Mr. Willer:

The Florida Department of Environmental Protection has reviewed your application to make a minor modification to the Prevention of Significant Deterioration (PSD) air construction permit No. PSD-FL-168. This air construction permit (0850102-012-AC) revises the language of one specific condition of the previously issued permit. Changes in coal supplier logistics have mandated that the facility no longer treat the two coal piles as “active” (located in a building) and “inactive” (located outside), respectively, – both now are considered as having active status. Previously, the inactive coal pile was routinely covered. This practice is required by the facility’s PSD air construction permit. This change has prompted the facility’s management to request an air construction permit to remove the requirement to routinely cover the outside coal pile. Implementing this change will have no effect on particulate matter (PM) or any other air pollution emissions.

MODIFICATION OF AIR CONSTRUCTION PERMIT NO. PSD-FL-168

One specific condition in Air Construction Permit No. PSD-FL-168 is hereby modified as shown below.

Double-underline denotes additions and strikethrough (~~strikethrough~~) indicates deletions.

Sentence three in Specific Condition **10**. is modified as follows:

~~Inactive~~ Outdoor coal storage piles shall be shaped, compacted, and oriented to minimize wind erosion; ~~and covered.~~

A copy of this letter shall be filed with the referenced permit and shall become part of the permit. Any party to this permitting decision (order) has the right to seek judicial review of it under Section 120.68 of the Florida Statutes, by filing a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure with the clerk of the Department of Environmental Protection in the Office of General Counsel, Mail Station #35, 3900 Commonwealth Boulevard, Tallahassee, Florida, 32399-3000, and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The notice must be filed within thirty days after this order is filed with the clerk of the Department.

FINAL DETERMINATION

PERMITTEE

Indiantown Cogeneration, L.P.
P.O. Box 1799
13303 SW Silver Fox Lane
Indiantown, Florida 34956

PERMITTING AUTHORITY

Florida Department of Environmental Protection
Division of Air Resource Management
Bureau of Air Regulation, Permitting South Section
2600 Blair Stone Road, MS 5505
Tallahassee, Florida 32399-2400

PROJECT

Air Permit No. 0850102-012-AC

Indiantown Cogeneration Plant

This air construction permit revises the language of one specific condition of the Prevention of Significant Deterioration (PSD) air construction permit No. PSD-FL-168. Changes in coal supplier logistics have mandated that the facility no longer treat the two coal piles as "active" (located in a building) and "inactive" (located outside), respectively, – both now are considered as having active status. Previously, the inactive coal pile was routinely covered. This practice is required by the facility's PSD air construction permit. This change has prompted the facility's management to request an air construction permit to remove the requirement to routinely cover the outside coal pile. Implementing this change will have no effect on particulate matter (PM) or any other air pollution emissions.

NOTICE AND PUBLICATION

The Department distributed an "Intent to Issue Permit" package on August 20, 2007. The applicant published the "Public Notice of Intent to Issue" in the Stuart News on August 29, 2007. No petitions for administrative hearings or extensions of time to petition for an administrative hearing were filed. No comments were received from the applicant, EPA Region 4, or the public at large on the Intent to Issue the Air Construction Permit package.

CONCLUSION

The final action of the Department is to issue the air construction permit with no changes.

Executed in Tallahassee, Florida.




Joseph Kahn, Director
Division of Air Resource Management

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this air construction permit modification was sent electronically (with Received Receipt) before the close of business on 9/14/07 to the person(s) listed below:

Gary E. Willer, ICLP: GaryWiller@Cogentrix.com
Nick Laryea, ICLP: NicholasLaryea@Cogentrix.com
Lee Hoefert, P.E., Southeast District Office: lee.hoefert@dep.state.fl.us
David A. Buff: dbuff@golder.com
Katy Forney, EPA Region 4: forney.kathleen@epa.gov
James Little, EPA Region 4: little.james@epa.gov

Clerk Stamp
FILING AND ACKNOWLEDGMENT FILED,
on this date, pursuant to §120.52, Florida Statutes,
with the designated Department Clerk, receipt of
which is hereby acknowledged.


(Clerk) 9/14/07
(Date)