

Post-It™ brand fax transmittal memo 7671 # of pages ►	
Co.	From J-Turner
Co.	Co.
Dapt.	Phone #
Fex #	Fex #

nental Regulation

ido, Florida 32803-3767 ● 407-894-7555

John Shearer, Assistant Secretary Alex Alexander, Deputy Assistant Secretary

Permittee: Walt Disney World Company Post Office Box 10,000 Lake Buena Vista, Florida 32830

Attention: Bruce Laval, Director

Studio Tours

I. D. Number:
Permit/Certification
Number: AC48-151504
Date of Issue:

Expiration Date: 12/15/90

County: Orange Latitude/Longitude: "28°21'25"N/81°33'42"W

UTM: 17-443.5 KmE; 3137.7 KmN Project: Studio Craft Paint Spray Booth (WDW21)-Studio Tours

This permit is issued under the provisions of Chapter(s) 403, Florida Statutes. and Florida Administrative Code Rule(s) 17-2. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents attached hereto or on file with the department and made a part hereof and specifically described as follows:

The permittee can construct Studio Craft Paint Spray Booth (WDW 21) which is a Binks Model PFF-8-7-T-LH equipped with Andreae Paint Arrestors to control Particulate Matter (PM) emissions.

This source is located at the Studio Tours Craft Shop at World Drive, Disney Center. Orange County, Florida.

General Conditions are attached to be distributed to the permittee only.

DER FORM 17-1.201(5) Effective November 30, 1982 Page 1 of 6

Walt Disney World Company

Attention: Bruce Laval, Director

Studio Tours

I. D. Number:

Permit/Certification Number:

AC48-151504 Date of Issue:

Expiration Date: 12/15/90

SPECIFIC CONDITIONS:

No person shall cause, suffer, allow or permit the discharge of air pollutants which cause or contribute to an objectionable odor pursuant to Rule 17-2.620(2) F.A.C. Objectionable odor is defined as any odor present in the outdoor atmosphere which by itself or in combination with other odors, is or may be harmful or injurious to human health or welfare, which unreasonably interferes with the comfortable use and enjoyment of life or property, or which creates a nuisance pursuant to Rule 17-2.100(131) F.A.C. Odor is defined as a sensation resulting from stimulation of the human olfactory organ pursuant to Rule 17-2.100(132) F.A.C.

- 2. There shall be no discharges of liquid effluents or contaminated runoff to surface or ground water without prior approval from this office.
 - 3. All unconfined emissions of particulate matter generated at this site shall be adequately controlled. (Rule 17-2.610(3), F.A.C.) Area must be watered down should unconfined emissions occur.
- 18. 4. This permit does not preclude compliance with any applicable local permitting requirements and regulations.
 - 5. This source is permitted to operate 4160 hours/year.
- 6. The permitted materials and utilization rates are as stated in the application.
- 7. The maximum permitted Volatile Organic Compound (VOC) emission rate is 1.01 tons/year.
- 8. Rule 17-2.620(1)(a)FAC states that no person shall store, pump, handle, process, load, unload or use in any process or installation volatile organic compounds or organic solvents without applying known and existing vapor emission control devices or systems deemed necessary and ordered by the department. To comply, procedures to minimize pollutant emissions should include but shall not be limited to the following:
 - a) tightly cover or close all VOC containers when they are not in use,
 - tightly cover, where possible, all open troughs, basins, baths, tanks, etc. when they are not in use,

Walt Disney World Company

Attention: Bruce Laval, Director

Studio Tours

I. D. Number:

Permit/Certification Number:

AC48-151504 Date of Issue:

Expiration Date: 12/15/90

SPECIFIC CONDITIONS:

 maintain all piping, valves, fittings, etc. in good operating condition.

- d) prevent excessive air turbulence across exposed VOC's,
- e) immediately confine and clean up VOC spills and make sure certain wastes are placed in closed containers for reuse, recycling or proper disposal, and
- maintain a monthly accounting of each VOC based on beginning and ending inventories, deliveries, shipments, etc.
- The visible emissions for this Paint Spray Booth must comply with Rule 17-2.610(2)F.A.C. and the compliance test must be conducted in accordance with Rule 17-2.700(6)(b)9, (DER Method #9) F.A.C.
- 10. The Paint Spray Booth should be properly operated and maintained (Rule 17-2.210(2) F.A.C.). No person shall circumvent any pollution control device or allow the emissions of air pollutants without the applicable air pollution control device operating properly (Rule 17-2.240 F.A.C.).
- NA 11. Visible emissions are not expected to exceed 5 percent opacity from a properly maintained and operated Paint Spray Booth equipped with Paint Arrestors.
 - 12. Each source must be tested in accordance with Department of Environmental Regulation Method 9 within 30 days after being placed in operation.
 - 13. This office (Florida Department of Environmental Regulation, Air Permitting, Orlando) shall be notified at least fifteen (15) days in advance of the compliance tests so that we can witness them (Rule 17-2.700(2)(a)5, F.A.C.).
 - 14. This plant is required to operate within 10 percent of permitted capacity during the compliance tests.
 - 15. The required test report shall be filled with the department as soon as practical but no later than 45 days after the last sampling run of each test is completed (Rule 17-2.700(1)(a).(b) and (c), F.A.C).

PERNITTEE:

Walt Disney World Company

Attention: Bruce_Laval, Director

Studio Tours

I. D. Number:

Permit/Certification Number:

AC48-151504

Date of Issue:

Expiration Date: 12/15/90

SPECIFIC CONDITIONS:

16. Hazardous wastes generated in connection with any of the sources at this facility must be disposed of in accordance with Rule 17-30, F.A.C.

- 17. Air velocity at the Paint Booth Filter Face shall not exceed 250 ft/min.
- 18. Emissions within the building are not subject to regulation by this department, but for safety and health reasons, OSHA standards should be observed. Toluene emissions from the building should not cause ambient air concentrations to exceed the Acceptable Ambient Concentration (AAC) at ground level of 3.75 mg/m³, based on 80 hours/week of operation.
- 19. The construction shall reasonably conform to the plans and schedule submitted in the application. If the permittee is unable to complete construction on schedule, he must notify the Department in writing 60 days prior to the expiration of the construction permit and submit a new request for an extension of the construction permit. (Rule 17-4.09 Florida Administrative Code).

To obtain a permit, the permittee must demonstrate compliance with the conditions of the construction permit and submit the application fee, along with compliance test results and Certification of Completion of Construction to the Department's Central Florida District office 60 days prior to the expiration date of the construction permit.

This permit will expire December 15, 1990 or six months after construction is completed and the source is placed in operation, whichever date occurs first.

ISSUED December 20, 1988

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL REGULATION

CA. Alexander

Deputy Assistant Secretary

3319 Maguire Bouleyard

Suite 232

Orlando, Florida 32803

(407) 894-7555

DER FORM 17-1.207(5) Effective November 30, 1982 Page 6 of 6



Florida Department of Environmental Regulation

Central District ● 3319 Maguire Boulevard, Suite 232 ● Orlando, Florida 32803-3767 ● 407-894-7555

Bob Martinez, Governor

Dale Twachtmann, Secretary

John Shearer, Assistant Secretary Alex Alexander, Deputy Assistant Secretary

Permittee:

Walt Disney World Company Post Office Box 10,000 Lake Buena Vista, Florida 32830

Attention: Bruce Laval, Director

Studio Tours

I. D. Number:

Permit/Certification Number: A048-172592

Date of Issue:

Expiration Date: 12/30/94

County: Orange Latitude/Longitude: 28°21'25"N/81°33'42"W

UTM: 17-443.5 KmE; 3137.7 KmN
Project: Studio Craft Paint
Spray Booth (WDW21)-Studio Tours

This permit is issued under the provisions of Chapter(s) 403, Florida Statutes, and Florida Administrative Code Rule(s) 17-2. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents attached hereto or on file with the department and made a part hereof and specifically described as follows:

The permittee can operate Studio Craft Paint Spray Booth (WDW 21) which is a Binks Model PFF-8-7-T-LH equipped with Andreae Paint Arrestors to control Particulate Matter (PM) emissions.

This source is located at the Studio Tours Craft Shop at World Drive, Disney Center, Orange County, Florida.

General Conditions are attached to be distributed to the permittee only.

Walt Disney World Company

Attention: Bruce Laval, Director

I. D. Number:
Permit/Certification Number:
A048-172592
Date of Issue:

Studio Tours Expiration Date: 12/30/94

SPECIFIC CONDITIONS:

1. No objectionable odors will be allowed, as per Rule 17-2.620(2), F.A.C.

- 2. There shall be no discharges of liquid effluents or contaminated runoff to surface or ground water without prior approval from this office.
- 3. All unconfined emissions of particulate matter generated at this site shall be adequately controlled. (Rule 17-2.610(3), F.A.C.) Area must be watered down should unconfined emissions occur.
- 4. This permit does not preclude compliance with any applicable local permitting requirements and regulations.
- 5. This source is permitted to operate 4160 hours/year.
- 6. The permitted materials and utilization rates are as stated in the application.
- 7. The maximum permitted Volatile Organic Compound (VOC) emission rate is 1.01 tons/year.
- 8. Rule 17-2.620(1)(a)FAC states that no person shall store, pump, handle, process, load, unload or use in any process or installation volatile organic compounds or organic solvents without applying known and existing vapor emission control devices or systems deemed necessary and ordered by the department. To comply, procedures to minimize pollutant emissions should include but shall not be limited to the following:
 - a) tightly cover or close all VOC containers when they are not in use,
 - b) tightly cover, where possible, all open troughs, basins, baths, tanks, etc. when they are not in use,
 - maintain all piping, valves, fittings, etc. in good operating condition,
 - d) prevent excessive air turbulence across exposed VDC's,
 - e) immediately confine and clean up VOC spills and make sure certain wastes are placed in closed containers for reuse, recycling or proper disposal, and
 - f) maintain a monthly accounting of each VOC based on beginning and ending inventories, deliveries, shipments, etc.

Walt Disney World Company

Attention: Bruce Laval, Director

Studio Tours

I. D. Number:

Permit/Certification Number:

A048-172592

Date of Issue:

Expiration Date: 12/30/94

SPECIFIC CONDITIONS:

9. The visible emissions for this Paint Spray Booth must comply with Rule 17-2.610(2)F.A.C. and the compliance test must be conducted in accordance with Rule 17-2.700(6)(b)9, (DER Method #9) F.A.C.

- 10. The Paint Spray Booth must be properly operated and maintained (Rule 17-2.210(2) F.A.C.). No person shall circumvent any pollution control device or allow the emissions of air pollutants without the applicable air pollution control device operating properly (Rule 17-2.240 F.A.C.).
- 11. Visible emissions are not expected to exceed 5 percent opacity from a properly maintained and operated Paint Spray Booth equipped with Paint Arrestors.
- 12. Each source must be tested for visible emissions in accordance with DER Method 9 at leasteninety (90) days prior to permit expiration date.
- 13. This office (Florida Department of Environmental Regulation, Air Permitting, Orlando) shall be notified at least fifteen (15) days in advance of the compliance tests so that we can witness them (Rule 17-2.700(2)(a)5, F.A.C.).
- 14. This plant is required to operate within 90 to 100 percent of permitted capacity during the compliance tests.
- 15. The required test report shall be filed with the department as soon as practical but no later than 45 days after the last sampling run of each test is completed (Rule 17-2.700(7)(a),(b) and (c), F.A.C).
- 16. Hazardous wastes generated in connection with any of the sources at this facility must be disposed of in accordance with Rule 17-30, P.A.C.
- 17. Air velocity at the Paint Booth Filter Face shall not exceed 250 ft/min.
- 18. Emissions within the building are not subject to regulation by this department, but for safety and health reasons, OSHA standards should be observed. Toluene emissions from the building shall not cause ambient air concentrations to exceed the Acceptable Ambient Concentration (AAC) at ground level of 3.75 mg/m³, based on 80 hours/week of operation.
- 19. Each calendar year on or before March 1, submit for each source, an Annual Operations Report DER Form 17-1.202(6) for the preceding calendar year in accordance with Rule 17-4.14, F.A.C.

Walt Disney World Company

Attention: Bruce Laval, Director

Studio Tours

I. D. Number:

Permit/Certification Number:

3000

A048-172592

Expiration Date: 12/30/94

SPECIFIC CONDITIONS:

20. An operation permit renewal must be submitted at least 60 days prior to the expiration date of this permit (Rule 17-4.09, F.A.C.).

ISSUED

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL REGULATION

۸۰

A. Alexander

Deputy Assistant Secretary
3319 Maguire Boulevard

Suite 232

Orlando, Florida 32803

(407) 894-7555



Florida Department of Environmental Regulation

Central District ● 3319 Maguire Boulevard, Suite 232 ● Orlando, Florida 32803-3767 ● 407-894-7555

Bob Martinez, Governor

Dale Twachtmann, Secretary

John Shearer, Assistant Secretary Alex Alexander, Deputy Assistant Secretary

Permittee:

Walt Disney World Company Post Office Box 10,000 Lake Buena Vista, Florida 32830

Attention: Bruce Laval, Director

Studio Tours

I. D. Number:
Permit/Certification
Number: AO48-172592
Date of Issue:

Expiration Date: 12/30/94

County: Orange Latitude/Longitude: 28°21'25"N/81°33'42"W

UTM: 17-443.5 KmE; 3137.7 KmN Project: Studio Craft Paint Spray Booth (WDW21)-Studio Tours

This permit is issued under the provisions of Chapter(s) 403, Florida Statutes, and Florida Administrative Code Rule(s) 17-2. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents attached hereto or on file with the department and made a part hereof and specifically described as follows:

The permittee can operate Studio Craft Paint Spray Booth (WDW 21) which is a Binks Model PFF-8-7-T-LH equipped with Andreae Paint Arrestors to control Particulate Matter (PM) emissions.

This source is located at the Studio Tours Craft Shop at World Drive, Disney Center, Orange County, Florida.

General Conditions are attached to be distributed to the permittee only.

Walt Disney World Company

Attention: Bruce Laval, Director

Studio Tours

I. D. Number:

Permit/Certification Number:

AO48-172592

Date of Issue:

Expiration Date: 12/30/94

SPECIFIC CONDITIONS:

1. No objectionable odors will be allowed, as per Rule 17-2.620(2), F.A.C.

- 2. There shall be no discharges of liquid effluents or contaminated runoff to surface or ground water without prior approval from this office.
- 3. All unconfined emissions of particulate matter generated at this site shall be adequately controlled. (Rule 17-2.610(3), F.A.C.) Area must be watered down should unconfined emissions occur.
- 4. This permit does not preclude compliance with any applicable local permitting requirements and regulations.
- 5. This source is permitted to operate 4160 hours/year.
- 6. The permitted materials and utilization rates are as stated in the application.
- 7. The maximum permitted Volatile Organic Compound (VOC) emission rate is 1.01 tons/year.
- 8. Rule 17-2.620(1)(a)FAC states that no person shall store, pump, handle, process, load, unload or use in any process or installation volatile organic compounds or organic solvents without applying known and existing vapor emission control devices or systems deemed necessary and ordered by the department. To comply, procedures to minimize pollutant emissions should include but shall not be limited to the following:
 - a) tightly cover or close all VOC containers when they are not in use,
 - b) tightly cover, where possible, all open troughs, basins, baths, tanks, etc. when they are not in use,
 - c) maintain all piping, valves, fittings, etc. in good operating condition,
 - d) prevent excessive air turbulence across exposed VOC's,
 - e) immediately confine and clean up VOC spills and make sure certain wastes are placed in closed containers for reuse, recycling or proper disposal, and
 - f) maintain a monthly accounting of each VOC based on beginning and ending inventories, deliveries, shipments, etc.

Caval, Director

I. D. Number:
Permit/Certification Number:
A048-172592
Date of Issue:
Expiration Date: 12/30/94

CONDITIONS:

the visible emissions for this Paint Spray Booth must comply with Rule 17-2.610(2)F.A.C. and the compliance test must be conducted in accordance with Rule 17-2.700(6)(b)9, (DER Method #9) F.A.C.

- The Paint Spray Booth must be properly operated and maintained (Rule 17-2.210(2) F.A.C.). No person shall circumvent any pollution control device or allow the emissions of air pollutants without the applicable air pollution control device operating properly (Rule 17-2.240 F.A.C.).
- 11. Visible emissions are not expected to exceed 5 percent opacity from a properly maintained and operated Paint Spray Booth equipped with Paint Arrestors.
- 12. Each source must be tested for visible emissions in accordance with DER Method 9 at least ninety (90) days prior to permit expiration date.
- 13. This office (Florida Department of Environmental Regulation, Air Permitting, Orlando) shall be notified at least fifteen (15) days in advance of the compliance tests so that we can witness them (Rule 17-2.700(2)(a)5, F.A.C.).
- 14. This plant is required to operate within 90 to 100 percent of permitted capacity during the compliance tests.
- 15. The required test report shall be filed with the department as soon as practical but no later than 45 days after the last sampling run of each test is completed (Rule 17-2.700(7)(a),(b) and (c), F.A.C).
- 16. Hazardous wastes generated in connection with any of the sources at this facility must be disposed of in accordance with Rule 17-30, F.A.C.
- 17. Air velocity at the Paint Booth Filter Face shall not exceed 250 ft/min.
- 18. Emissions within the building are not subject to regulation by this department, but for safety and health reasons, OSHA standards should be observed. Toluene emissions from the building shall not cause ambient air concentrations to exceed the Acceptable Ambient Concentration (AAC) at ground level of 3.75 mg/m³, based on 80 hours/week of operation.
- 19. Each calendar year on or before March 1, submit for each source, an Annual Operations Report DER Form 17-1.202(6) for the preceding calendar year in accordance with Rule 17-4.14, F.A.C.

BEST AVAILABLE COPY

ERMITTEE:

3178

10101010 2 410(2)

olding.

o ason

od 2 62

16 J. 16 J. 16 W. 18 W.

e debit

477.6 Stud and where SHALL THE tovel

ERMITTEE:

tention: Bruce Laval, Director

Studio Tours

I. D. Number:

Permit/Certification Number:

A048-172592

Date of Issue:

Expiration Date: 12/30/94

ECIFIC CONDITIONS:

An operation permit renewal must be submitted at least 60 days prior to the expiration date of this permit (Rule 17-4.09, F.A.C.).

ISSUED /2-15-49

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL REGULATION

cm c

A. Alexander

Deputy Assistant Secretary 3319 Maguire Boulevard

Suite 232

Orlando, Florida 32803 (407) 894-7555