



Department of Environmental Protection

FILE

Jeb Bush
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

May 20, 2004

CERTIFIED MAIL

Mr. M. A. Daigle, Vice President
IMC Phosphates Company
PO Box 2000
Mulberry, FL 33860

Re: Title V Permit Renewal Project 1050059-045-AV
IMC Phosphates Company - New Wales Plant

Dear Mr. Daigle:

On April 22, 2004 the Department received your additional information for the renewal of the Title V permit for the IMC Phosphates Company New Wales Plant. The application is still incomplete. Specifically, the following information remains outstanding:

For each pollutant at each emissions unit that is subject to CAM, provide the test date, allowable operating capacity, operating capacity during the test, percentage of allowable operating capacity during the test, tested emissions rate, allowable emissions rate, percentage of allowable emissions rate measured during the test, maximum and minimum scrubber flow rates, maximum and minimum pressure drops across the scrubber(s). If the control device is a baghouse, provide the maximum and minimum pressure drop across the baghouse that assures compliance and is protective of the bags.

A minimum of five test results must be submitted for each emission unit's pollutant(s) in order to determine and justify the chosen indicator ranges.

The following units are subject to CAM for the pollutants specified and will need to provide the information requested above:

- 009 DAP #1 for PM
- 045 DAP II East for SO₂ and PM
- 046 DAP II West for SO₂ and PM
- 047 DAP II West Cooler for PM (baghouse)
- 056 DAP II East Cooler for PM
- 078 GMAP for PM
- 011 MAP Prill for PM
- 027 Animal feed granulation plant for PM
- 036 Multifos A & B Kilns, dryer and blending for PM and F
- 055 MAP Cooler for PM

"More Protection, Less Process"

Printed on recycled paper.

Mr. M. A. Daigle
May 20, 2004
Page 2 of 2

As a reminder, rule 62-4.050(3), F.A.C. requires that all applications for a Department permit must be certified by a professional engineer registered in the State of Florida. This requirement also applies to responses to Department requests for additional information of an engineering nature.

Please submit all requested information as soon as possible to me at FDEP Bureau of Air Regulation, MS 5505, 2600 Blair Stone Road, Tallahassee, FL 32399-2400. If you have any questions regarding this request for additional information, please contact me at Cindy.Phillips@dep.state.fl.us or (850) 921-9534. To discuss the specific CAM requirements, please contact Mr. Jonathan Holtom at (850)921-9531 or Jonathan.Holtom@dep.state.fl.us.

Sincerely,



Cindy L. Phillips, P.E.
Bureau of Air Regulation

cc: Jason Waters, FDEP-SWD
Jonathan Holtom, FDEP - DARM
Pradeep Raval, Consultant, Koogler and Associates
John B. Koogler, PhD., P.E., Koogler and Associates

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

8598
 7000
 1670
 0013
 3100
 8598

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark
Here

Sent To
Mr. M.A. Daigle, Vice President
 Street, Apt. No. or PO Box No.
Post Office Box 2000
 City, State, ZIP+4
Mulberry, Florida 33860

PS Form 3800, May 2000

See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:
Mr. M.A. Daigle, Vice President
IMC Phosphate Company
Post Office Box 2000
Mulberry, Florida 33860

2. Article Number
 (Transfer from service label)

7000 1670 0013 3100 8598

PS Form 3811, August 20...

Domestic Return Receipt

102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature
 Agent
 Addressee

B. Received by (Printed Name)
Sharon L. Mc...

C. Date of Delivery
5-22-04

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

UNITED STATES POSTAL SERVICE

RECEIVED

First-Class Mail:
 Postage & Fees Paid
 USPS
 Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

BUREAU OF AIR REGULATION
 Dept. of Environmental Protection
 Division of Air Resources Mgt.
 Bureau of Air Regulation, NSR
 2600 Blair Stone Rd., MS 5505
 Tallahassee, FL 32399-2400