

Florida Department of
Environmental Protection

Memorandum

TO: Joseph Kahn
THRU: Trina Vielhauer *TV*
Jeff Koerner *JK*
FROM: Syed Arif *Syed Arif 114*
DATE: January 4, 2007
SUBJECT: Mosaic Fertilizer, LLC, Riverview Facility
DEP File No. 0570008-053-AC; PSD-FL-315G

1/9/07

Attached for your approval and signature is the permit modification for Mosaic's phosphate fertilizer manufacturing facility located in Riverview, Hillsborough County.

In November 2001, we approved an expansion of the Mosaic Riverside Facility including the manufacture of sulfuric acid, phosphoric acid, diammonium phosphate (DAP), granulated triple super phosphate, and animal feed ingredients (AFI). The expansion was reviewed under the PSD rules and BACT determinations were made for each of the emissions units constructed or modified.

Additional modifications were done to the AFI plants in 2002 and 2004 in order to achieve the permitted production rates. The plants were unable to reach permitted capacity after those modifications. This modification of replacing the defluorination scrubber fan with a 200 horsepower motor would allow the plants to achieve permitted production rates.

Overall the controls will be as stringent as the original controls. No increase in allowable production rate or increase in emissions is requested.

The Public Notice was published on December 18, 2006 in the Tampa Tribune. No comments were received from the applicant, the public, EPA Region IV, or the National Park Service.

We recommend your approval and signature.

JK/sa

Attachments



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary - Designee

Mosaic Fertilizer, LLC
8813 U.S. Highway 41 South
Riverview, Florida 33569

File No.	0570008-053-AC
Permit No.	PSD-FL-315G
SIC No.	2874
Project:	Upgrade of Defluorination Scrubber Fan Motor
Expires:	December 31, 2007

Authorized Representative:

Mr. David Jellerson
Environmental Manager

PROJECT AND LOCATION:

Permit to upgrade the fan to a 200 horsepower motor for the Defluorination Scrubber of the Animal Feed Ingredient Plant (AFI) No. 1 and AFI Plant No. 2.

The project is located at the Mosaic Fertilizer facility, 8813 US Highway 41 South, Riverview, Hillsborough County.

UTM coordinates are Zone 17; 362.9 km E; 3082.5 km N.

STATEMENT OF BASIS:

This construction permit is issued under the provisions of Chapter 403 of the Florida Statutes (F.S.), and Chapters 62-4, 62-204, 62-210, 62-212, 62-296, and 62-297 of the Florida Administrative Code (F.A.C.). The above named permittee is authorized to modify the facility in accordance with the conditions of this permit and as described in the application, approved drawings, plans, and other documents on file with the Department of Environmental Protection (Department).

ATTACHMENTS MADE A PART OF THIS PERMIT:

Appendix GC Construction Permit General Conditions



Joseph Kahn, Director
Division of Air Resource Management

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
NOTICE OF FINAL AIR CONSTRUCTION PERMIT MODIFICATION

In the Matter of an
Application for Permit Modification


Mr. David Jellerson
Mosaic Fertilizer, LLC
8813 U.S. Highway 41 South
Riverview, Florida 33569

Permit: 0570008-053-AC; PSD-FL-315G

Enclosed is the FINAL Air Construction Permit Modification which allows the upgrade of the defluorination scrubber fan motor to 200 horsepower at the Animal Feed Ingredient Plants in Riverview, Hillsborough County. This permit is issued pursuant to Chapter 403, Florida Statutes and 62-4 through 297, F.A.C and 40 CFR 52.21 - Prevention of Significant Deterioration(PSD).

Any party to this order (permit) has the right to seek judicial review of the permit pursuant to Section 120.68, F.S., by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Legal Office; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 (thirty) days from the date this Notice is filed with the Clerk of the Department.

Executed in Tallahassee, Florida.



Trina L. Vielhauer, Chief
Bureau of Air Regulation


CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this NOTICE OF FINAL AIR CONSTRUCTION PERMIT MODIFICATION (including the FINAL permit) and all copies were sent electronically (with Received Receipt) before the close of business on 1/9/07 to the person(s) listed:

David Jellerson, Mosaic Fertilizer, LLC (David.Jellerson@mosaicco.com)
Jeff Stewart, Mosaic Fertilizer, LLC (jeff.stewart@mosaicco.com)
Gregg Worley, EPA (Worley.gregg@epa.gov)
Dee Morse, NPS (dee_morse@nps.gov)
Mara Nasca, DEP-SWD (mara.nasca@dep.state.fl.us)
Diana Lee, HCEPC (lee@epchc.org)
Scott McCann, Golder Associates, Inc. (smccann@golder.com)

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to §120.52, Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

 1/9/07
(Clerk) (Date)

FINAL DETERMINATION

Mosaic Fertilizer, LLC

Riverview Animal Feed Ingredient Plants 1 and 2

DEP File No. 0570008-053-AC, PSD-FL-315G

An Intent to Issue Air Construction Permit Modification for Mosaic Fertilizer, LLC, Riverview plant, located at 8813 U.S. Highway 41 South, Riverview, Hillsborough County, Florida, was distributed on December 13, 2006. The Public Notice of Intent to Issue Air Construction Permit Modification was published in the Tampa Tribune on December 18, 2006. Copies of the draft construction permit were available for public inspection at the Department offices in Tampa and Tallahassee.

No comments were received from the applicant, the public, EPA Region IV, or the National Park Service.

The final action of the Department is to issue the Air Construction Permit Modification as proposed.

SECTION 1. GENERAL INFORMATION

FACILITY DESCRIPTION

Mosaic Fertilizer, LLC operates a phosphate fertilizer manufacturing facility near Riverview, Hillsborough County, Florida, producing sulfuric acid, wet-process phosphoric acid, ammoniated phosphate fertilizers and related products.

PROJECT DESCRIPTION

The applicant has applied to revise PSD-FL-315 (0570008-036-AC) permit through upgrade of the Defluorination Scrubber for the AFI Plants by replacing the existing 100 horsepower (hp) fan motor with a 200-hp fan motor in order to recapture air flow lost when the venturi was installed in 2005. This change is to allow the AFI Plants to operate closer to currently permitted production rates. There have been a series of modifications (described below) attempting to realize existing permitted capacity. No increases in the permitted emissions are allowed as a result of these changes.

The original Permit that was issued on November 21, 2001 (0570008-036-AC; PSD-FL-315) was to construct/modify: the Molten Sulfur Handling System by increasing the molten sulfur rate, removal of the existing allowable production rate cap for the Nos. 8 and 9 Sulfuric Acid Plants, additional digestion volume associated with the Dorrco Reactor at the Phosphoric Acid Plant, modification of the GTSP Plant, modification of the AFI Plant No. 1, construction of the AFI Plant No. 2, and modification of the No. 5 DAP Plant. This permit has an expiration date of December 1, 2007.

On November 12, 2002, modification to the original permit was issued (0570008-041-AC; PSD-FL-315B) authorizing improvement to the packed cross-flow scrubber of the defluorination system and substituting a venturi scrubber for a baghouse for the material handling system of AFI Plant No. 2. Additionally, a common stack was allowed for the granulation system and the material handling system of AFI Plant No. 2.

On February 4, 2004, modification (0570008-043-AC; PSD-FL315D) was issued authorizing improvements to both AFI Plant No. 1 and AFI Plant No.2.

REGULATORY CLASSIFICATION

Title III: This facility is a major source of hazardous air pollutants (HAPs). This facility is subject to applicable requirements of 40 CFR 63 Subpart AA and Subpart BB.

Title IV: The existing facility has no units subject to the acid rain provisions of the Clean Air Act.

Title V: The existing facility is a Title V major source of air pollution in accordance with Chapter 213, F.A.C.

PSD: The existing facility is a PSD-major source of air pollution in accordance with Rule 62-212.400, F.A.C.

NSPS: The existing facility operates units subject to the New Source Performance Standards of 40 CFR 60.

RELEVANT DOCUMENTS

The permit request and additional information received to make it complete are not a part of this permit; however, the information is listed in the technical evaluation which is issued concurrently with this permit.

SECTION 2. ADMINISTRATIVE REQUIREMENTS

1. Permitting Authority: All documents related to applications for permits regarding construction and operation shall be submitted to the Bureau of Air Regulation of the Florida Department of Environmental Protection (DEP) at 2600 Blair Stone Road (MS #5505), Tallahassee, Florida 32399-2400. Copies of all such documents shall also be sent to the Department's Southwest District Office and the Environmental Protection Commission of Hillsborough County (EPCHC).
2. Compliance Authority: All documents related to compliance activities such as reports, tests, and notifications shall be submitted to EPCHC.
3. Applicable Regulations, Forms and Application Procedures: Unless otherwise indicated in this permit, the construction and operation of the subject emissions unit shall be in accordance with the capacities and specifications stated in the application. The facility is subject to all applicable provisions of: Chapter 403 of the Florida Statutes (F.S.); Chapters 62-4, 62-204, 62-210, 62-212, 62-213, 62-296, and 62-297 of the Florida Administrative Code (F.A.C.); and Title 40, Part 60 of the Code of Federal Regulations (CFR), adopted by reference in Rule 62-204.800, F.A.C. The terms used in this permit have specific meanings as defined in the applicable chapters of the Florida Administrative Code. The permittee shall use the applicable forms listed in Rule 62-210.900, F.A.C. and follow the application procedures in Chapter 62-4, F.A.C. Issuance of this permit does not relieve the permittee from compliance with any applicable federal, state, or local permitting or regulations. [Rules 62-204.800, 62-210.300 and 62-210.900, F.A.C.]
4. New or Additional Conditions: For good cause shown and after notice and an administrative hearing, if requested, the Department may require the permittee to conform to new or additional conditions. The Department shall allow the permittee a reasonable time to conform to the new or additional conditions, and on application of the permittee, the Department may grant additional time. [Rule 62-4.080, F.A.C.]
5. Modifications: The permittee shall notify the Compliance Authority upon commencement of construction. No emissions unit or facility subject to this permit shall be constructed or modified without obtaining an air construction permit from the Department. Such permit shall be obtained prior to beginning construction or modification. [Rules 62-210.300(1) and 62-212.300(1)(a), F.A.C.]
6. Title V Permit: This permit authorizes modification of the permitted emissions units and initial operation to determine compliance with Department rules. A Title V operation permit is required for regular operation of the permitted emissions unit. The permittee shall apply for a Title V operation permit at least 90 days prior to expiration of this permit, but no later than 180 days after commencing operation. To apply for a Title V operation permit, the applicant shall submit the appropriate application form, compliance test results, and such additional information as the Department may by law require. The application shall be submitted to the appropriate Permitting Authority with copies to the Compliance Authority. [Rules 62-4.030, 62-4.050, 62-4.220, and Chapter 62-213, F.A.C.]

SECTION 3. EMISSIONS UNIT(S) SPECIFIC CONDITIONS

The Specific Conditions listed in this section apply to the following emission units:

EMISSION UNIT NO.	EMISSION UNIT DESCRIPTION
078	AFI Plant No. 1
103	AFI Plant No. 2

PREVIOUS APPLICABLE REQUIREMENTS

1. Permit Determination: This permit modification authorizes an upgrade of the Defluorination Scrubber for the AFI Plants by replacing the existing 100 hp fan motor with a 200 hp fan motor. Unless otherwise specified, these conditions are in addition to all existing applicable permit conditions and regulatory requirements. The permittee shall continue to comply with the conditions of the original permit 0570008-036-AC (PSD-FL-315) which include restrictions and standards regarding capacities, production, operation, fuels, emissions, monitoring, record keeping, reporting, etc, and subsequent modifications 0570008-041-AC (PSD-FL-315B) and 0570008-043-AC (PSD-FL-315D) related to the two emission units. [Rule 62-4.070, F.A.C.]

AUTHORIZED WORK

2. Defluorination Scrubber: The defluorination scrubber currently has a 100 hp fan motor. The permittee is authorized to replace it with a 200 hp fan motor.
[Applicant Request; Design; and Rule 62-210.200(PTE), F.A.C.]

NEW CONDITIONS

3. The proposed fan replacement shall be done by March 31, 2007. Within 30 days of the initial turnaround in May 2007 and no later than June 15, 2007, the permittee shall conduct a compliance test to establish capacity of the emission units and show compliance with all emission limits. The emission units shall be tested at permitted capacity. Permitted capacity is defined as 90-100 percent of the maximum operating rate allowed by the permit. If the system is unable to achieve at least 90 percent capacity during the compliance test, the Department will revise the permit to reflect the actual modified capacity and operations will be limited pursuant to Rule 62-297.310, F.A.C. Any delay in fan installation and subsequent compliance testing by the permittee shall be approved by the Department.
[Applicant Request in November 17, 2006 letter to the Department; Rule 62-297.310, F.A.C.]

4. The permittee shall apply for a revision to the Title V operation permit at least 90 days prior to expiration of this permit, but no later than 180 days after commencing operation.

[Chapter 62-213, F.A.C.]

{Permitting Note: The Department will process future modifications by assigning a new construction permit number and will not allow it to be a modification of the original Permit No. PSD-FL-315.}

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4-160]

- G.1 The terms, conditions, requirements, limitations, and restrictions set forth in this permit are "Permit Conditions" and are binding and enforceable pursuant to sections 403.161, 403.727, or 403.859 through 403.861, F.S. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.
- G.2 This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.
- G.3 As provided in Subsections 403.087(6) and 403.722(5), F.S. the issuance of this permit does not convey any vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations. This permit is not a waiver of or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in the permit.
- G.4 This permit conveys no title to land or water, does not constitute State recognition or acknowledgement of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.
- G.5 This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.
- G.6 The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed or used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
- G.7 The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at a reasonable time, access to the premises, where the permitted activity is located or conducted to:
- a. Have access to and copy any records that must be kept under the conditions of the permit;
 - b. Inspect the facility, equipment, practices, or operations regulated or required under this permit; and
 - c. Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.
- Reasonable time may depend on the nature of the concern being investigated.

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4-160]

- G.8 If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:
- a. a description of and cause of non-compliance; and
 - b. the period of noncompliance, including dates and times; or, if not corrected, the anticipated time the non-compliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the non-compliance.
- The permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.
- G.9 In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is prescribed by sections 403.73 and 403.111, F.S. Such evidence shall only be used to the extent it is consistent with the Florida Rules of civil Procedure and appropriate evidentiary rules.
- G.10 The permittee agrees to comply with changes in Department rules and F.S. after a reasonable time for compliance, provided, however, the permittee does not waive any other rights granted by Florida statutes or Department rules.
- G.11 This permit is transferable only upon Department approval in accordance with Rules 62-4.120, as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.
- G.12 This permit or a copy thereof shall be kept at the work site of the permitted activity.
- G.13 This permit also constitutes:
- () Determination of Best Available Control Technology (BACT)
 - () Determination of Prevention of Significant Deterioration (PSD)
 - () Compliance with New Source Performance Standards (NSPS)
- G.14 The permittee shall comply with the following:
- a. Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically unless otherwise stipulated by the Department.
 - b. The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application for this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.
 - c. Records of monitoring information shall include:
 - the date, exact place, and time of sampling or measurements;
 - the person responsible for performing the sampling or measurements;

APPENDIX GC
GENERAL PERMIT CONDITIONS [F.A.C. 62-4-160]

- the dates analyses were performed;
- the person responsible for performing the analyses;
- the analytical techniques or methods used; and
- the results of such analyses.

G.15 When requested by the Department, the permittee shall within a reasonable time furnish any information required by law, which is needed to determine compliance with the permit. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.

Adams, Patty

From: Harvey, Mary
Sent: Tuesday, January 09, 2007 1:01 PM
To: 'David.Jellerson@mosaicco.com'; 'jeff.stewart@mosaicco.com'; 'worley.gregg@epa.gov'; 'dee_morse@nps.gov'; Nasca, Mara; 'Lee@epchc.org'; 'smccann@golder.com'
Cc: Arif, Syed; Adams, Patty; Gibson, Victoria
Subject: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL
Attachments: 0570008.053.AC.F_.pdf.zip

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site: <http://www.adobe.com/products/acrobat/readstep.html>.

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

Thank you,

DEP, Bureau of Air Regulation

Adams, Patty

From: Harvey, Mary
Sent: Wednesday, January 10, 2007 8:40 AM
To: Arif, Syed; Adams, Patty
Subject: FW: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

From: McCann, Scott [mailto:Scott_McCann@GOLDER.com]
Sent: Tuesday, January 09, 2007 5:31 PM
Subject: Read: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

Your message

To: Scott_McCann@GOLDER.com
Subject:

was read on 1/9/2007 5:31 PM.

Adams, Patty

From: Harvey, Mary
Sent: Wednesday, January 10, 2007 8:41 AM
To: Arif, Syed; Adams, Patty
Subject: FW: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

-----Original Message-----

From: Dee_Morse@nps.gov [mailto:Dee_Morse@nps.gov]
Sent: Tuesday, January 09, 2007 4:47 PM
To: Harvey, Mary
Subject: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

Return Receipt

Your MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL
document:

was Dee Morse/DENVER/NPS
received
by:

at: 01/09/2007 02:46:39 PM

Adams, Patty

From: Harvey, Mary
Sent: Tuesday, January 09, 2007 1:05 PM
To: Arif, Syed; Adams, Patty
Subject: FW: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

From: Jellerson, David - Pierce [mailto:David.Jellerson@mosaicco.com]
Sent: Tuesday, January 09, 2007 1:03 PM
To: Harvey, Mary
Subject: RE: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

Thank-you

David B. Jellerson
Assistant V.P., Environmental
Mosaic Fertilizer, LLC
P.O. Box 2000
Mulberry, FL 33860

From: Harvey, Mary [mailto:Mary.Harvey@dep.state.fl.us]
Sent: Tuesday, January 09, 2007 1:01 PM
To: Jellerson, David - Pierce; Stewart, Jeff M - Riverview; worley.gregg@epa.gov; dee_morse@nps.gov; Nasca, Mara; Lee@epchc.org; smccann@golder.com
Cc: Arif, Syed; Adams, Patty; Gibson, Victoria
Subject: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site: <http://www.adobe.com/products/acrobat/readstep.html>.

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

Thank you,

DEP, Bureau of Air Regulation

1/10/2007

Adams, Patty

From: Harvey, Mary
Sent: Wednesday, January 10, 2007 8:40 AM
To: Arif, Syed; Adams, Patty
Subject: FW: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

-----Original Message-----

From: Stewart, Jeff M - Riverview [mailto:Jeff.Stewart@mosaicco.com]
Sent: Tuesday, January 09, 2007 7:15 PM
To: Harvey, Mary
Subject: RE: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

Received,
Thanks,
Jeff Stewart
Environmental Superintendent
Mosaic Riverview

From: Harvey, Mary [mailto:Mary.Harvey@dep.state.fl.us]
Sent: Tue 1/9/2007 1:01 PM
To: Jellerson, David - Pierce; Stewart, Jeff M - Riverview; worley.gregg@epa.gov; dee_morse@nps.gov; Nasca, Mara; Lee@epchc.org; smccann@golder.com
Cc: Arif, Syed; Adams, Patty; Gibson, Victoria
Subject: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

Dear Sir/Madam:

Please send a "reply" message verifying receipt of the attached document(s); this may be done by selecting "Reply" on the menu bar of your e-mail software and then selecting "Send". We must receive verification of receipt and your reply will preclude subsequent e-mail transmissions to verify receipt of the document(s).

The document(s) may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible.

The document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site:
<http://www.adobe.com/products/acrobat/readstep.html>.

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record.

Thank you,

DEP, Bureau of Air Regulation

Adams, Patty

From: Harvey, Mary
Sent: Tuesday, January 09, 2007 10:39 AM
To: Adams, Patty
Subject: FW: Tampa Electric Company - DEP File #0570039-026-AC-FINAL

From: Lee, Diana [<mailto:Lee@epchc.org>]
Sent: Tuesday, January 09, 2007 10:00 AM
To: Harvey, Mary
Subject: Read: Tampa Electric Company - DEP File #0570039-026-AC-FINAL

Your message

To: Lee@epchc.org
Subject:

was read on 1/9/2007 10:00 AM.

Adams, Patty

From: Harvey, Mary
Sent: Tuesday, January 09, 2007 1:10 PM
To: Arif, Syed; Adams, Patty
Subject: FW: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

From: Nasca, Mara
Sent: Tuesday, January 09, 2007 1:08 PM
To: Harvey, Mary
Subject: Read: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL

Your message

To: 'David.Jellerson@mosaicco.com'; 'jeff.stewart@mosaicco.com'; 'worley.gregg@epa.gov'; 'dee_morse@nps.gov'; Nasca, Mara; 'Lee@epchc.org'; 'smccann@golder.com'
Cc: Arif, Syed; Adams, Patty; Gibson, Victoria
Subject: MOSAIC FERTILIZER, LLC - FACILITY #0570008-053-AC - FINAL
Sent: 1/9/2007 1:01 PM

was read on 1/9/2007 1:08 PM.