

Department of Environmental Protection

Jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee. Florida 32399-2400

David B. Struhs Secretary

August 25, 2003

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Donald K. Day, Plant Manager Orlando CoGen Limited, L.P. 8275 Exchange Drive Orlando, Florida 32809-7651

Re:

Request for Additional Information Regarding Title V Permit Renewal Application

File No.: 0950203-002-AV

Dear Mr. Day:

The Title V permit renewal application for the Orlando CoGen Facility was received in a timely manner (July 1, 2003). However, in order to continue processing this application, the Department is requesting the additional information outlined below. Should your response to any of the listed items require new calculations, please submit the new calculations, assumptions, reference material and appropriate revised pages of the application form.

- 1. The Acid Rain application that was submitted with the Title V renewal application was not a current application. The Acid Rain application must be recertified and resubmitted with each Title V renewal. Please recertify and resubmit using the latest Acid Rain form (form 62-210.900(1)(a), F.A.C., dated 6/16/03).
- 2. The attachment "DOC.II.C.14., Item 2, Proposed Schedule for the Submissions of Periodic Compliance Statements Throughout the Permit Term" contains a statement that compliance statements will be submitted by March 1st of each year consistent with 40 CFR 72.90. It should be noted that this rule does not contain the specific date of March 1st. Instead, it requires compliance statements to be submitted within 60-days after the end of the calendar year. Please correct this document and resubmit.

The above comments require a written response to the Department within ninety days of receipt of this notice unless additional time is requested pursuant to Rule 62-213.420(1)(b)6., F.A.C. Please note that the Department appreciates the suggested changes contained in the proposed permit that was submitted with your renewal application and will make an attempt to include them in the renewal permit. However, not all of the suggested changes are appropriate, considering Title V permitting requirements and standard permitting formats, and may not be reflected in the DRAFT permit renewal. If you should have any questions, please contact Jonathan Holtom, P.E., at (850) 921-9531, or me at (850) 921-9532.

Sincerely,

Scott M. Sheplak, P.E.

Administrator Title V Section

SMS/jh

CC: Mr. Thomas Davis, P.E., ECT, Inc.

Ms. Jennifer Mollhagen, El Paso Merchant Energy Company

Mr. Len Kozlov, DEP, Central District Office
More Protection, Less Process"

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature Agent Addressee B. Received by (Printed Name) C. Date of Delivery P-J-3-0-3
1. Article Addressed to: Mr. Donald K. Day, Plant Manager Orlando CoGen Limited, L.P. 8275 Exchange Drive Orlando, Florida 32809-7651	D. Is delivery address different from item 1? ☐ Yes If YES, enter delivery address below: ☐ No
	3. Service Type X ☐ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D.
	4. Restricted Delivery? (Extra Fee) ☐ Yes
2. Article Number (Transfer from service label) 7001 1140 0002 15	77 9175
PS Form 3811, August 2001 Domestic Retu	urn Receipt 102595-02-M-1540

	U.S. Postal Service QERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)
71.75	Mr. Donald K. Day, Plant Manager
, 5721 5000 OH	Postage \$ Certified Fee Postmark Return Receipt Fee (Endorsement Required) Restricted Delivery Fee (Endorsement Required) Total Postage & Fees \$
. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	Sent To Mr. Donald K. Day, Plant Manager Street, Apt. No.; 9275 Box No. 8275 Exchange Drive
70	Oflando, Florida 32809-7651 PS Form 3800 January 2001 See Reverse for Instructions