# STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION NOTICE OF FINAL PERMIT MODIFICATION

In the Matter of an Application for Permit Modification

Solid Waste Authority of Palm Beach County North County Regional Resource Facility 7501 North Jog Road West Palm Beach, Florida 33412 DEP File No. PSD-FL-108C Palm Beach County

Enclosed is the Final Prevention of Significant Deterioration Permit Modification Number PSD-FL-108C allowing stack sampling on a five year basis instead of annual testing of emissions of beryllium and fluoride emitted form the Solid Waste Authority of Palm Beach County North County Resource Recovery Facility located at 7501 North Jog Road, West Palm Beach. This permit modification is issued pursuant to Chapter 403, Florida Statutes.

Any party to this order (permit) has the right to seek judicial review of the permit pursuant to Section 120.68, F.S., by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Legal Office; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 (thirty) days from the date this Notice is filed with the Clerk of the Department.

Executed in Tallahassee, Florida.

C.H. Fancy, P.E., Chief Bureau of Air Regulation

#### CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this NOTICE OF FINAL PERMIT MODIFICATION (including the FINAL permit Modification) was sent by certified mail (\*) and copies were mailed by U.S. Mail before the close of business on  $\frac{4-14-97}{4}$  to the person(s) listed:

Mr. M. Bruner, SWA North County RRF \*

Mr. B. Beals, EPA

Mr. J. Bunyak, NPS

Mr. D. Dee, Esquire

Mr. H. Oven, PPS

Mr. I. Goldman, SED

Mr. J. Koerner, PBCPHU

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to §120.52(7), Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

erk)

(Date)

### FINAL DETERMINATION

# SOLID WASTE AUTHORITY OF PALM BEACH COUNTY NORTH COUNTY RESOURCE RECOVERY FACILITY PERMIT PSD-FL-108C Palm Beach County

An Intent to Issue a PSD permit modification to the Solid Waste Authority of Palm Beach County (SWA), for the North County Resource Recovery Facility located at 7501 North Jog Road, West Palm Beach, Palm Beach County, was distributed on June 13, 1997. The permit is to allow testing for beryllium and fluoride every five years instead of annually. The reason is that test results typically indicated emissions of these pollutants to be an order of magnitude lower than permitted or below the limits of detectability.

The Public Notice of Intent to Issue Air Construction Permit Modification was published in the Palm Beach Post on June 27, 1997. No comments were submitted during the Public Notice period.

The final action of the Department will be to issue the permit modification as drafted.

# P 265 659 436

		US Postal Service  Receipt for Certified Mail  No Insurance Coverage Provided.  Do not use for International Mail (See reverse)					
		Street & Number A Post Office, Stage, & Zip Codef					
		Postage \$					
		Certified Fee					
		Special Delivery Fee					
			<del></del>				
		Restricted Delivery Fee Return Receipt Showing to					
	April 16	Whom & Date Delivered  Return Receipt Showing to Whom,					
		Date, & Addressee's Address					
	Form <b>3800</b>	TOTA: Postage & Fees Postmark or Date	\$	11-07			
	Form	PSD-F+166	4-97				
	PSI						
	<del></del>	<u> </u>		<del></del>	<del></del>		
		e return address.	di to ide	in odto.			_
lde?	Complete items   and/or :	O1 adolavna 10 dol 1	avo ani	ts Not	I also wish to		•
on the reverse side?	<ul> <li>Complete items 3, 4a, and 4b.</li> <li>Print your name and address on the reverse of this form so that we card to you.</li> <li>Attach this form to the cont of the mailpiece, or on the back if spacepermit.</li> </ul>			can return this	following serv extra fee):	owing services (for an tra fee):	
revel					_	essee's Address	rvice
the	<ul> <li>Write "Return Receipt Req</li> <li>The Return Receipt will st delivered.</li> </ul>		_	icted Delivery	pt Se		
no p	3 Article Addressed to:			4a. Article Ni		naster for fee.	using Return Receipt Service
completed	ou forald lockhart Ex. Dir.			1 30	25 65	14 436	ırı A
COL	Solid Mate Authority of P. B.H			4b. Service 1 ☐ Registere		Certified	Retr
RESS	West Palm Beach, Fl 33412			☐ Express I		☐ Insured	sing
띪				☐ Return Red 7. Date of De	elivery /	dise COD	
NA				_	8/	18/97	you
your <u>RETURN ADD</u>	5. Received By: (Print Name)			8. Addressee and fee is	e's Address (Or paid)	nly if requested	Thank you for
<u>5</u>	6. Signature: (Addressee or Agent)				- •		F
ls yo	X M				<del></del>		
	PS Form <b>3811</b> , Déc	r;hor 1994				leturn Receipt	
						· -	•



# Department of Environmental Protection

Lawton Chiles

Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400 August 14, 1997

Virginia B. Wetherell Secretary

## CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. Donald Lockhart, Executive Director Solid Waste Authority of Palm Beach 7501 North Jog Road West Palm Beach, Florida 33412

Re: Permit Modification No. PSD-FL-108C Solid Waste Authority of Palm Beach County North County Regional Resource Facility

Dear Mr. Lockhart:

The Department has reviewed your request on behalf of the Solid Waste Authority of Palm Beach County ("Authority") to conduct stack tests for beryllium and fluoride every five years instead of annually at the three units located at the North County Resource Recovery Facility. The information provided showed emissions were either an order of magnitude below the permit emission limits or were below detection limits (annual emission test reports for the period of 1989-1996). Therefore, the referenced PSD permit is hereby modified as follows:

#### SPECIFIC CONDITION No. 4

Each unit shall be tested within 180 days of issuance of this permit, and annually thereafter, except for beryllium and fluoride (every five years), to demonstrate compliance with emission standards mentioned in specific condition No. 3, using the following EPA test methods contained in 40 CFR 60, Appendix A, and in accordance with Rules 62-204.800 and 62-297.401, F.A.C. Section 17 2.700.

A copy of this letter shall be filed with the referenced permit and shall become part of the permit.

Sincerely,

Howard L. Rhodes, Director Division of Air Resources

Management

HLR/th

# Florida Department of **Environmental Protection**

TO:

Howard L. Rhodes

THROUGH: Clair Fancy CAA Al Linero Gaf 8/14

FROM:

Teresa Heron

DATE:

August 14, 1997

SUBJECT:

Solid Waste Authority of Palm Beach County

Amendment to PSD Permit (PSD-FL-108C) Beryllium and Fluoride Testing for MWC

Attached is a PSD permit modification for the above mentioned facility to allow the stack sampling of the emissions of beryllium and fluoride on a five years basis instead of an annual basis. Stack tests conducted over the last 10 years have consistently indicated that emissions of these pollutants are at least an order of magnitude below the permit limits or below the detection limit for the DEP approved methods.

The units have acid gas control by a spray dryer absorber which is followed by an ESP. This along with historical test results, provides reasonable assurance that emissions of fluorides and beryllium will continue to be minimal. Note also that the units burn refuse derived fuel instead of straight municipal solid waste. This is a less difficult stream to process and control.

I recommend your approval.

HLR/th/t