

RECE VED

FEB 25 2004

February 24, 2004

BUREAU OF AIR REGULATION

Mr. Jeff Koerner Bureau of Air Regulation Florida Department of Environmental Protection 2600 Blair Stone Road, MS #5505 Tallahassee, FL 32399-2400

RE: Proof Publication of "Public Notice of Intent to Issue Permit"

Air Construction Permit 0990234-008-AC SWA- North County Resource Recovery Facility New 3500 scfm Flare to replace existing 1800 scfm Flare

Dear Jeff:

Enclosed you will find the original proof of publication for the "Public Notice of Intent to Issue Permit" for the Air Construction Permit 0990234-008-AC to construct and operate a new 3500 scfm Flare which will replace the existing 1800 scfm Flare at the Class I Landfill, North County Resource Recovery Facility.

If you have any questions, you can contact me at (561) 640-4000 ext. 4163.

Sincerely,

Mary Beth Morrison

May Buth Menison

Environmental Compliance Coordinator

Enclosure

cc: John Booth, SWA

Marc Bruner, SWA

Alex Makled, Camp Dresser & McKee, Inc. Jill Grimaldi, Camp Dresser & McKee, Inc.

Tom Tittle, SED

Jim Stormer, PBCHD

PALM BEACH NEWSPAPERS, INC.

The Palm Beach Post

2751 S. Dixie Hwy., West Palm Beach, FL 33405

Phone: (561) 820-3106

Fax: (561) 820-4340

FED ID # 58-1633719

Legal Advertising Invoice

Account #

346412

Advertising Deadlines

Ad#

7968903

Publish Monday Deadline

Description:

Not: DEP Permit # 0990234-008-AC

Tuesday

Friday 3PM Friday 3PM

Not. DEF Femili # 0330234-000-AC

Wednesday

Monday 3PM

Size:

27.25 "

Thursday Friday

Monday 3PM Wednesday 3PM

Amount:

\$735.75

Saturday Sunday Thursday 3PM Thursday 3PM

Published:

February 18, 2004

REC IVED

FEB 25 2004

BUREAU OF AIR REGULATION

Solid Waste Authority Accounts Payable 7501 N. Jog Road West Palm Beach, FL 33412



Donna

THE PALM BEACH POST

Published Daily and Sunday West Palm Beach, Palm Beach County, Florida

PROOF OF PUBLICATION

STATE OF FLORIDA COUNTY OF PALM BEACH

Before the undersigned authority personally appeared Wendy Elliott, who on oath says that she is Telephone Sales Supervisor of The Palm Beach Post, a daily and Sunday newspaper, published at West Palm Beach in Palm Beach County, Florida: that the attached copy of advertising, being Notice in the matter DEP Permit # 0990234-008-AC was published in said newspaper in the issues of February 18, 2004. Affiant further says that the said The Post is a newspaper published at West Palm Beach, in said Palm Beach County, Florida, and that the said newspaper has heretofore been continuously published in said Palm Beach County, Florida, daily and Sunday and has been entered as second class mail matter at the post office in West Palm Beach, in said Palm Beach County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that she/her has neither paid nor promised any person, firm or corporation any discount rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.

10hm Eller

Sworn to and subscribed before this 18th day of February, A.D. 2004

Personally known XX or Produced Identification_ Type of Identification Produced



RECEIVED

BUREAU OF AIR REGULATION

TO ISSUE AIR
CONSTRUCTION PERMIT
STATE OF FLORIDA
DEPARTMENT OF
ENVIRONMENTAL
PROTECTION
Draft Air Permit No.
0990234-008-AC
Solid Waste Authority of
Palm Beach County
North County Resource
Recovery Facility
3500 scfm Flare Project
The Department of Environmental Protection (Department)

JSDU Sctm Flare Project
The Department of Environmental Protection (Department) gives notice of its
intent to issue an air construction permit to the Solid
Waste Authority of Palm
Beach County to construct a
new 3500 sctm flare to
replace an 1800 sctm flare
the existing
North County, Flonda
Statistical school and
gaddress is: Solid Waste
Authority of Palm Beach
County, North County
Resource Recovery Facility,
7501 North Jog Road
Mest Palm Beach, Florida
33412-2414.

The applicant proposes to install a new 3500 scfm open flare designated to combust landfill gas collected from the existing Class I Landfill. The new flare is described as an open assisted flare and will replace an existing 1800 scfm flare. The purpose of the new flare is to provide sufficient landfill gas collection and destruction for final build out of the existing 1800 scfm flare, the existing 1800 scfm flare at the Class I landfill will be decommis-

sioned.

The liare is considered a control device that is necessary for the destruction of collected landfill gas, but will emit products of combustion including carbon monoxide, introgen oxides, particulate matter, sulfur dioxides, and voilatile organic compounds. The new flare is subject to the applicable requirements in the New Source Performance Standards specified in 40 CFR 60 Subparts Al and WWW as well as the National Emissions Standards for Hazardous Airt Pollutants Categories in 40 CFR 63 Subpart AAA Their project is not subject to pre-construction review for the Prevention of Significant Deterioration (PSD) of Airt Quality in accordance with Rule 62-212.400. F.A.C. The draft permit includes conditions specifying requirements for the design of the flare as well as operation, monitoring, recording, and reporting.

Reeping, and reporting.
The Department will issue the Final Permit with the statached conditions unless a response received in accordance with the following procedures results in a different decision or significancy change of terms or conditions. The Department will accord written comments concerning the proposed permit issuance action for a period of fourteen (14) days from the date of publication of this Public notice of Intent to Issue Air Construction. Permit. Written comments should be provided to the Department's Bureau of Air Regulation at 2600 Blart Stone Road, Mail Station #5505. Tallahassee, Florida 2399- 2400. Any written comments filed shall be made available for public inspection. If written comments received result in section. If written comments received result in the proposed agency action. The Department shall revise the proposed permit and require. It applicable planter Public Notice.

permit with the attached conditions unless a timely petition for an administrative hearing is filed pursuant to Section 120.569 and 120.57, F.S. before the deadline for filing a petition. The procedures for petitioning for a hearing are set forth below. Mediation is not available in this proceeding.

not available in this proceeding.
A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative proceeding (hearing) under Sections 120.569 and 120.57, F.S. 120.559 and 120.57, F.S.
The petition must contain
the information set forth
below and must be filed
(received) in the Office of
General Counsel of the
Department at 3900
Commonwealth Boulevard.
Mail Station #35.
Tallahassee, Florida
32399-3000. Petitions filed
by the permit applicant or
any of the parties listed
below must be filed within
fourteen (14) days of receipt
of this notice of intent.
Petitions filed by any person of this notice of intent.
Petitions filed by any person
other than those entitled to
written notice under Section
120.60(3). F.S. must be
filed within fourteen (14)
days of publication of the
public hotice or within
fourteen (14) days of receip
of this notice of intent,
whichever occurs first.
Under Section 120.60(3),
F.S. however, any person Under Section 120.60(3), F.S. however, any person who asked the Department for notice of agency action may file a petition within fourteen (14) days of receipt of that notice, regardless of the date of publication. A petitioner shall mail a copy of the petitionto the applicant at the additess indicated above at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of the person's right to request an administrative determination (hearing) under Sections (hearing) under Sections 120.569 and 20.57, F.S., or to intervene in this proor to intervene in this pro-ceeding and participate as a party to it. Any subsequent intervention will be only at the approval of the pre-siding officer upon the filing of a motion in compliance with Rule 28-106.205, F.A.C.

A petition that disputes the material facts on which the Department's action is based must costain the bepartment saction is based must costain the following information: (a) The name and address of each agency affected and each agency affected and each agency of the content of the following the content of the petitioner, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination. the agency determination; the agency determination; (c) A statement of how and when petitioner received notice of the agency action or proposed action; (d) A statement of all disputed issues of material fact. If there are none, the petition must also indicate; (e) A concise statement of the concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action, and (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes. the agency to take with respect to the agency's proposed action.

A petition that does not dispute the material facts upon which the Depart-

ment's action is based shall ment's action is based shall state that no such facts are in dispute and otherwise, shall contain the same information as set forth above, as required by Rule 28-106.301, F.A.C. Because the administrative hearing process is designed to formulate final agency action the filten of a perition.

to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice. Persons whose substantial interests will be affected by such final decision of the Department on the appli-Department on the appli-cation have the right to petition to become a party to the proceeding, in accord-ance with the requirements set forth above

ance with the requirements set forth above. A complete project file is a vailable for public inspection during normal business hours, 8:00 a.m. to 5:00 p.m., Monday through Friday, except legal holidays at Elonda Department of

Environmental Protection
Bureau of Air Regulation
(111 S. Magnolia Drive, 2600 Blair Stone Road. MS #5505 Tallahassee, Florida 32399-2400 Telephone: 850/488-0114
Florida Department of
Environmental Environ... Protection

Environmental Protection Southeast District Office Air Resource Section 400 North Congress Avenue West Palm Beach, Fiorida 33416-5425 Telephone: 581/681-6600 The complete project file includes the application, Technical Evaluation and Preliminary Determination, Draft Permit, and the information submitted by the responsible official, exclusive of confidential records under Section 403, 111, F.S. Interested persons may contact the Department's reviewing engineer for this project for additional information at the address and phone numbers listed

phone numbers listed

PUB: The Palm Beach Post February 18, 2004

RECEIVED

FEB 26 2004

BUREAU OF AIR REGULATION



TAMPA ELECTRIC

February 25, 2004

Mr. Jeff Koerner, P.E.
Florida Department of
Environmental Protection
Division of Air Resource Management
111 South Magnolia Drive, Suite 4
Tallahassee, Florida 32301

Via FedEx Airbill No. 7924 3837 8239

Re: Tampa Electric Company

Bayside Power Station

PSD Air Construction Permit Revision Request

Permit No. PSD-FL-301A

Dear Mr. Koerner:

Tampa Electric Company (TEC) submits a request for a revision to the Bayside Power Station (BPS) PSD Air Construction Permit Number PSD-FL-301A. This request addresses a number of minor items in the current PSD permit TEC believes can be improved through minor revisions and clarifications. For the most part, these requested modifications involve procedural issues, and do not affect the nature and character of the emissions from this facility. As such, this request is submitted as a PSD air construction permit revision in accordance with the Florida Department of Environmental Protection (FDEP) guidance.

The proposed PSD permit condition changes address clarification of requirements during startup, shutdown, malfunction and low load operation, and includes both a cold startup plan (Attachment D) and a warm startup plan (Attachment E).

As requested by the Department per the January 30, 2004 conversation, the enclosed PSD air operation permit revision application includes the following materials:

- (1) Attachment A: Completed Application for Air Permit Long Form (Facility Information section only, including Responsible Official and Professional Engineer certifications);
- (2) Attachment B: Detailed narrative describing each requested permit condition change and the rationale for the change, followed by supporting information for the request (e.g., pertinent guidance memoranda);
- (3) Attachment C: Marked-up copy of the current Title V permit that contains the requested permit condition changes. For each permit condition change, the requested permit language (strikeout and/or additional text) is shown;
- (4) Attachment D: Cold Startup Plan;
- (5) Attachment E: Warm Startup Plan;
- (6) Attachment F: Typical Tuning Schedule;
- (7) Attachment G: CT Water Wash CEM Data.

Mr. Jeff Koerner February 25, 2004 Page 2 of 2

To facilitate the Department's review of this PSD permit revision request, an electronic copy of the marked up BPS PSD permit is also being submitted to you via e-mail. This electronic file of the complete BPS PSD permit shows the requested condition changes using highlighted formats (i.e., red strikeout for deleted text and blue underline for added text).

TEC appreciates the cooperation and consideration of the Department in this requested PSD permit revision for the BPS. Your expeditious processing of this request for a permit revision will be appreciated. If you have any questions or comments pertaining to this request, please direct them to Ms. Greer Briggs at (813) 228-4302.

Sincerely,

Laura R. Crouch

Manager - Air Programs

Environmental, Health & Safety

Laurah. Circon

EA/bmr/GMB166

Enclosure

c/enc: Mr. Ed Svec, FDEP

Mr. Jerry Kissel, FDEP SW District