



Florida Department of
Environmental Protection

Memorandum

To: Joseph Kahn, Division of Air Resource Management
Through: Trina Vielhauer, Bureau of Air Regulation 
From: Jeff Koerner, New Source Review Section 
Date: December 2, 2009
Subject: Final Air Permit No. 0990646-003-AC (PSD-FL-354A)
FP&L West County Energy Center
Increased Hours for Auxiliary Boiler
Permit Modification

The final permit for this project is attached for your approval and signature. The project requires a minor air construction permit to authorize: recognition that only one auxiliary boiler is installed; and an increase in total hours of auxiliary boiler operation from 1000 to 1500 hours per year. The existing unit is part of the existing West County Energy Center, which is located in Palm Beach County.

The attached Final Determination summarizes the publication and comment process. As summarized in the attached Final Determination, a public meeting was held to take public comments on the project. In summary, the comments were outside the scope of this modification. No changes were made. There are no pending petitions for administrative hearings or extensions of time in which to file a petition for an administrative hearing. I recommend your approval of the attached final permit for this project.

Attachments

TLV/jfk



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

PERMITTEE

Florida Power and Light (FPL) Company
700 Universe Boulevard
Juno Beach, Florida 33408

Authorized Representative:
Mr. Randall R. LaBauve, Vice President

Air Permit No. 0990646-003-AC
PSD-FL-354A
FPL West County Energy Center
Facility ID No. 0990646
Increased Hours for Auxiliary Boiler
Air Permit Modification
Palm Beach County, Florida

PROJECT

This is the final permit to modify Permit No. 0990646-001-AC (PSD-FL-354) for an increase in the hours of operation of the auxiliary boiler to 1500 hours per year. The auxiliary boiler is located at the existing FPL West County Energy Center, which is a power plant categorized under Standard Industrial Classification No. 4911. The existing facility is located in Palm Beach County at 20505 State Road 80 in Loxahatchee, Florida. The UTM coordinates are Zone 17, 562.19 km East and 2953.04 km North.

This final permit modification is organized into the following sections: Section 1 (General Information) and Section 2 (Air Permit Modification).

STATEMENT OF BASIS

This air pollution construction permit is issued under the provisions of: Chapter 403 of the Florida Statutes (F.S.) and Chapters 62-4, 62-204, 62-210, 62-212, 62-296 and 62-297 of the Florida Administrative Code (F.A.C.). The permittee is authorized to conduct the proposed work in accordance with the conditions of this permit. This project is subject to the general preconstruction review requirements in Rule 62-212.300, F.A.C. as well as those for major stationary sources in Rule 62-212.400, F.A.C. for the Prevention of Significant Deterioration (PSD) of Air Quality. A copy of this permit modification shall be filed with the referenced permit and shall become part of the permit.

Upon issuance of this final permit, any party to this order has the right to seek judicial review of it under Section 120.68 of the Florida Statutes by filing a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure with the clerk of the Department of Environmental Protection in the Office of General Counsel (Mail Station #35, 3900 Commonwealth Boulevard, Tallahassee, Florida, 32399-3000) and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The notice must be filed within 30 days after this order is filed with the clerk of the Department.

Executed in Tallahassee, Florida

Joseph Kahn, Director
Division of Air Resource Management

12/2/09
(Date)

FINAL PERMIT MODIFICATION

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this Final Air Permit package (including the Final Determination and Final Permit) was sent by electronic mail or a link to these documents made available electronically on a publicly accessible server with received receipt requested, or by certified mail* with return receipt requested, before the close of business on 12/3/09 to the persons listed below.

Electronic Mail

Mr. Randall R. LaBauve, FPL (randall_labauve@fpl.com)
Mr. Edward Preast, FPL (ed.preast@fpl.com)
Mr. John Hampp, FPL (john.hampp@fpl.com)
Ms. Barbara Linkiewicz, FPL (barbara.p.linkiewicz@fpl.com)
Mr. Ken Kosky, P.E., Golder (ken_kosky@golder.com)
Ms. Kathleen Forney, EPA Region 4 (forney.kathleen@epa.gov)
Ms. Heather Abrams, EPA Region 4 (abrams.heather@epa.gov)
Ms. Ana M. Oquendo, EPA Region 4 (oquendo.ana@epa.gov)
Mr. Dee Morse, National Park Service (dee_morse@nps.gov)
Mr. Jim Stormer, Palm Beach County Health Department (james_stormer@doh.state.fl.us)
Mr. Lennon Anderson, DEP Southeast District Office (lennon.anderson@dep.state.fl.us)
Mr. Mike Halpin, DEP Siting Office (mike.halpin@dep.state.fl.us)
Mr. John Benjamin, Everglades National Park (ever_superintendent@nps.gov)
Ms. Christie Coghlan, USFWS (christy_coghlan@fws.gov)
Mr. Paul Quinlan, The Palm Beach Post (paul_quinlan@pbpost.com)
Mr. Panagioti Tsolkas, Palm Beach County Environmental Coalition (pbcenvirocoalition@gmail.com)
Mr. Michael K. Christensen (atreyu@direcway.com)
Ms. Patricia D. Curry (gremlinltd@aol.com)
Ms. Natalie Olson, Boca Raton (natalie.m.olson@gmail.com)
Ms. Susan Gidding, West Palm Beach (sgiddings@odellinc.com)
Mr. Dan Liftman, West Palm Beach (dal@mail.house.gov)
Mr. Gary Serignese, Boca Raton (gserignese@yahoo.com)
Ms. Suki deJong, Palm Beach County Environmental Coalition (sukidejong@msn.com)
Mr. Mark Gobeo, Boca Raton (mrkg_13@yahoo.com)
Ms. Erin Helton, Lake Worth, FL (erinalma@yahoo.com)
Mayor, Village of Royal Palm Beach (dlodwick@royalplambeach.com)
Mayor, Village of Wellington (twenham@ci.wellington.fl.us)
Chair, Palm Beach County Board of County Commissioners (agreene@co.palm-beach.fl.us)
Ms. Vickie Gibson, DEP BAR Reading File (victoria.gibson@dep.state.fl.us)


*Certified Mail**

Ms. Sharon Waite*
Mr. Russ McSpadden*
Ms. Janel Horne*
Mr. Bill Tavernise*
Ms. Alexandria Larson*


FINAL PERMIT MODIFICATION

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to Section 120.52(7), Florida Statutes, with the designated agency clerk, receipt of which is hereby acknowledged.



(Clerk)



(Date)

SECTION 1. GENERAL INFORMATION

FACILITY DESCRIPTION

Permit No. 0990646-001-AC authorized construction of two nominal 1250 megawatt combined cycle units and other associated support equipment. Permit No. 0990646-002-AC authorized the construction of a third nominal 1250 megawatt combined cycle unit.

PROPOSED PROJECT

Permit No. 0990646-001-AC (PSD-FL-354) also authorized the construction of two auxiliary boilers, each rated at a maximum heat input rate of 99.8 million British thermal units (MMBtu) per hour and limited to 500 hours per year of operation. The purpose of the small gas-fired auxiliary boiler is to provide steam for blade cooling for combustion turbine startups. During construction, the applicant determined that only one auxiliary boiler at 1000 hours per year would be necessary. However, it was later determined that an additional 500 hours of operation will be necessary to accommodate the proposed new combined cycle Unit 3. This permitting action modifies the original permit to identify the single auxiliary boiler authorized for 1500 hours of operation per year.

This project will modify the following emissions unit.

Facility ID No. 0990646	
ID No.	Emission Unit Description
009	Auxiliary Boiler

FACILITY REGULATORY CLASSIFICATION

- The facility will be a major source of hazardous air pollutants (HAP).
- The facility will operate units subject to the acid rain provisions of the Clean Air Act.
- The facility will be a Title V major source of air pollution in accordance with Chapter 213, F.A.C.
- The facility is a major stationary source in accordance with Rule 62-212.400, F.A.C. for the Prevention of Significant Deterioration (PSD) of Air Quality.

SECTION 2. AIR PERMIT MODIFICATION

Auxiliary Boiler

Permit Modified: 0990646-001-AC (PSD-FL-354)

Subsection III.D. Auxiliary Boiler and Process Heaters (EU-009 and EU-010)

As shown below, this permitting action modifies Subsection III.D of Permit No. 0990646-001-AC. Additions are denoted with double-underline and deletions are denoted with ~~strikethrough~~.

This section of the permit addresses the following emissions units.

ID	Emission Unit Description
014	Two One limited use gas-fueled auxiliary boilers (99.8 MMBTU/hr and 85,000 lb/hr)
015	Two gas-fueled 10 MMBtu/hr process heaters

NESHAP APPLICABILITY

1. NESHAP Subpart DDDDD Applicability: These emissions units are subject to Subpart DDDDD, which applies to an industrial, commercial, or institutional boiler or process heater as defined in Sec. 63.7575 that is located at, or is part of, a major source of HAP as defined in Sec. 40 CFR 63.2.

The listed emission units shall comply with 40 CFR 63, NESHAP Subpart DDDDD only to the extent that the regulations apply to the emission unit and its operations (e.g. limited use gas-fueled or small gas-fueled categories).

[40 CFR 63, Subpart DDDDD - National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, or Institutional Boiler or Process Heater]

NSPS APPLICABILITY

2. NSPS Subpart Dc Applicability: ~~Each The~~ 99.8 MMBTU/hr (85,000 lb/hr) auxiliary boiler is subject to all applicable requirements of 40 CFR 60, Subpart Dc which applies to Small Industrial, Commercial, or Institutional Boilers. Specifically, ~~each the~~ emission unit shall comply with 40 CFR 60.48c Reporting and Recordkeeping Requirements.

[Rule 62-204.800(7)(b) and 40 CFR 60, NSPS-Subpart Dc - Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, attached as Appendix Dc].

EMISSIONS AND TESTING REQUIREMENTS

3. Auxiliary Boiler BACT Emissions Limits:

NO _x	CO	VOC, SO ₂ , PM/PM ₁₀
0.05 lb/MMBtu	0.08 lb/MMBtu	2 gr S/100SCF natural gas spec and 10% Opacity

4. Auxiliary Boilers Testing Requirements: ~~Each The~~ unit shall be stack tested to demonstrate initial compliance with the emission standards for CO, NO_x and visible emissions. The tests shall be conducted within 60 days after achieving the maximum production rate at which the unit will be operated, but not later than 180 days after the initial startup of each combined cycle unit.

[Rule 62-297.310(7)(a)1, F.A.C. and 40 CFR 63.7]

Test Methods: Any required tests shall be performed in accordance with the following reference methods.

Method	Description of Method and Comments
7E	Determination of Nitrogen Oxide Emissions from Stationary Sources
9	Visual Determination of the Opacity of Emissions from Stationary Sources

SECTION 2. AIR PERMIT MODIFICATION

Auxiliary Boiler

Method	Description of Method and Comments
10	Determination of Carbon Monoxide Emissions from Stationary Sources {Notes: The method shall be based on a continuous sampling train.}

5. Annual CO Performance Test for Auxiliary Boilers: Pursuant to 40 CFR 63.7515(e) permittee shall conduct an annual CO test according to Sec. 63.7520. Each annual performance test must be conducted between 10 and 12 months after the previous performance test.

[40 CFR 63.7515 and Rule 62-204.800(11)(b)84. F.A.C.]

6. Natural Gas Fired Process Heaters BACT Emissions Limits:

NO _x	CO	VOC, SO ₂ and PM/PM ₁₀
0.095 lb/MMBtu	0.08 lb/MMBtu	2 gr S/100 SCF natural gas spec and 10% Opacity

7. Natural Gas Fired Process Heaters Testing Requirements: Each unit shall be stack tested to demonstrate initial compliance with the emission standards for CO, NO_x and visible emissions. The tests shall be conducted within 60 days after achieving the maximum production rate at which the unit will be operated, but not later than 180 days after the initial startup of each combined cycle unit. As an alternative, a Manufacturer certification of emissions characteristics of the purchased model that are at least as stringent as the BACT values can be used to fulfill this requirement.

[Rule 62-297.310(7)(a)1, F.A.C. and 40 CFR 60.8]

Test Methods: Any required tests shall be performed in accordance with the following reference methods.

Method	Description of Method and Comments
7E	Determination of Nitrogen Oxide Emissions from Stationary Sources
9	Visual Determination of the Opacity of Emissions from Stationary Sources
10	Determination of Carbon Monoxide Emissions from Stationary Sources {Notes: The method shall be based on a continuous sampling train.}

EQUIPMENT SPECIFICATIONS

8. Equipment: The permittee is authorized to install, operate, and maintain ~~two~~ one auxiliary boilers with a maximum design heat input of 99.8 MMBtu/hr (85,000 lb/hr) ~~each~~ to produce steam during start up of the CTs and two 10 MMBtu/hr process heaters for the purpose of heating the natural gas supply to the CTs. [Applicant Request; Rule 62-210.200(PTE), F.A.C.]

PERFORMANCE REQUIREMENTS

9. Hours of Operation: The hours of operation of ~~each~~ the limited use gas-fueled auxiliary boiler shall not exceed ~~500~~ 1500 hours per year. The gas-fueled process heaters are allowed to operate continuously (8760 hours per year). [Applicant Request; Rule 62-210.200(PTE), F.A.C. and 40 CFR 63.7575]

NOTIFICATION, REPORTING AND RECORDS

10. Notification: Initial notification is required for the ~~two~~ limited use 99.8 MMBtu/hr gas-fueled auxiliary boilers. Initial notification is not required for the two small gas-fueled 10 MMBtu/hr process heaters. [40 CFR 63.9, 40 CFR 63.7506(c) and Rule 62-204.800(11)(b) F.A.C.]
11. Reporting: The permittee shall maintain records of the amount of natural gas used in the heaters and auxiliary boilers. These records shall be submitted to the Compliance Authority on an annual basis or upon request. [Rule 62-4.070(3) F.A.C.]

FINAL DETERMINATION

PERMITTEE

Florida Power & Light Company
700 Universe Boulevard
Juno Beach, Florida 33408

PERMITTING AUTHORITY

Florida Department of Environmental Protection (Department)
Division of Air Resource Management
Bureau of Air Regulation, New Source Review Section
2600 Blair Stone Road, MS #5505
Tallahassee, Florida 32399-2400

PROJECT

Air Permit No. 0990646-003-AC (PSD-FL-354A)
West County Energy Center, Auxiliary Boiler
Air Construction Permit Modification
Increase Hours of Operation

FPL requests a modification of the original air construction permit to recognize that only one auxiliary boiler was installed and to increase the total hours of operation from 1000 to 1500 hours per year. Pursuant to the preconstruction review requirements for major stationary sources in Rule 62-212.400, Florida Administrative Code (F.A.C.) for the Prevention of Significant Deterioration (PSD) of Air Quality, the original permit made Best Available Technology (BACT) determinations for the auxiliary boiler for carbon monoxide (CO), nitrogen oxides (NO_x), particulate matter (PM), PM less than 10 microns (PM₁₀), PM less than 2.5 microns (PM_{2.5}), sulfur dioxide (SO₂) and volatile organic compounds (VOC). Therefore, the request to increase the hours of operation required a reexamination of the BACT determinations. In the draft permit documents, the Department reaffirmed the original BACT determinations for the auxiliary boiler, which are based on the low-NO_x burner design and the natural gas fuel specification. Since the project was considered a modification of the original PSD permit and resulted in potential emissions increases, the draft permit documents provided a 30-day comment period and an opportunity to request a public meeting.

NOTICE AND PUBLICATION

The Department distributed a draft minor air construction permit package on September 10, 2009. The applicant published the required Public Notice of Intent to Issue an Air Permit (Public Notice) in The Palm Beach Post on September 14, 2009. The Public Notice described: the existing facility and location; the project for the existing auxiliary boiler; the potential emissions increases; the BACT determinations; the Department's web site for viewing the draft permit documents; the provision for a 30-day comment period; the opportunity to request a public meeting on the project; and instructions for filing a petition for an administrative hearing within 14 days of the written or published notice. The Department received the proof of publication on September 24, 2009.

Request for an Administrative Hearing

No requests for administrative hearings or requests for extensions of time to file a petition for administrative hearing were received within the required 14-day period.

COMMENTS

No comments on the Draft Permit were received from the Air pollution Control Section of the Palm Beach County Health Department, the EPA Region 4 Office, the National Park Service or the applicant. On September 30, 2009, the Department received an e-mail from Mr. Panagioti Tsolkas making several comments and asking questions on behalf of the Palm Beach County Environmental Coalition. In addition, Mr. Tsolkas requested a

FINAL DETERMINATION

public meeting on the project in accordance with the provisions of the Public Notice.

The Department promptly scheduled a public meeting at the B-1 Auditorium of the South Florida Water Management District at 3301 Gun Club Road in West Palm Beach for November 18, 2009 from 6:00 p.m. to 8:00 p.m. Notices of the public meeting were published in the Florida Administrative Weekly on October 30, 2009 and in The Palm Beach Post on November 11, 2009. The public meeting was conducted as scheduled and included a Department presentation on the project. The Department's representatives clarified that the purpose of the meeting was to take comments regarding the draft air permit and not matters related to other media, the original projects for Units 1 - 3 or climate change issues. The following is a list of participants.

Florida Department of Environmental Protection

Mr. Jack Long, Director of the Southeast District and Chairperson for the meeting
Mr. Jeff Koerner, Program Administrator for the New Source Review Section

Speakers from the Public

Mr. Panagiotti Tsolkas, Palm Beach County Environmental Coalition, Lake Worth
Ms. Sharon Waite, Loxahatchee
Mr. Russ McSpadden, Lake Worth
Ms. Susan Giddings, West Palm Beach
Mr. Mark Gobeo, Boca Raton
Ms. Suki deJong, Boynton Beach
Ms. Alexandria Larson, Loxahatchee

In addition, meeting attendees also provided written comments. The following discussion groups and summarizes the verbal and written comments provided on the project and provides the Department's response.

1. *Public Access to Meeting:* Several speakers believed that the meeting place did not provide acceptable public access. Security staff would not allow people to hold a public demonstration outside of the building. The 15-year old son of one of the speakers was required to sit in the lobby next to the security check-in desk since he did not have any identification.

Response: The meeting was held in the auditorium of the South Florida Water Management District. The Department asked building security to allow this person entry, but was told that this was a building security policy and the person would not be admitted without adequate identification. In addition, the building more than satisfies the Department's requirements for public meetings.

2. *Opposition to the Project:* Six speakers are opposed to the project. They are unhappy with locating a power plant in this area and believe that it will destroy sensitive ecosystems. They contend that the project represents more emissions at an already massive power plant, which just adds to the harm. Another pound from this project is another pound to the environment. Speakers are opposed to any more permits to pollute. The overall belief is that this segmented process represents "death by 1000 cuts". The impacts from the original two projects are extensive and the auxiliary boiler project just adds to these impacts.

Response: The comments primarily focused on impacts from the first two projects, which authorized construction of the new power plant. However, it is now an existing plant. Combined cycle Units 1 and 2 are in commercial operation and Unit 3 is being constructed. The auxiliary boiler project represents a very small increase in potential emissions of an existing unit, which will likely only be used if all combined cycle units are down.

3. *Support for the Project:* One speaker mentioned that the project represented a reduction in equipment and should go forward.

Response: The original project authorized two auxiliary boilers. The permit modification recognizes that only one auxiliary boiler is installed. Although potential annual emissions will increase, the potential hourly emissions rates will decrease.

FINAL DETERMINATION

4. *Administrative Hearing:* Several speakers were not convinced that this was a one-time change and requested a hearing on the project before an administrative law judge.

Response: The time to request an administrative hearing has passed. The process and deadline for requesting an administrative hearing was in the same public notice that led to the request from one of the speakers for the public meeting. This process was also discussed at the last public meeting on Unit 3.

5. *Project Alternatives:* Speakers expressed the preference that FP&L should devote more resources to developing renewable energy instead of adding emissions to the West County Energy Center. Specifically, solar energy was mentioned.

Response: The project reduces the number of auxiliary boilers from two to one. It does not involve adding any new power to the existing facility, but authorizes additional annual operation for the existing auxiliary boiler to provide steam for turbine blade cooling when the combined cycle units are not yet operational.

6. *Loxahatchee Refuge:* Speakers were concerned with impacts to the Arthur R. Marshall Loxahatchee National Wildlife Refuge.

Response: Based on air quality modeling analyses for the original projects (Units 1 – 3), the newly constructed facility will not cause or contribute to a modeled violation of a National Ambient Air Quality Standard or a violation of an allowable Class I or Class II increment or cause significant degradation of air quality. The auxiliary boiler project recognizes one instead of two auxiliary boilers, which decreases the maximum hourly emissions rate compared to the original overall emissions from the project; therefore, this change will not adversely impact the air quality standards.

7. *Cumulative Nitrogen and Sulfur Loading:* A few speakers expressed concern about the effects of acid rain emissions on local sensitive ecosystems such as the Loxahatchee Refuge. Some expressed the opinion that deposition of the air pollutants will affect the acidity (as measured by lower pH) given limited buffering capacity of the Loxahatchee Refuge or add nitrogen nutrients.

Response: This issue was addressed during the original permitting for the Unit 3 project. FP&L submitted predicted nitrogen and sulfur deposition rates from all three units at the West County Energy Center into the Loxahatchee Refuge. According to the information submitted by FP&L, the projected nitrogen deposition rate will be on the order of 0.07 kilograms per hectare per year (kg/ha/yr) and the sulfur deposition rate will be on the order of 0.2 kg/ha/yr. No concerns regarding air pollution were expressed by the U.S. Fish and Wildlife Service (USFWS), which manages the nearby Loxahatchee Refuge. The auxiliary boiler will add nearly negligible amounts of potential emissions of nitrogen oxides (1.25 tons of NO_x per year) and sulfur dioxide (0.14 tons of SO₂ per year).

8. *Greenhouse Gas (GHG) Emissions:* The project does not address GHG emissions such as carbon dioxide (CO₂) or the monitoring of these emissions.

Response: Based on an emissions factor developed by EPA¹ for natural gas combustion, the auxiliary boiler modification is estimated to increase potential CO₂ emissions by 2935 tons per year. As explained during the project presentation at the beginning of the meeting, there are no applicable state or federal rules for regulating GHG emissions from the auxiliary boiler. Summarizing:

- In 2007, the U.S. Supreme Court determined that the U.S. Environmental Protection Agency (EPA) had the authority to regulate GHG emissions.
- In 2008, EPA issued a formal request for the submittal of information on GHG emissions for future rule-making efforts.

¹ AP 42, Fifth Edition; *Compilation of Air Pollutant Emission Factors, Volume 1: Stationary Point and Area Sources*, Chapter 1: External Combustion Sources, Table 1.4-2, "Emission Factors for Criteria Pollutants and Greenhouse Gases from Natural Gas Combustion; U.S. Environmental Protection Agency; July 1998

FINAL DETERMINATION

- In December of 2008, the Department began an effort to gather information in support of a GHG Cap and Trade Program. This effort is ongoing.
- In April of 2009, EPA released a draft finding that GHG emissions from new motor vehicles will contribute to the endangerment of public health and welfare. A ruling on this draft finding is expected early in 2010.
- On September 15, 2009, EPA proposed draft emissions standards for new motor vehicles that included GHG emissions.
- On September 22, 2009, EPA issued a final rule requiring major sources to annually report GHG emissions.
- On September 30, 2009, EPA proposed the draft “GHG Tailoring Rule”. This established 25,000 tons per year as the threshold for determining major sources of GHG, which would be subject to preconstruction review for the Prevention of Significant Deterioration of Air Quality.

As mentioned, a new final rule requires large stationary sources to annually report annual GHG emissions. Affected facilities must begin monitoring on January 1, 2010. The first annual report is due to EPA by March 30, 2011. EPA believes the program will cover approximately 85% of the nation’s GHG emissions and apply to roughly 10,000 facilities.

It is also noted that Units 1 – 3 are subject to the federal Acid Rain program, which requires the monitoring and reporting of CO₂, NO_x and SO₂ emissions. The facility directly monitors the exhaust gas oxygen content of each combustion turbine, which allows the accurate calculation of CO₂ emissions. The facility has 30 days to compile and submit quarterly operation and emissions data to EPA. EPA must review the data before adding it to the database, which generally occurs in another 30 days. Unit 1 began commercial operation on August 27, 2009 and had limited operation in the 3rd quarter, but CO₂ emissions data should be available soon. Unit 2 began commercial operation on November 11, 2009, so data for the 4th quarter will not be submitted until January 30, 2010. A summary of Acid Rain data is available from the following EPA Clean Air Markets web site: <http://camddataandmaps.epa.gov/gdm>.

9. *Environmental Racism:* One speaker suggested that the project represented environmental racism for not evaluating pollution fallout in canals and wetland areas, which are fished by people from “communities of color”. In the future, the speaker suggested that similar public meetings be held in Belle Glade or Pahokee instead of West Palm Beach.

Response: As previously explained, the review for the original project did evaluate total project emissions impacts. The meeting was held in a location near the plant as suggested by the person who requested the meeting.

10. *Truck Traffic:* One speaker requested that the Department evaluate cumulative impacts from truck traffic needed to haul distillate oil to the plant.

Response: Units 1 – 3 are authorized to fire up to 500 hours of ultra low sulfur distillate oil per year as a backup fuel to the primary fuel of natural gas. The auxiliary boiler is authorized to fire only natural gas and the modification project does not involve the firing of oil.

CONCLUSION

The final action of the Department is to issue the permit as drafted.

Livingston, Sylvia

From: Livingston, Sylvia
Sent: Thursday, December 03, 2009 4:03 PM
To: 'randall_labauve@fpl.com'
Cc: 'ed.prest@fpl.com'; 'john.hampp@fpl.com'; 'barbar.p.linkiewicz@fpl.com'; 'ken_kosky@golder.com'; 'forney.kathleen@epa.gov'; 'abrams.heather@epa.gov'; 'oquendo.ana@epa.gov'; 'dee_morse@nps.gov'; 'james_stormer@doh.state.fl.us'; Anderson, Lennon; Halpin, Mike; 'ever_superintendent@nps.gov'; 'christy_coghlan@fws.gov'; 'paul_quinlan@pbpost.com'; 'pbcenvirocoalition@gmail.com'; 'atreyu@direcway.com'; 'GremlinLtd@aol.com'; 'natalie.m.olson@gmail.com'; 'sgiddings@odellinc.com'; 'dal@mail.house.gov'; 'gserignese@yahoo.com'; 'sukidejong@msn.com'; 'mrkg_13@yahoo.com'; 'erinalma@yahoo.com'; 'Agreene@co.palm-beach.fl.us'; 'dlodwick@royalplambeach.com'; 'twenham@ci.wellington.fl.us'; Gibson, Victoria; Walker, Elizabeth (AIR); Koerner, Jeff
Subject: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A
Attachments: 0990646-003-AC_Signatures.pdf

Dear Sir/ Madam:

Attached is the official **Notice of Final Permit** for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send".

Note: We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

Click on the following link to access the documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0990646.003.AC.F_pdf.zip

Owner/Company Name: FLORIDA POWER AND LIGHT COMPANY

Facility Name: FP&L / WEST COUNTY ENERGY CENTER

Project Number: 0990646-003-AC/PSD-FL-354A

Permit Status: FINAL

Permit Activity: CONSTRUCTION

Facility County: PALM BEACH

Processor: Jeff Koerner

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp>.

Project documents that are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Sylvia Livingston
Bureau of Air Regulation

Livingston, Sylvia

From: LaBauve, Randall R [Randall.R.LaBauve@fpl.com]
Sent: Friday, December 04, 2009 7:23 AM
To: Livingston, Sylvia
Subject: RE: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A

Received and reviewed. Thanks,

Randy

From: Livingston, Sylvia [mailto:Sylvia.Livingston@dep.state.fl.us]
Sent: Thursday, December 03, 2009 4:03 PM
To: randall_labauve@fpl.com
Cc: Preast, Ed; Hampp, John; barbar.p.linkiewicz@fpl.com; ken_kosky@golder.com; forney.kathleen@epa.gov; abrams.heather@epa.gov; oquendo.ana@epa.gov; dee_morse@nps.gov; james_stormer@doh.state.fl.us; Anderson, Lennon; Halpin, Mike; ever_superintendent@nps.gov; christy_coghan@fws.gov; paul_quinlan@pbpost.com; pbcenvirocoalition@gmail.com; atreyu@direcway.com; GremlinLtd@aol.com; natalie.m.olson@gmail.com; sgiddings@odellinc.com; dal@mail.house.gov; gserignese@yahoo.com; sukidejong@msn.com; mrkg_13@yahoo.com; erinalma@yahoo.com; Agreeene@co.palm-beach.fl.us; dlodwick@royalplambeach.com; twenham@ci.wellington.fl.us; Gibson, Victoria; Walker, Elizabeth (AIR); Koerner, Jeff
Subject: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A

Dear Sir/ Madam:

Attached is the official **Notice of Final Permit** for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send".

Note: We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

Click on the following link to access the documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0990646.003.AC.F_pdf.zip

Owner/Company Name: FLORIDA POWER AND LIGHT COMPANY
Facility Name: FP&L / WEST COUNTY ENERGY CENTER
Project Number: 0990646-003-AC/PSD-FL-354A
Permit Status: FINAL
Permit Activity: CONSTRUCTION
Facility County: PALM BEACH
Processor: Jeff Koerner

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp>.

Project documents that are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems

Livingston, Sylvia

From: Hampp, John [John.Hampp@fpl.com]
Sent: Thursday, December 03, 2009 4:39 PM
To: Livingston, Sylvia
Subject: RE: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A

I am able to access the documents.

From: Livingston, Sylvia [mailto:Sylvia.Livingston@dep.state.fl.us]
Sent: Thursday, December 03, 2009 4:03 PM
To: randall_labauve@fpl.com
Cc: Preast, Ed; Hampp, John; barbar.p.linkiewicz@fpl.com; ken_kosky@golder.com; forney.kathleen@epa.gov; abrams.heather@epa.gov; oquendo.ana@epa.gov; dee_morse@nps.gov; james_stormer@doh.state.fl.us; Anderson, Lennon; Halpin, Mike; ever_superintendent@nps.gov; christy_coghlan@fws.gov; paul_quinlan@pbpost.com; pbcenvirocoalition@gmail.com; atreyu@direcway.com; GremlinLtd@aol.com; natalie.m.olson@gmail.com; sgiddings@odellinc.com; dal@mail.house.gov; gserignese@yahoo.com; sukidejong@msn.com; mrkg_13@yahoo.com; erinalma@yahoo.com; Agreeene@co.palm-beach.fl.us; dlodwick@royalplambeach.com; twenham@ci.wellington.fl.us; Gibson, Victoria; Walker, Elizabeth (AIR); Koerner, Jeff
Subject: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A

Dear Sir/ Madam:

Attached is the official **Notice of Final Permit** for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send".

Note: We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

Click on the following link to access the documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0990646.003.AC.F_pdf.zip

Owner/Company Name: FLORIDA POWER AND LIGHT COMPANY
Facility Name: FP&L / WEST COUNTY ENERGY CENTER
Project Number: 0990646-003-AC/PSD-FL-354A
Permit Status: FINAL
Permit Activity: CONSTRUCTION
Facility County: PALM BEACH
Processor: Jeff Koerner

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp> .

Project documents that are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Livingston, Sylvia

From: Mark Gobeo [mrkg_13@yahoo.com]
Sent: Thursday, December 03, 2009 4:45 PM
To: Livingston, Sylvia
Subject: Re: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A

To: Silvia Livingston

I hope all is well when you receive this email. I wanted to inform you that I can view the documents just fine. Thank you for your time and dedication.

Mark J. Gobeo, MA.

--- On **Thu, 12/3/09**, Livingston, Sylvia <Sylvia.Livingston@dep.state.fl.us> wrote:

From: Livingston, Sylvia <Sylvia.Livingston@dep.state.fl.us>
Subject: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A
To: randall_labauve@fpl.com
Cc: ed.prest@fpl.com, john.hampp@fpl.com, barbar.p.linkiewicz@fpl.com, ken_kosky@golder.com, forney.kathleen@epa.gov, abrams.heather@epa.gov, oquendo.ana@epa.gov, dee_morse@nps.gov, james_stormer@doh.state.fl.us, "Anderson, Lennon" <Lennon.Anderson@dep.state.fl.us>, "Halpin, Mike" <Mike.Halpin@dep.state.fl.us>, ever_superintendent@nps.gov, christy_coghlan@fws.gov, paul_quinlan@pbpost.com, pbcenvirocoalition@gmail.com, atreyu@direcway.com, GremlinLtd@aol.com, natalie.m.olson@gmail.com, sgiddings@odellinc.com, dal@mail.house.gov, gserignese@yahoo.com, sukidejong@msn.com, mrkg_13@yahoo.com, erinalma@yahoo.com, Agreene@co.palm-beach.fl.us, dlodwick@royalplambeach.com, twenham@ci.wellington.fl.us, "Gibson, Victoria" <Victoria.Gibson@dep.state.fl.us>, "Walker, Elizabeth (AIR)" <Elizabeth.Walker@dep.state.fl.us>, "Koerner, Jeff" <Jeff.Koerner@dep.state.fl.us>
Date: Thursday, December 3, 2009, 4:03 PM

Dear Sir/ Madam:

Attached is the official **Notice of Final Permit** for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send".

Note: We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

Click on the following link to access the documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0990646.003.AC.F_pdf.zip

Owner/Company Name: FLORIDA POWER AND LIGHT COMPANY
Facility Name: FP&L / WEST COUNTY ENERGY CENTER
Project Number: 0990646-003-AC/PSD-FL-354A
Permit Status: FINAL
Permit Activity: CONSTRUCTION

Livingston, Sylvia

From: Christy_Coghlan@fws.gov
Sent: Tuesday, December 08, 2009 8:08 AM
To: Livingston, Sylvia
Subject: Re: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A
Attachments: pic12993.gif; 0990646-003-AC_Signatures.pdf

I have access to (and can view) the document.

Christy Combs Coghlan
U.S. Fish and Wildlife Service
Fish and Wildlife Biologist - Refuge Liaison
A.R.M Loxahatchee National Wildlife Refuge
10216 Lee Road
Boynton Beach, FL 33473-4796
Christy_Coghlan@fws.gov
Office: 561-735-6037
Cell: 772-532-5874

↗ "Livingston, Sylvia" <Sylvia.Livingston@dep.state.fl.us>

"Livingston, Sylvia"
<Sylvia.Livingston@dep.state.fl.us>

12/03/2009 04:03 PM

To<randall_labauve@fpl.com>

cc<ed.prest@fpl.com>, <john.hampp@fpl.com>, <barbar.p.linkiewicz@fpl.com>, <ken_kosky@golder.com>, <forney.kathleen@epa.gov>, <abrams.heather@epa.gov>, <oquendo.ana@epa.gov>, <dee_morse@nps.gov>, <james_stormer@doh.state.fl.us>, "Anderson, Lennon" <Lennon.Anderson@dep.state.fl.us>, "Halpin, Mike" <Mike.Halpin@dep.state.fl.us>, <ever_superintendent@nps.gov>, <christy_coghlan@fws.gov>, <paul_quinlan@pbpost.com>, <pbcevirocoalition@gmail.com>, <atreyu@direcway.com>, <GremlinLtd@aol.com>, <natalie.m.olson@gmail.com>, <sgiddings@odellinc.com>, <dal@mail.house.gov>, <gserignese@yahoo.com>, <sukidejong@msn.com>, <mrkg_13@yahoo.com>, <erinalma@yahoo.com>, <Agreene@co.palm-beach.fl.us>, <dlodwick@royalplambeach.com>, <twenham@ci.wellington.fl.us>, "Gibson, Victoria" <Victoria.Gibson@dep.state.fl.us>, "Walker, Elizabeth \ (AIR\)" <Elizabeth.Walker@dep.state.fl.us>, "Koerner, Jeff" <Jeff.Koerner@dep.state.fl.us>

Dear Sir/ Madam:

Attached is the official **Notice of Final Permit** for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send".

Note: We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

Click on the following link to access the documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0990646.003.AC.F_pdf.zip

Owner/Company Name: FLORIDA POWER AND LIGHT COMPANY

Facility Name: FP&L / WEST COUNTY ENERGY CENTER

Project Number: 0990646-003-AC/PSD-FL-354A

Permit Status: FINAL

Permit Activity: CONSTRUCTION

Facility County: PALM BEACH

Processor: Jeff Koerner

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "Air Permit Documents Search" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp> .

Project documents that are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Sylvia Livingston

Bureau of Air Regulation

Division of Air Resource Management (DARM)

Department of Environmental Protection

850/921-9506

sylvia.livingston@dep.state.fl.us

Note: The attached document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site: <<http://www.adobe.com/products/acrobat/readstep.html>> .

Livingston, Sylvia

From: PBC EnviroCoalition [pbcenvirocoalition@gmail.com]
Sent: Thursday, December 17, 2009 4:59 PM
To: Livingston, Sylvia
Subject: Re: FW: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A

Hello,

Yes i have received this email. Thank you very much. I spoke with another participant at the meeting who received their information via certified mail, which included responses to our stated concerns.

Was this document not emailed?

I also heard from other participants who never received the attachments. One was Suki de Jong: sukidejong@gmail.com

Thanks,
Panagioti Tsolkas

On Wed, Dec 16, 2009 at 11:17 AM, Livingston, Sylvia <Sylvia.Livingston@dep.state.fl.us> wrote:

> Dear Mr. Tsolkas:

>
>
>

> We have not received confirmation that you were able to access the
> documents attached to this December 3rd e-mail. Please confirm
> receipt by opening the attachment and sending a reply to me.

>
>
>

> Thanks,

>
>
>

> Sylvia Livingston

> Bureau of Air Regulation

> Division of Air Resource Management (DARM)

> Department of Environmental Protection

> 850/921-9506

> sylvia.livingston@dep.state.fl.us

>
>
>

> The Department of Environmental Protection values your feedback as a
> customer. DEP Secretary Michael W. Sole is committed to continuously
> assessing and improving the level and quality of services provided to you.

> Please take a few minutes to comment on the quality of service you received.
> Simply click on this link to the DEP Customer Survey. Thank you in
> advance for completing the survey.

>
> From: Livingston, Sylvia
> Sent: Thursday, December 03, 2009 4:03 PM
> To: 'randall_labauve@fpl.com'
> Cc: 'ed.prest@fpl.com'; 'john.hampp@fpl.com';
> 'barbar.p.linkiewicz@fpl.com'; 'ken_kosky@golder.com';
> 'forney.kathleen@epa.gov'; 'abrams.heather@epa.gov';
> 'oquendo.ana@epa.gov'; 'dee_morse@nps.gov';
> 'james_stormer@doh.state.fl.us'; Anderson, Lennon; Halpin, Mike;
> 'ever_superintendent@nps.gov'; 'christy_coghlan@fws.gov';
> 'paul_quinlan@pbpost.com'; 'pbcenvirocoalition@gmail.com';
> 'atreyu@direcway.com'; 'GremlinLtd@aol.com';
> 'natalie.m.olson@gmail.com'; 'sgiddings@odellinc.com';
> 'dal@mail.house.gov'; 'gserignese@yahoo.com'; 'sukidejong@msn.com';
> 'mrkg_13@yahoo.com'; 'erinalma@yahoo.com';
> 'Agreene@co.palm-beach.fl.us'; 'dlodwick@royalplambeach.com';
> 'tvenham@ci.wellington.fl.us'; Gibson, Victoria; Walker, Elizabeth
> (AIR); Koerner, Jeff
> Subject: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A

>
>
>
> Dear Sir/ Madam:

>
> Attached is the official Notice of Final Permit for the project
> referenced below. Click on the link displayed below to access the
> permit project documents and send a "reply" message verifying receipt
> of the document(s) provided in the link; this may be done by selecting
> "Reply" on the menu bar of your e-mail software, noting that you can
> view the documents, and then selecting "Send".

>
> Note: We must receive verification that you are able to access the
> documents. Your immediate reply will preclude subsequent e-mail
> transmissions to verify accessibility of the document(s).

> Click on the following link to access the documents:

> http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0990646.003.AC.F_pdf.zip

> Owner/Company Name: FLORIDA POWER AND LIGHT COMPANY Facility Name:
> FP&L / WEST COUNTY ENERGY CENTER Project Number:
> 0990646-003-AC/PSD-FL-354A Permit Status: FINAL Permit Activity:
> CONSTRUCTION Facility County: PALM BEACH

> Processor: Jeff Koerner

>
> The Bureau of Air Regulation is issuing electronic documents for
> permits, notices and other correspondence in lieu of hard copies
> through the United States Postal System, to provide greater service to
> the applicant and the engineering community. Access these documents by
> clicking on the link provided above, or search for other project
> documents using the "Air Permit Documents Search" website at
> <http://www.dep.state.fl.us/air/eproducts/apds/default.asp> .

Ms. Sharon Waite
15058 75th Lane North
Loxahatchee, FL 33470

Mr. Russ McSpadden
822 North C Street
Lake Worth, FL 33460

*mailed
12/4/09*

Ms. Janel Horne
5331 Ruth Drive
West Palm Beach, FL 33415

Mr. Bill Tavernise
12012 South Shore Boulevard
Wellington, FL 33411

Ms. Alexandria Larson
16933 West Hialeah Drive
Loxahatchee, FL 33470

Livingston, Sylvania

From: Livingston, Sylvania
Sent: Friday, December 18, 2009 8:11 AM
To: 'PBC EnviroCoalition'
Subject: RE: FW: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A

Thank you Mr. Tsolkas for your information. If you will provide me the names and contact information of other participants who didn't receive notice, I will send the notice to them as well.

Thanks,

Sylvia Livingston
Bureau of Air Regulation
Division of Air Resource Management (DARM) Department of Environmental Protection
850/921-9506
sylvia.livingston@dep.state.fl.us

-----Original Message-----

From: PBC EnviroCoalition [mailto:pbcentirocoalition@gmail.com]
Sent: Thursday, December 17, 2009 4:59 PM
To: Livingston, Sylvania
Subject: Re: FW: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A

Hello,

Yes i have received this email. Thank you very much. I spoke with another participant at the meeting who received their information via certified mail, which included responses to our stated concerns.

Was this document not emailed?

I also heard from other participants who never received the attachments. One was Suki de Jong: sukidejong@gmail.com

Thanks,
Panagioti Tsolkas

On Wed, Dec 16, 2009 at 11:17 AM, Livingston, Sylvania <Sylvia.Livingston@dep.state.fl.us> wrote:

> Dear Mr. Tsolkas:

>
>
>
> We have not received confirmation that you were able to access the
> documents attached to this December 3rd e-mail. Please confirm
> receipt by opening the attachment and sending a reply to me.

>
>
>
> Thanks,

>
>

>
> Sylvia Livingston
>
> Bureau of Air Regulation
>
> Division of Air Resource Management (DARM)
>
> Department of Environmental Protection
>
> 850/921-9506
>
> sylvia.livingston@dep.state.fl.us
>
>
>
> The Department of Environmental Protection values your feedback as a
> customer. DEP Secretary Michael W. Sole is committed to continuously
> assessing and improving the level and quality of services provided to you.
> Please take a few minutes to comment on the quality of service you received.
> Simply click on this link to the DEP Customer Survey. Thank you in
> advance for completing the survey.

>
> From: Livingston, Sylvia
> Sent: Thursday, December 03, 2009 4:03 PM
> To: 'randall_labauve@fpl.com'
> Cc: 'ed.prest@fpl.com'; 'john.hampp@fpl.com';
> 'barbar.p.linkiewicz@fpl.com'; 'ken_kosky@golder.com';
> 'forney.kathleen@epa.gov'; 'abrams.heather@epa.gov';
> 'oquendo.ana@epa.gov'; 'dee_morse@nps.gov';
> 'james_stormer@doh.state.fl.us'; Anderson, Lennon; Halpin, Mike;
> 'ever_superintendent@nps.gov'; 'christy_coghlan@fws.gov';
> 'paul_quinlan@pbpost.com'; 'pbcenvirocoalition@gmail.com';
> 'atreyu@direcway.com'; 'GremlinLtd@aol.com';
> 'natalie.m.olson@gmail.com'; 'sgiddings@odellinc.com';
> 'dal@mail.house.gov'; 'gserignese@yahoo.com'; 'sukidejong@msn.com';
> 'mrkg_13@yahoo.com'; 'erinalma@yahoo.com';
> 'Agreene@co.palm-beach.fl.us'; 'dlodwick@royalplambeach.com';
> 'twenham@ci.wellington.fl.us'; Gibson, Victoria; Walker, Elizabeth
> (AIR); Koerner, Jeff
> Subject: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A

>
>
>
> Dear Sir/ Madam:

>
> Attached is the official Notice of Final Permit for the project
> referenced below. Click on the link displayed below to access the
> permit project documents and send a "reply" message verifying receipt
> of the document(s) provided in the link; this may be done by selecting
> "Reply" on the menu bar of your e-mail software, noting that you can
> view the documents, and then selecting "Send".

>
> Note: We must receive verification that you are able to access the
> documents. Your immediate reply will preclude subsequent e-mail
> transmissions to verify accessibility of the document(s).

>
> Click on the following link to access the documents:

>
> http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0990646.003.AC.F_pdf.zip
>
> Owner/Company Name: FLORIDA POWER AND LIGHT COMPANY Facility Name:
> FP&L / WEST COUNTY ENERGY CENTER Project Number:
> 0990646-003-AC/PSD-FL-354A Permit Status: FINAL Permit Activity:
> CONSTRUCTION Facility County: PALM BEACH
>
> Processor: Jeff Koerner
>
> The Bureau of Air Regulation is issuing electronic documents for
> permits, notices and other correspondence in lieu of hard copies
> through the United States Postal System, to provide greater service to
> the applicant and the engineering community. Access these documents by
> clicking on the link provided above, or search for other project
> documents using the "Air Permit Documents Search" website at
> <http://www.dep.state.fl.us/air/eproducts/apds/default.asp> .
>
> Project documents that are addressed in this email may require
> immediate action within a specified time frame. Please open and review
> the document(s) as soon as possible, and verify that they are
> accessible. Please advise this office of any changes to your e-mail
> address or that of the Engineer-of-Record. If you have any problems
> opening the documents or would like further information, please
> contact the Florida Department of Environmental Protection, Bureau of Air Regulation at
> (850)488-0114.
>
>
>
>
> Sylvia Livingston
>
> Bureau of Air Regulation
>
> Division of Air Resource Management (DARM)
>
> Department of Environmental Protection
>
> 850/921-9506
>
> sylvia.livingston@dep.state.fl.us
>
>
>
> Note: The attached document is in Adobe Portable Document Format (pdf).
> Adobe Acrobat Reader can be downloaded for free at the following
> internet
> site: <<http://www.adobe.com/products/acrobat/readstep.html>> .
>
>
>
>

Livingston, Sylvia

From: Livingston, Sylvia
Sent: Friday, December 18, 2009 8:25 AM
To: 'sukidejong@gmail.com'
Cc: 'PBC EnviroCoalition'
Subject: FW: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A
Attachments: 0990646-003-AC_Signatures.pdf

Ms. Suki de Jong,

I am sending you this e-mail in response to an e-mail sent to me by Panagioti Tsokas informing me that you did not receive this notice on December 3, 2009. In reviewing the names of people who I sent this to I noticed that the e-mail address I have for you is different from what Panagioti Tsokas provided me. I'm sorry for the delay.

Sylvia Livingston
Bureau of Air Regulation
Division of Air Resource Management (DARM)
Department of Environmental Protection
850/921-9506
sylvia.livingston@dep.state.fl.us

From: Livingston, Sylvia
Sent: Thursday, December 03, 2009 4:03 PM
To: 'randall_labauve@fpl.com'
Cc: 'ed.preast@fpl.com'; 'john.hampp@fpl.com'; 'barbar.p.linkiewicz@fpl.com'; 'ken_kosky@golder.com'; 'forney.kathleen@epa.gov'; 'abrams.heather@epa.gov'; 'oquendo.ana@epa.gov'; 'dee_morse@nps.gov'; 'james_stormer@doh.state.fl.us'; Anderson, Lennon; Halpin, Mike; 'ever_superintendent@nps.gov'; 'christy_coghlan@fws.gov'; 'paul_quinlan@pbpost.com'; 'pbcenvirocoalition@gmail.com'; 'atreyu@direcway.com'; 'GremlinLtd@aol.com'; 'natalie.m.olson@gmail.com'; 'sgiddings@odellinc.com'; 'dal@mail.house.gov'; 'gserignese@yahoo.com'; 'sukidejong@msn.com'; 'mrkg_13@yahoo.com'; 'erinalma@yahoo.com'; 'Agreene@co.palm-beach.fl.us'; 'dlodwick@royalplambeach.com'; 'ttenham@ci.wellington.fl.us'; Gibson, Victoria; Walker, Elizabeth (AIR); Koerner, Jeff
Subject: FP&L- WEST COUNTY ENERGY CENTER; 0990646-003-AC/ PSD-FL-354A

Dear Sir/ Madam:

Attached is the official **Notice of Final Permit** for the project referenced below. Click on the link displayed below to access the permit project documents and send a "reply" message verifying receipt of the document(s) provided in the link; this may be done by selecting "Reply" on the menu bar of your e-mail software, noting that you can view the documents, and then selecting "Send".

Note: We must receive verification that you are able to access the documents. Your immediate reply will preclude subsequent e-mail transmissions to verify accessibility of the document(s).

Click on the following link to access the documents:

http://ARM-PERMIT2K.dep.state.fl.us/adh/prod/pdf_permit_zip_files/0990646.003.AC.F_pdf.zip

Owner/Company Name: FLORIDA POWER AND LIGHT COMPANY
Facility Name: FP&L / WEST COUNTY ENERGY CENTER
Project Number: 0990646-003-AC/PSD-FL-354A
Permit Status: FINAL

Permit Activity: CONSTRUCTION

Facility County: PALM BEACH

Processor: Jeff Koerner

The Bureau of Air Regulation is issuing electronic documents for permits, notices and other correspondence in lieu of hard copies through the United States Postal System, to provide greater service to the applicant and the engineering community. Access these documents by clicking on the link provided above, or search for other project documents using the "*Air Permit Documents Search*" website at <http://www.dep.state.fl.us/air/eproducts/apds/default.asp> .

Project documents that are addressed in this email may require immediate action within a specified time frame. Please open and review the document(s) as soon as possible, and verify that they are accessible. Please advise this office of any changes to your e-mail address or that of the Engineer-of-Record. If you have any problems opening the documents or would like further information, please contact the Florida Department of Environmental Protection, Bureau of Air Regulation at (850)488-0114.

Sylvia Livingston
Bureau of Air Regulation
Division of Air Resource Management (DARM)
Department of Environmental Protection
850/921-9506
sylvia.livingston@dep.state.fl.us

Note: The attached document is in Adobe Portable Document Format (pdf). Adobe Acrobat Reader can be downloaded for free at the following internet site: <http://www.adobe.com/products/acrobat/readstep.html> .

First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

RECEIVED

• Sender: Please print your name, address, and ZIP+4 in this box •

BUREAU OF AIR REGULATION
C990645-005-AC
MS# 5505 MC ACCT# 5515
FLORIDA DEPT OF ENVIRONMENTAL
PROTECTION
MAIL STATION 5505
2660 BLAIRSTONE RD
TALLAHASSEE, FL 32399-2400



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

MS. SHARON WAITE
15058 75TH LANE NORTH
LOXAHATCHEE, FL 33471

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent Addressee
Richard Waite
 B. Received by (Printed Name) C. Date of Delivery
Richard Waite *12/11/09*
 D. Is delivery address different from item 1? Yes No
 If YES, enter delivery address below:

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.
 4. Restricted Delivery? (Extra Fee) Yes

2. Article Number (Transfer from service label) 7005 1820 0007 9819 8856

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)
 For delivery information visit our website at www.usps.com®

OFFICIAL USE

Postage	\$
Certified Fee	<i>12/11/09</i>
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark Here
Sent 12/4/09

Sent To Sharon Waite
 Street, Apt. No., or PO Box No.
 City, State, ZIP+4 Loxahatchee FL

PS Form 3800, June 2002 See Reverse for Instructions

7005 1820 0007 9819 8856

RECEIVED


DEC 11 2009

First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

BUREAU OF AIR REGULATION

099064500000
MS# 5505 MC ACC 1# 5515
FLORIDA DEPT OF ENVIRONMENTAL
PROTECTION
MAIL STATION 5505
2000 BLAIRSTONE RD
TALLAHASSEE, FL 32399-2400



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

MR. BILL TAVERNISE
12012 SOUTH SHORE BLVD
WELLINGTON, FL 33411

2. Article Number

(Transfer from service label)

7005 1820 0007 9819 8894

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

[Handwritten Signature]

Agent

Addressee

B. Received by (Printed Name)

R WOLFE

C. Date of Delivery

D. Is delivery address different from item 1? Yes

If YES, enter delivery address below: No

3. Service Type

Certified Mail

Express Mail

Registered

Return Receipt for Merchandise

Insured Mail

C.O.D.

4. Restricted Delivery? (Extra Fee)

Yes

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

U.S. Postal Service™

CERTIFIED MAIL™ RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com®

OFFICIAL USE

7005 1820 0007 9819 8894

Postage \$

Certified Fee

Return Receipt Fee (Endorsement Required)

Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees \$

Postmark Here

099064500000
Sent 12/4/09

Sent To

Bill Tavernise

Street, Apt. No., or PO Box No.

City, State, ZIP+4

Wellington FL


RECEIVED
DEC 11 2009

First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

BUREAU OF AIR REGULATION

0990646-001-AC
MS# 5505 MC ACCT# 5515
FLORIDA DEPT OF ENVIRONMENTAL
PROTECTION
MAIL STATION 5505
2600 BLAIRSTONE RD
TALLAHASSEE, FL 32399-2400



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

MS. JANEL HORNE
5331 RUTH DR
WEST PALM BEACH, FL 33415

2. Article Number

(Transfer from service label)

7005 1820 0007 9819 8887

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent
 [Signature] Addressee

B. Received by (Printed Name) C. Date of Delivery

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

7005 1820 0007 9819 8887

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$	Postmark Here <i>Sent 12/4/09</i>
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Postage & Fees		

Sent To: *Janel Horne*

Street, Apt. No., or PO Box No.:

City, State, ZIP+4: *West Palm Beach, FL*

RECEIVED

First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

DEC 11 2009

• Sender: Please print your name, address, and ZIP+4 in this box •

BUREAU OF AIR REGULATION

MS# 5505 MC ACCT# 5515
FLORIDA DEPT OF ENVIRONMENTAL
PROTECTION
MAIL STATION 5505
2600 BLAIRSTONE RD
TALLAHASSEE, FL 32399-2400

400



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

0990646-003-AE
MS. ALEXANDRIA LARSON
16933 WEST HIALEAH DR
LOXAHATCHEE, FL 33470

2. Article Number

(Transfer from service label)

7005 1820 0007 9819 8849

COMPLETE THIS SECTION ON DELIVERY

A. Signature

x *D. Larson*

Agent
 Addressee

B. Received by (Printed Name)
D. Larson

C. Date of Delivery
12-09-09

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

- Certified Mail Express Mail
- Registered Return Receipt for Merchandise
- Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee)

Yes

7005 1820 0007 9819 8849

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com.

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark Here
0990646-003-AE
Sent 12/11/09

Sent To *Alexandria Larson*

Street, Apt. No., or PO Box No.
City, State, ZIP+4 *Loxahatchee*