

Sheplak, Scott

From: Oswald, Kelsi [koswald@co.pinellas.fl.us]
Sent: Friday, May 27, 2011 12:10 PM
To: oquendo.ana@epamail.epa.gov; Sheplak, Scott
Subject: RE: Proof of Publication
Attachments: Public Notice of permit 052111.pdf

Please disregard the first email I sent you, and replace with this new and improved version! Part of the copy was cut off on the first scanned document.

Kelsi Jo Oswald
Waste to Energy Program Manager
Pinellas County Utilities, Solid Waste
3095 114th Avenue N.
St. Petersburg, FL 33716
(727)464-7514

All mail sent to and from Pinellas County is subject to the Public Records Laws of Florida.

From: Oswald, Kelsi
Sent: Friday, May 27, 2011 9:38 AM
To: 'oquendo.ana@epamail.epa.gov'; 'Sheplak, Scott'
Subject: Proof of Publication

Please see the attached scanned copy of the proof of publication for the Public Notice of Intent to Issue a Permit for Permit 1030117-008-AV. The original hard copy will be mailed to the FDEP office.

Kelsi Jo Oswald
Waste to Energy Program Manager
Pinellas County Utilities, Solid Waste
3095 114th Avenue N.
St. Petersburg, FL 33716
(727)464-7514

All mail sent to and from Pinellas County is subject to the Public Records Laws of Florida.

1003530089

St. Petersburg Times
Published Daily
St. Petersburg, Pinellas County, Florida

STATE OF FLORIDA }
COUNTY OF PINELLAS } s.s.

Before the undersigned authority personally appeared L. Showen who on oath says that he/she is Legal Clerk of the *St. Petersburg Times* a daily newspaper published at St. Petersburg, in Pinellas County, Florida; that the attached copy of advertisement, being a Legal Notice in the matter RE: Intent To Issue Air Permit was published in said newspaper in the issues of Classified N Pinellas Classified S Pinellas, 5/21/2011.

Affiant further says the said *St. Petersburg Times* is a newspaper published at St. Petersburg, in said Pinellas County, Florida and that the said newspaper has heretofore been continuously published in said Pinellas County, Florida, each day and has been entered as second class mail matter at the post office in St. Petersburg, in said Pinellas County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement, and affiant further says that he/she has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.

Loz A. Sh

Signature of Affiant

Sworn to and subscribed before me
this 23rd day of May A.D.2011



Jessica Attard
Signature of Notary Public

Personally known or produced identification

Type of identification produced _____

PUBLIC NOTICE OF INTENT TO ISSUE AIR PERMIT

Florida Department of Environmental Protection
Division of Air Resource Management, Bureau of Air Segregation
Permit No. 1203117-005-AV
Pinellas County Utilities Administration, Pinellas County Resource Recovery Facility
Pinellas County, Florida

Applicants: The applicant for this project is Pinellas County Utilities Administration. The applicant's responsible official and mailing address are: Mr. Robert Hauser, Director, Pinellas County Utilities Administration, Pinellas County Resource Recovery Facility, 3026 114th Avenue North, St. Petersburg, Florida 33716.

Facility Location: The applicant operates the existing Pinellas County Resource Recovery Facility, which is located in Pinellas County at 3001 110th Avenue North, St. Petersburg, Florida.

Project: The applicant applied on April 1, 2010 to the Department for a Title V air operation permit renewal. This is a renewal of Title V air operation permit No. 1030117-005-AV. This existing facility consists of three municipal solid waste combustors (Unit Nos. 1, 2 and 3) with auxiliary burners, line storage and processing facilities; an activated carbon storage facility; ash storage and processing facilities; a mobile recovery system; a cooling tower; ancillary support equipment; and a contiguous municipal solid waste landfill.

Permitting Authority: Applications for Title V air operation permits are subject to review in accordance with the provisions of Chapter 403, Florida Statutes (F.S.) and Chapters 62-4, 62-210 and 62-213 of the Florida Administrative Code (F.A.C.). The proposed project is not exempt from air permitting requirements and a Title V air operation permit is required to operate the facility. The Department of Environmental Protection's Air Resource Section in the Bureau of Air Segregation is the Permitting Authority responsible for making a permit determination for this project. The Permitting Authority's physical address is: 111 South Magnolia Drive, Suite 8A, Tallahassee, Florida 32301. The Permitting Authority's mailing address is: 2600 Blair Stone Road, MS #5605, Tallahassee, Florida 32399-2400. The Permitting Authority's telephone number is 850/717-3000.

Project File: A complete project file is available for public inspection during the normal business hours of 8:00 a.m. to 5:00 p.m., Monday through Friday (except legal holidays), at the address indicated above for the Permitting Authority. The complete project file includes the draft/proposed permit, the statement of basis, the application, and the information submitted by the applicant, exclusive of confidential records under Section 403.111, F.S. Interested persons may view the draft/proposed permit by visiting the following website: <http://www.dep.state.fl.us/air/permit/default.asp> and entering the permit number shown above. Interested persons may contact the Permitting Authority's project review engineer for additional information at the address or phone number listed above.

Notice of Intent to Issue Permits: The Permitting Authority gives notice of its intent to issue a Draft/Proposed Title V air operation permit renewal to the applicant for the project described above. The applicant has provided reasonable assurance that operation of the existing equipment will not adversely impact air quality and that the project will comply with all appropriate provisions of Chapters 62-4, 62-204, 62-210, 62-212, 62-213, 62-206 and 62-207, F.A.C. The Permitting Authority will issue a final permit in accordance with the conditions of the draft/proposed permit unless a response received in accordance with the following procedures results in a different decision or a significant change of terms or conditions.

Comments: The Permitting Authority will accept written comments concerning the draft/proposed Title V air operation permit for a period of 30 days from the date of publication of the Public Notice. Written comments must be received by the close of business (5:00 p.m.), on or before the end of this 30-day period by the Permitting Authority at the above address. As part of the public comment process, any person may also request that the Permitting Authority hold a public meeting on this operating action. If the Permitting Authority determines there is sufficient interest for a public meeting, it will publish notice of the time, date, and location in the Florida Administrative Weekly (FAW). If a public meeting is requested within the 30-day comment period and conducted by the Permitting Authority, any oral or written comments received during the public meeting will also be considered by the Permitting Authority. If timely received written comments or comments received at a public meeting result in a significant change to the draft/proposed permit, the Permitting Authority shall issue a revised draft/proposed permit and require, if applicable, another Public Notice. All comments filed will be made available for public inspection. For additional information, contact the Permitting Authority at the above address or phone number.

Petitions: A person whose substantial interests are affected by the proposed permitting decision may petition for an administrative hearing in accordance with Sections 120.566 and 120.57, F.S. The petition must contain: the information set forth below and must be filed with (received by) the Department's Agency Clerk in the Office of General Counsel of the Department of Environmental Protection at 3900 Commonwealth Boulevard, Mail Station 836, Tallahassee, Florida 32399-2000. Petitions filed by any persons other than those entitled to file a petition under Section 120.603, F.S. must be filed within 14 days of publication of the Public Notice or receipt of a written notice, whichever occurs first. Under Section 120.603, F.S., however, any person who asked the Permitting Authority for notice of agency action may file a petition within 14 days of receipt of that notice, regardless of the date of publication of the Public Notice. A copy of the petition to the applicant at the address indicated above, at the time of filing. The failure of any person to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under Sections 120.569 and 120.57, F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention (in a proceeding initiated by another party) will be only at the approval of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205, F.A.C.

A petition that disputes the material facts on which the Permitting Authority's action is based must contain the following information: (a) The name and address of each agency affected and each agency's file or identification number, if known; (b) The name, address and telephone number of the petitioner; the name, address and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial rights will be affected by the agency's determination; (c) A statement of when and how the petitioner received notice of the agency action or proposed decision; (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate; (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action; (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action including an explanation of how the alleged facts relate to the specific rules or statutes; and; (g) A statement of the relief sought by the petitioner, stating precisely the action the petitioner wishes the agency to take with respect to the agency's proposed action. A petition that does not dispute the material facts upon which the Permitting Authority's action is based shall state that no such facts are in dispute and otherwise shall contain the same information as set forth above, as required by Rule 28-106.301, F.A.C.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Permitting Authority's final action may be different from the petition taken by it in this Public Notice or Intent to Issue All Permit Persons whose substantial interests will be affected by any such final decision of the Permitting Authority on the application have the right to petition to become a party to the proceeding, in accordance with the requirements set forth above.

Mediation: Mediation is not available for this proceeding.

EPA Review: EPA has agreed to treat the draft/proposed Title V air operation permit as a proposed Title V air operation permit and to perform its 45-day review provided by the law and regulations concurrently with the public comment period, provided that the applicant also transmits an electronic copy of publication directly to EPA at the following email address: ocanderson@epa.gov. Although EPA's 45-day review period will be performed concurrently with the public comment period, the deadline for submitting a citizen petition to object to the EPA Administrator will be determined as if EPA's 45-day review period is performed after the public comment period has ended. The final Title V air operation permit will be issued after the conclusion of the 45-day EPA review period so long as no adverse comments are received that result in a different decision or significant change of terms or conditions. The status regarding EPA's 45-day review of this project and the deadline for submitting a citizen petition can be found at the following website address: <http://www.epa.gov/region4/air/pinellas/florida.htm>.

Objections: Finally, pursuant to 42 United States Code (U.S.C.) Section 7610(k)(2), any person may petition the Administrator of the EPA within 60 days of the expiration of the Administrator's 45-day review period as established at 42 U.S.C. Section 7610(d)(1), to object to the issuance of any Title V air operation permit that will be based only on objections to the permit that were raised with reasonable specificity during the 30-day public comment period provided in the Public Notice, unless the petitioner demonstrates to the Administrator of the EPA that it was impracticable to raise such objections within the comment period or unless the petitioner can show that the Administrator of the EPA was not notified of the objections. Filing of a petition with the EPA does not stay the effective date of any permit properly issued pursuant to the provisions of Chapter 62-213, F.A.C. Petitions filed with the Administrator of EPA must meet the requirements of 42 U.S.C. Section 7610(d)(2) and must be filed with the Administrator of the EPA at U.S. EPA, 401 M Street, S.W., Washington, D.C. 20460. For more information regarding EPA review and objections, visit EPA's Region 4 web site at <http://www.epa.gov/region4/air/pinellas/florida.htm>.

Sheplak, Scott

- file -

From: Sheplak, Scott
Sent: Monday, January 31, 2011 4:37 PM
To: 'Velasco, Robert'
Cc: Oswald, Kelsi; Rebecca.Macionski@veoliaes.com; Crellin, William
Subject: RE: PCUA-PCRRF - Title V air operation permit renewal - engines

Thank you for calling today and answering the last questions that I had on engines.

From: Velasco, Robert [<mailto:VelascoRA@cdm.com>]
Sent: Friday, January 28, 2011 2:45 PM
To: Sheplak, Scott
Cc: Oswald, Kelsi; Rebecca.Macionski@veoliaes.com; Crellin, William
Subject: FW: PCUA-PCRRF - Title V air operation permit renewal - engines

Best Regards,

Robert A. Velasco P.E. BCEE
Project Manager
CDM | Water Services Division
1715 North Westshore Blvd., Suite 875
Tampa, Florida 33607
Tel: (813) 262-8868 (direct)
Fax: (813) 288-8787
VelascoRA@cdm.com
www.cdm.com

From: Sheplak, Scott [<mailto:Scott.Sheplak@dep.state.fl.us>]
Sent: Tuesday, January 18, 2011 3:15 PM
To: rebecca.macionski@veoliaes.com; koswald@co.pinellas.fl.us
Cc: Velasco, Robert; Crellin, William
Subject: PCUA-PCRRF - Title V air operation permit renewal - engines

To further streamline the permit, I need the engine displacements in liters (L) for these three engines.

Scott:

Attached table shows the outstanding displacement data for EU-012 plus the previous data for EU ID -043 and -046 provided by Kelsi Oswald. Please let me know, if you need additional information.

E.U. ID No.	Identification	In-service date	Manufacturer name	Horsepower (HP)	Displacement (L)	Applicable Requirement(s)
-043	Existing Emergency Generator at Scale house	2009	Caterpillar, Model #C6.6	190	6.6	NSPS "4-I"

-046	Existing Emergency Generator at Admin. Bldg	2009	Caterpillar, Model #C9	402	8.8	NSPS "4-I"
-012	Existing Emergency Fire Pump Engine	2009	Clark, Model #JU6H-UFM0	207	6.8	NSPS "4-I"

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Mimi Drew is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.

Sheplak, Scott

From: Oswald, Kelsi [koswald@co.pinellas.fl.us]
Sent: Friday, January 21, 2011 9:53 AM
To: Sheplak, Scott
Subject: FW: PCUA-PCRRF - Title V air operation permit renewal - engines

Scott – Here are the displacements for the two generators owned by the County. I will get the data for the Veolia generator to you as quickly as possible.

Kelsi Jo Oswald
Waste to Energy Program Manager
Pinellas County Utilities, Solid Waste
3095 114th Avenue N.
St. Petersburg, FL 33716
(727)464-7514

All mail sent to and from Pinellas County is subject to the Public Records Laws of Florida.

From: Merrell, Mike
Sent: Thursday, January 20, 2011 6:27 AM
To: Oswald, Kelsi
Subject: RE: PCUA-PCRRF - Title V air operation permit renewal - engines

The Admin is 8.8 liters – This is EU 046
The scale house is 6.6 liter – This is EU 043

From: Oswald, Kelsi
Sent: Wednesday, January 19, 2011 2:03 PM
To: Merrell, Mike
Subject: FW: PCUA-PCRRF - Title V air operation permit renewal - engines

Mike – Can you get the engine displacement for our two emergency generators? They need this to determine which of the various regulatory requirements will apply to these two generators.

Thanks,

Kelsi Jo Oswald
Waste to Energy Program Manager
Pinellas County Utilities, Solid Waste
3095 114th Avenue N.
St. Petersburg, FL 33716
(727)464-7514

All mail sent to and from Pinellas County is subject to the Public Records Laws of Florida.

From: Sheplak, Scott [mailto:Scott.Sheplak@dep.state.fl.us]
Sent: Tuesday, January 18, 2011 3:15 PM
To: rebecca.macionski@veoliaes.com; Oswald, Kelsi
Cc: 'Velasco, Robert'; 'Crellin, William'
Subject: PCUA-PCRRF - Title V air operation permit renewal - engines

To further streamline the permit, I need the engine displacements in liters (L) for these three engines.

E.U. ID No.	Identification	In-service date	Manufacturer name	Horsepower (HP)	Displacement (L)	Applicable Requirement(s)
-043	Existing Emergency Generator at Scale house	2009	Caterpillar, Model #C6.6	190		NSPS "4-I"
-046	Existing Emergency Generator at Admin. Bldg	2009	Caterpillar, Model #C9	402		NSPS "4-I"
-012	Existing Emergency Fire Pump Engine	2009	Clark, Model #JU6H-UFM0	207		NSPS "4-I"

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Mimi Drew is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.

Sheplak, Scott

-file-

From: Sheplak, Scott
Sent: Thursday, November 18, 2010 9:43 AM
To: 'Oswald, Kelsi'; rebecca.macionski@veoliaes.com
Cc: Velasco, Robert; Crellin, William
Subject: RE: PCUA-PCRRF - Title V air operation permit renewal - pre-draft/proposed - landfill questions

Thank you.

On item 2. the date of the "modification from the old final closure elevation of 90 feet to an increased elevation of 150 feet for final closure" is needed.

June 7, 2007 per Kelsi Oswald

From: Oswald, Kelsi [<mailto:koswald@co.pinellas.fl.us>]
Sent: Thursday, November 18, 2010 9:27 AM
To: Sheplak, Scott; rebecca.macionski@veoliaes.com
Cc: Velasco, Robert; Crellin, William
Subject: RE: PCUA-PCRRF - Title V air operation permit renewal - pre-draft/proposed - landfill questions

Please see responses below.

Kelsi Jo Oswald
Waste to Energy Program Manager
Pinellas County Utilities, Solid Waste
3095 114th Avenue N.
St. Petersburg, FL 33716
(727)464-7514

All mail sent to and from Pinellas County is subject to the Public Records Laws of Florida.

From: Sheplak, Scott [<mailto:Scott.Sheplak@dep.state.fl.us>]
Sent: Tuesday, November 16, 2010 4:35 PM
To: rebecca.macionski@veoliaes.com; Oswald, Kelsi
Cc: 'Velasco, Robert'; 'Crellin, William'
Subject: PCUA-PCRRF - Title V air operation permit renewal - pre-draft/proposed - landfill questions

I picked the landfill subsection of the permit to work on next. Before finishing this one up I have some questions on the Bridgeway Acres landfill ...

Follow up item(s):

1. Is the landfill a Class I, II and/or III landfill? The landfill is a Class I landfill.
2. In the requested changes document attached to the permit renewal application, the mark up indicates a new closure date of 2070. The current Title V permit indicates a closure date of 2036 and a "modification/reconstruction" date of 1985. Has the landfill been modified or reconstructed since 1985? If so, what were the dates [month day, year]? I'm not sure what the "modification/reconstruction" date references. I will do some research and get back to you on this question. The revised anticipated final closure date of 2070 reflects a modification from the old final closure elevation of 90 feet to an increased elevation of 150 feet for final closure.

3. What is the yearly waste acceptance in megagrams (Mg)/year? The yearly acceptance rate varies, depending on how much total waste is received and the availability of the plant. There is not a permit limit on how much waste can be landfilled annually. For the last 10 years, we have landfilled an average of 220,000 mg/ year, with a minimum of 149,704 and a maximum of 336,228 mg/year. It should be noted that the maximum was for calendar year 2008, which is the year that TG-1 was out of service for 6-months and is not reflective of normal operations.
4. Has the landfill ever been or is it an active asbestos waste disposal site? We do accept asbestos, and have a designated area where this is placed. However, we rarely get any deliveries (less than 1 per year).
5. Do you submit a nonmethane organic compound (NMOC) Emission Rate Report annually or once every 5 years? When was the last one done? We submit the report annually, with the last report submitted in March 2010. We perform Tier II testing every 5 years.

If you should have any questions, feel free to call me.

Sincerely,

Scott M. Sheplak, P.E.
scott.sheplak@dep.state.fl.us
Telephone 850/921-9532

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Mimi Drew is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.

Sheplak, Scott

-file-

From: Oswald, Kelsi [koswald@co.pinellas.fl.us]
Sent: Monday, November 15, 2010 3:54 PM
To: Sheplak, Scott; rebecca.macionski@veoliaes.com
Cc: Velasco, Robert; Crellin, William
Subject: RE: PCUA-PCRRF - Title V air operation permit renewal - pre-draft/proposed - subsection III.B.

Scott –

The bottom ash is wetted in a quench tank. The fly ash is wetted in a pug mill and then combined with the bottom ash. Ash is typically wet when it comes into RSPB.

Kelsi Jo Oswald
Waste to Energy Program Manager
Pinellas County Utilities, Solid Waste
3095 114th Avenue N.
St. Petersburg, FL 33716
(727)464-7514

All mail sent to and from Pinellas County is subject to the Public Records Laws of Florida.

From: Sheplak, Scott [mailto:Scott.Sheplak@dep.state.fl.us]
Sent: Monday, November 15, 2010 3:46 PM
To: rebecca.macionski@veoliaes.com; Oswald, Kelsi
Cc: 'Velasco, Robert'; 'Crellin, William'
Subject: PCUA-PCRRF - Title V air operation permit renewal - pre-draft/proposed - subsection III.B.

Step #3.B.



Subsection III.B. Material Handling.

I picked an easy subsection of the permit to start off with for you to see how a “re-formatted” Title V renewal looks. Attached is the first emissions unit subsection of the pre-draft/proposed permit. I also created a Table 1, Summary of Air Pollutant Standards and Terms and a Table 2, Summary of Compliance Requirements. These emissions units are in the attached Excel spreadsheet workbook under the “EU -004 - -008” tab.

Before finishing this one up I have some questions ...

Follow up item(s):

1. Is the ash residue wetted in a quench tank before it is conveyed to the “MRS” now the RSPB?
2. Is the ash wet when it comes into the RSPB?

I’m onto another subsection!

Sheplak, Scott

- file -

From: Mulkey, Cindy
Sent: Wednesday, September 08, 2010 12:52 PM
To: Sheplak, Scott
Cc: Halpin, Mike
Subject: RE: Response Letter, File Number 1030117-008-AV - Pinellas County Resource Recovery Facility

Scott,

I looked in the file and found the following information that I hope will answer your question:

- It is true that the original power plant site certification included ambient monitoring requirements
- It is also true that those ambient monitoring requirements were only included in conditions that applied to the facility prior to an ESP being installed. A different set of conditions applied after the installation of an ESP, in which no ambient monitoring requirements were included.
- In 2007 a Final Order Modifying the Conditions of Certification was issued that incorporated the latest TV permit and at the same time removed most of the specific air requirements in the Conditions including any ambient monitoring requirements.

I don't know what the original basis was for having those ambient monitoring requirements. I will note that the reason the specific air requirements are removed from our licenses is because they are covered under the federal air permits. If you have any basis for requiring this monitoring, I would say it is up to you guys to decide whether you see the need to continue to require it.

If you have any further questions email or call. You know where to find me.

Cindy

Cindy Mulkey
Engineering Specialist
Department of Environmental Protection
Siting Coordination Office
Mail Station 48
3900 Commonwealth Blvd.
Tallahassee, Florida 32399
Phone: 850-245-2175
FAX: 850-245-2020

From: Sheplak, Scott
Sent: Wednesday, September 08, 2010 11:01 AM
To: Halpin, Mike
Cc: Mulkey, Cindy
Subject: FW: Response Letter, File Number 1030117-008-AV - Pinellas County Resource Recovery Facility

Good morning Mike and Cindy,

Could someone confirm that the siting certification had in fact been changed. See the applicant's response to item 6. on pages 10-11 of the attached letter.

Thanks,

Scott

From: Velasco, Robert [mailto:VelascoRA@cdm.com]

Sent: Tuesday, August 24, 2010 4:57 PM

To: Sheplak, Scott

Cc: koswald@co.pinellas.fl.us; rebecca.macionski@veoliaes.com; Friday, Barbara; Crellin, William; Strobridge, Daniel

Subject: Response Letter, File Number 1030117-008-AV - Pinellas County Resource Recovery Facility

Scott:

On behalf of the County, please find our response letter to the Request for Additional Information correspondence, dated May 24, 2010. A hardcopy of the response letter is being sent to your office. In the meantime, please send a "reply" email message verifying receipt of the letter.

Best Regards,

Robert A. Velasco P.E. BCEE

Project Manager

CDM | Water Services Division

1715 North Westshore Blvd., Suite 875

Tampa, Florida 33607

Tel: (813) 262-8868 (direct)

Fax: (813) 288-8787

VelascoRA@cdm.com

www.cdm.com

Sheplak, Scott

-file-

From: Sheplak, Scott
Sent: Wednesday, August 25, 2010 8:51 AM
To: Holtom, Jonathan
Cc: Henry, Danielle D.
Subject: FW: Response Letter, File Number 1030117-008-AV - Pinellas County Resource Recovery Facility
Attachments: Response Letter 1030117-008-AV.pdf

fyi

From: Velasco, Robert [mailto:VelascoRA@cdm.com]
Sent: Tuesday, August 24, 2010 4:57 PM
To: Sheplak, Scott
Cc: koswald@co.pinellas.fl.us; rebecca.macionski@veoliaes.com; Friday, Barbara; Crellin, William; Strobridge, Daniel
Subject: Response Letter, File Number 1030117-008-AV - Pinellas County Resource Recovery Facility

Scott:

On behalf of the County, please find our response letter to the Request for Additional Information correspondence, dated May 24, 2010. A hardcopy of the response letter is being sent to your office. In the meantime, please send a "reply" email message verifying receipt of the letter.

Best Regards,

Robert A. Velasco P.E. BCEE
Project Manager
CDM | Water Services Division
1715 North Westshore Blvd., Suite 875
Tampa, Florida 33607
Tel: (813) 262-8868 (direct)
Fax: (813) 288-8787
VelascoRA@cdm.com
www.cdm.com