

Department of Environmental Protection

Jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Secretary

November 21, 2001

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Ms. Farzie Shelton, Manager Environmental Affairs City of Lakeland Department of Electric Utilities 501 East Lemon Street Lakeland, Florida 33801-5079

Re: DEP File No. 1050004-013-AC (PSD-FL-245) McIntosh Unit No. 5 Combustion Turbine

Dear Ms. Shelton:

We received your letters dated July 20 and October 11 requesting a period of excess emissions during steam blows associated with the commissioning of the combined cycle phase of McIntosh Unit 5. We understand that the "steam blows" are an unavoidable part of commissioning of the combined cycle phase. Performing them at low load will minimize wastage of water and reduce exhaust. However, concentrations of the regulated pollutants will increase in the exhaust.

We distributed an Intent to Issue a Permit Modification on October 31. The City published the Notice in the Lakeland Ledger on November 2. We received no comments during the 14-day public comment period.

The referenced permit is hereby modified as follows:

NEW SPECIFIC CONDITION No. 47

<u>Commissioning of the Combined Cycle Phase</u>: The following excess emissions periods are applicable only at the end of construction and shall not exceed a total of 60 days (1440 hours):

• Emissions of CO, VOC, PM and NO_x from the combustion turbines (CTs), in excess of the BACT limit established in Specific Conditions 20-25, resulting from steam blow activities associated with bringing the heat recovery steam generator into operation shall be permitted provided that best operational practices are adhered to and that the Subpart GG NSPS NO_x limit of 75 ppmvd @15% O₂ (110 ppmvd adjusted for efficiency) is not exceeded. The period during which such excess emissions are authorized shall occur prior to February 29, 2002 and shall not exceed a total of 60 days (1440 hours). The applicant shall record the periods of startup for each operating mode. Excess emissions during the periods of startup shall be reported to the FDEP Southwest District office within 30 days. {Applicant Request}

Please note that regardless of the time it takes to convert the unit to combined cycle, the permit requires that the unit meet the NO_X limitation of 7.5 ppmvd under combined cycle operation by selective catalytic reduction (9 ppmvd if achieved by Dry Low NO_X or hot SCR technology) by May 1, 2002.

"More Protection, Less Process"

Ms. Farzie Shelton Page 2 of 2 November 21, 2001

A copy of this letter shall be filed with the referenced permit and shall become part of the permit. This permitting decision is issued pursuant to Chapter 403, Florida Statutes.

Any party to this permitting decision (order) has the right to seek judicial review of it under section 120.68 of the Florida Statutes, by filing a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure with the clerk of the Department of Environmental Protection in the Office of General Counsel, Mail Station #35, 3900 Commonwealth Boulevard, Tallahassee, Florida, 32399-3000, and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The notice must be filed within thirty days after this order is filed with the clerk of the Department.

Executed in Tallahassee, Florida.

Howard L'. Rhodes, Director Division of Air Resources

Management

CERTIFICATE OF SERVICE

The undersigned duly designated deputy agency clerk hereby certifies that this PERMIT MODIFICATION, was, sent by certified mail (*) and copies were mailed by U.S. Mail before the close of to the person(s) listed: business on _///28/0/

Farzie Shelton, City of Lakeland* Gregg Worley, EPA John Bunyak, NPS Bill Thomas, DEP SWD Jeff Spence, Polk County, ESD Hamilton Oven, DEP PPSO

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to §120.52, Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

Victoria Dipson

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY				
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. Article Addressed to: Ms. Farzie Shelton, Manager Envicity of Lakeland Department of Items 1501 E. Lemon Street 					
Lakeland, FL 33801-5079	3. Service Type Certified Mail				
	4. Restricted Delivery? (Extra Fee) ☐ Yes				
2. Article Number (Copy from service label) 7000 2870 0000 7028 2942	<u></u>				
PS Form 3811, July 1999 Domestic Ret	turn Receipt 102595-99-M-1789				
+					

	U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)											
ш												
근무나드	O	34	- E	7	11.	į	a B	1		1	72-1 []-	
40	٠		Postage	\$				_				
702		Cert	lfied Fee									
			eipt Fee Required)							mark ere	•	
0000	Restricted Delivery Fee (Endorsement Required)											
70	Total P	ostage	& Fees	\$								
2870	Sent To Farzie Shelton											
7000	Street, Apt. No.; or PO Box No. 501 E. Lemon Street											
민	City State, ZIP+4 Lakeland, FL 33801-5079											
	PS Form	3800), May 2	000				See Re	verse for	Instru	ctions	

;