



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

May 3, 2005

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Mr. John B. Koogler, Ph.D., P.E.
Koogler & Associates
4014 NW 13th Street
Gainesville, Florida 32609

Re: Mosaic Phosphates Company
New Wales Plant – Sulfuric Acid Plant 4


Dear Mr. Koogler:

The Department has reviewed your response to our February 24, 2005 request for additional information on the replacement of the New Wales No. 4 Sulfuric Acid Plant Interpass absorbing tower. Please provide to the Department following additional information so we can process your request:

- In order to verify like-kind replacement relative to its size, please provide drawings of the old and new interpass absorbing tower showing important dimensions.
- Provide the total cost of replacing this tower.
- Explain the impact to production of sulfuric acid with the increased absorbing efficiency of the new tower.

Processing of this request will resume upon receipt of this information. If there are any questions, please call me at (850)921-9528.

Sincerely,


Syed Arif, P.E. II
North Permitting Section

/sa

cc: Joel Smoleń, DEP SWD
C. Dave Turley, Mosaic

"More Protection, Less Process"

Printed on recycled paper

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT

6E02 269E 1000 02E0 1002

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY | |
|--|---|--------------------------------------|
| <ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee <i>[Signature]</i> | |
| 1. Article Addressed to: <div style="border: 1px solid black; padding: 5px;"> Mr. John Koogler, Ph.D., P.E. Koogler and Associates Environmental Services 4014 NW 13 St. Gainesville, FL 32609 </div> | B. Received by (Printed Name) <i>Wm Coyota</i> | C. Date of Delivery <i>5/6/03</i> |
| 2. Article Number (Transfer from service label) | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No | |
| PS Form 3811, August 2001 | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes | |
| 7001 0320 0001 3692 8039 | | |
| Domestic Return Receipt 102595-02-M-1540 | | |

U.S. Postal Service
CERTIFIED MAIL RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

7001 0320 0001 3692 8039

| | |
|---|----|
| Postage | \$ |
| Certified Fee | |
| Return Receipt Fee (Endorsement Required) | |
| Restricted Delivery Fee (Endorsement Required) | |

Postmark
Here

Mr. John Koogler, Ph.D., P.E.
 Koogler and Associates
 Environmental Services
 4014 NW 13 St.
 Gainesville, FL 32609

See for instructions