



Georgia-Pacific Corporation *Palatka Operations*  
*Southern Pulp & Paper Division*  
**RECEIVED** *P.O. Box 919*  
*Palatka, Florida 32078-0919*  
*Telephone (904) 325-2001*

MAY 29 1991

Division of Air  
Resources Management

May 23, 1991

Certified Mail

Mr. Bruce Mitchell  
Florida Department of  
Environmental Regulation  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Dear Mr. Mitchell:

Thank you for your efforts in regards to the draft permits concerning the #4 Recovery Boiler, #4 Smelt Dissolving Tanks, and #4 Lime Kiln. Georgia-Pacific believes that the draft permits should be modified to reflect the following two comments. The application demonstrates that we netted out of PSD for SO<sub>2</sub> and as such the permit limit in the recovery boiler permit should be 109.9 lb/hr as requested in our application. We request that the lime kiln permit specify that the NO<sub>x</sub> and CO limits are for a 24 hour average.

If you have any questions or if I can be of further service, please call me at 904-325-2001.

Sincerely,

Vernon L. Adams  
Superintendent of  
Environmental Affairs

cc: A. Beshire  
D. Buff  
D. Hodges  
H. Hirschman  
W. R. Wilson



PM  
5-23-91  
Palatka, FL  
Georgia-Pacific Corporation

Palatka Operations  
Southern Pulp & Paper Division

RECEIVED

P.O. Box 919  
Palatka, Florida 32078-0919  
Telephone (904) 325-2001

MAY 29 1991

Division of Air  
Resources Management

May 23, 1991

Certified Mail

Mr. Bruce Mitchell  
Florida Department of  
Environmental Regulation  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Dear Mr. Mitchell:

Thank you for your efforts in regards to the draft permits concerning the #4 Recovery Boiler, #4 Smelt Dissolving Tanks, and #4 Lime Kiln. Georgia-Pacific believes that the draft permits should be modified to reflect the following two comments. The application demonstrates that we netted out of PSD for SO2 and as such the permit limit in the recovery boiler permit should be 109.9 lb/hr as requested in our application. We request that the lime kiln permit specify that the NOx and CO limits are for a 24 hour average.

If you have any questions or if I can be of further service, please call me at 904-325-2001.

Sincerely,

Vernon L. Adams  
Superintendent of  
Environmental Affairs

- cc: A. Beshire
- D. Buff
- D. Hodges
- H. Hirschman
- W. R. Wilson

A. Kutyna } 5-29-91  
B. Mitchell }  
BAICHF

File Copy



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET, N.E.  
ATLANTA, GEORGIA 30365

4APT-AEB

Mr. Clair H. Fancy, P.E., Chief  
Bureau of Air Regulation  
Florida Department of Environmental  
Regulation  
Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

MAY 10 1991

RECEIVED  
MAY 1 1991  
Division of Air  
Resources Management

RE: Georgia-Pacific Corporation, Palatka (PSD-FL-171)


Dear Mr. Fancy:

This is to acknowledge receipt of your preliminary determination and draft Prevention of Significant Deterioration (PSD) permit for the above referenced facility transmitted by your letter of April 22, 1991. We have reviewed the package as requested and have the following comments.

We concur with your determination that a PM limit of 0.033 gr/dscf is best available control technology (BACT) for the modified recovery boiler. This is consistent with other recently permitted modified recovery boilers. We have no adverse comments on your determination.

Thank you for the opportunity to review and comment on this package. If you have any questions or comments please contact Mr. Gregg Worley of my staff, also at (404) 347-2904.

Sincerely yours,

  
Jewell A. Harper, Chief  
Air Enforcement Branch  
Air, Pesticides, and Toxics  
Management Division

cc: B, Mitchell  
C. Holladay  
A. Kutyma  
CHF/BA



Georgia-Pacific Corporation *Palatka Operations*  
*Southern Pulp & Paper Division*  
P.O. Box 919  
Palatka, Florida 32078-0919  
Telephone (904) 325-2001

RECEIVED

April 30, 1991 ~~MAY~~ 7 1991

Division of Air  
Resources Management

Certified Mail

Mr. Bruce Mitchell  
Florida Department of  
Environmental Regulation  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Dear Mr. Mitchell:

Please find attached a certified copy of the public notice relating to the PSD permits for #4 Lime Kiln and #4 Recovery Boiler.

If you have any questions or if I can be of further service, please call me at 904-325-2001.

Sincerely,

Vernon L. Adams  
Superintendent of  
Environmental Affairs

cc: A. Beshire  
D. Buff  
D. Hodges  
H. Hirschman  
W. R. Wilson

*A. Kutypa, PE Div*  
*C. Holladay*  
*J. Harpiz, EPA*

**Georgia-Pacific**




P. O. Box 919  
Palatka, Florida 32078-0919

**CERTIFIED MAIL**

108

**RETURN RECEIPT REQUESTED**



Mr. Bruce Mitchell  
Florida Department of Environmental Regulation  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400



STATE OF FLORIDA }  
County of Putnam } ss:

Personally appeared before me, a Notary Public for the State of Florida at  
Large, Joyce Guthrie who deposes and says that she is  
Business Office Manager of The Palatka Daily News,  
a daily newspaper printed in the English Language and of general circulation, pub-  
lished in the City of Palatka, in said County and State; and that the attached order,  
notice, publication and/or advertisement of NOTICE OF INTENT TO  
ISSUE PERMIT

was published in said newspaper The Palatka Daily News, Inc.  
for a period of One Insertion consecutively,  
Beginning April 24, 1991 and ending April 24, 1991  
said publication being made on the following dates:  
April 24, 1991

*And deponent further says that The Palatka Daily News has been continuously published as a daily newspaper, and has been entered as second class mail matter at the postoffice at the City of Palatka, Putnam County, Florida, each for a period of more than one year next preceding the date of the first publication of the above described order, notice, publication and/or advertisement.*

Subscribed and sworn to before me this

24th day of April, A. D. 1991

Robin Sproun

Notary Public  
State of Florida at Large  
My Commission Expires March 17, 1992

No. 11471

Joyce Guthrie

PUBLIC NOTICE

State of Florida  
Department of Environmental  
Regulation  
Notice of Intent to Issue

The Department of Environmental Regulation hereby gives notice of its intent to issue permits to Georgia-Pacific Corporation, P.O. Box 919, Palatka, Florida 32978-0919, to modify/enhance the No. 4 Recovery Boiler (RB) and the No. 4 Lime Kiln, which have the potential to increase the through-put rates of raw materials and the potential pollutant emissions. An increase in black liquor solids burning in the No. 4 RB will, therefore, increase the smelt through-put rate and the potential pollutant emissions of the No. 4 Smelt Dissolving Tanks (North and South units). The proposed modification is subject to new source review for Prevention of Significant Deterioration (PSD) for the pollutants PM (particulate matter), PM10, NOx (nitrogen oxides), CO (carbon monoxide), and VOC (volatile organic compounds). There is a decrease in overall particulate emissions from the PSD baseline period. Therefore, no Class I or Class II particulate matter PSD increment will be consumed by this project. A determination of Best Available Control Technology (BACT) was required. The Department is issuing this intent to issue for the reasons stated in the Technical Evaluation and Preliminary Determination.

A person whose substantial interests are affected by the Department's proposed permitting decision may petition for an administrative proceeding (hearing) in accordance with Section 120.57, Florida Statutes. The petition must contain the information set forth below and must be filed (received) in the Office of General Counsel of the Department at 2600 Blair Stone Road, Tallahassee, Florida 32399-2400, within fourteen (14) days of publication of this notice. Petitioner shall mail a copy of the petition to the applicant at the address indicated above at the time of filing. Failure to file a petition within this time period shall constitute a waiver of any right such person may have to request an administrative determination (hearing) under Section 120.57, Florida Statutes.

The Petition shall contain the following information:

- (a) The name, address, and telephone number of each petitioner, the applicant's name and address, the Department Permit File Number and the county in which the project is proposed;
- (b) A statement of how and when each petitioner received notice of the Department's action or proposed action;
- (c) A statement of how each

petitioner's substantial interests are affected by the Department's action or proposed action.

(d) A statement of the material facts disputed by Petitioner, if any;

(e) A statement of facts which petitioner contends warrant reversal or modification of the Department's action or proposed action;

(f) A statement of which rules or statutes petitioner contends require reversal or modification of the Department's action or proposed action; and

(g) A statement of the relief sought by petitioner, stating precisely the action petitioner wants the Department to take with respect to the Department's action or proposed action.

If a petition is filed, the administrative hearing process is designed to formulate agency action. Accordingly, the Department's final action may be different from the position taken by it in this Notice. Persons whose substantial interests will be affected by any decision of the Department with the regard to the applications have the right to petition to become a party to the proceeding. The petition must conform to the requirements specified above and be filed (received) within 14 days of publication of this notice in the Office of General Counsel at the above address of the Department. Failure to petition within the allowed time frame constitutes a waiver of any right such person has to request a hearing under Section 120.57, F.S., and to participate as a party to this proceeding. Any subsequent intervention will only be at the approval of the presiding officer upon motion filed pursuant to Rule 28-5.207, F.A.C.

The applications are available for public inspection during business hours, 8:00 a.m. - 5:00 p.m., Monday through Friday, except legal holidays, at:

Department of Environmental Regulation  
Bureau of Air Regulation  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400  
Department of Environmental Regulation

Northeast District Office  
7825 Baymeadows Way  
Jacksonville, Florida 32256-7577

Any person may send written comments on the proposed action to Mr. Barry Andrews at the Department's Tallahassee address. All comments mailed within 30 days of the publication of this notice will be considered in the Department's final determination.

A public hearing can be requested by any person. Such request must be submitted within 30 days of this notice.

Apr 24, 1991 11471