

Is your RETURN ADDRESS completed on the reverse side?

SENDER: • Complete items 1 and/or 2 for additional services. • Complete items 3, and 4a & b. • Print your name and address on the reverse of this form so that we can return this card to you. • Attach this form to the front of the mailpiece, or on the back if space does not permit. • Write "Return Receipt Requested" on the mailpiece below the article number. • The Return Receipt will show to whom the article was delivered and the date delivered.		I also wish to receive the following services (for an extra fee): 1. <input type="checkbox"/> Addressee's Address 2. <input type="checkbox"/> Restricted Delivery Consult postmaster for fee.	
3. Article Addressed to: <i>Myna J. Carpenter</i> <i>GA-Pacific Corp.</i> <i>P.O. BOX 919</i> <i>Palatka, FL</i> <i>32178-0919</i>		4a. Article Number <i>2311 902 905</i>	
5. Signature (Addressee) 6. Signature (Agent) <i>E. Smith</i>		4b. Service Type <input type="checkbox"/> Registered <input type="checkbox"/> Insured <input checked="" type="checkbox"/> Certified <input type="checkbox"/> COD <input type="checkbox"/> Express Mail <input type="checkbox"/> Return Receipt for Merchandise	
		7. Date of Delivery <i>5-19-95</i>	
		8. Addressee's Address (Only if requested and fee is paid)	

Thank you for using Return Receipt Service.

PS Form 3811, December 1991 *U.S. GPO: 1993-352-714 **DOMESTIC RETURN RECEIPT**

Z 311 902 905




Receipt for Certified Mail

No Insurance Coverage Provided
 Do not use for International Mail
 (See Reverse)

PS Form 3800, March 1993

Send to	<i>Myna J. Carpenter</i>	
Street and No.	<i>GA-Pacific Corp.</i>	
P.O. State and ZIP Code	<i>Palatka, FL</i>	
Postage		\$
Certified Fee		
Special Delivery Fee		
Restricted Delivery Fee		
Return Receipt Showing to Whom & Date Delivered		
Return Receipt Showing to Whom, Date, and Addressee's Address		
TOTAL Postage & Fees		\$
Postmark or Date	<i>5-15-95</i>	
	<i>Filter Cleaning Sys.</i>	



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

May 15, 1995

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Ms. Myra J. Carpenter
Georgia-Pacific Corporation
P. O. Box 919
Palatka, Florida 32178-0919

Dear Ms. Carpenter:

Re: May 5, 1995 letter/Filter Cleaning System

During our recent conversation, you asked if an automatic cleaning system could be installed on the lime mud filter prior to receiving a construction permit to modify the pulp mill in Palatka, Putnam County, Florida.

You said the new system will reduce the downtime needed to clean the filter but, because of other bottlenecks in this plant that are being addressed in the application currently being processed by the Department, neither the potential production or emissions of this mill will increase by the addition of this cleaning system alone. If my understanding of the situation is correct, Georgia-Pacific Corporation may install the cleaning system prior to receiving a permit to modify this pulp mill.

All projects that have the potential to increase production or emissions require a permit. Changes to the plant that improve operations without increasing production or emission may be handled through the permit exemption procedure described in Rule 62-4.040, F.A.C.

If you have any questions regarding this matter, please call me at (904) 488-1344.

Sincerely,

Willard Hanks
Willard Hanks
Review Engineer

WH/wh/h

cc: Robert Leetch, NED

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back, if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- Addressee's Address
- Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:
 Myra J. Carpenter, E.S.
 La-Pacific Palatka Oper.
 PO Box 919
 Palatka, FL
 32178-0919


4a. Article Number
 Z 392 979 065

4b. Service Type
 Registered Insured
 Certified COD
 Express Mail Return Receipt for Merchandise

7. Date of Delivery
 8-2

8. Addressee's Address (Only if requested and fee is paid)

5. Signature (Addressee)

6. Signature (Agent)


PS Form 3811, December 1991 ☆U.S. GPO: 1993-352-714

DOMESTIC RETURN RECEIPT

Thank you for using Return Receipt Service.

Z 392 979 065



Receipt for Certified Mail

No Insurance Coverage Provided
 Do not use for International Mail
 (See Reverse)

PS Form 3800, March 1993

Sent to Myra Carpenter	
Street and No. La-Pacific	
P.O. State and ZIP Code Palatka, FL	
Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, and Addressee's Address	
TOTAL Postage & Fees?	\$
Postmark or Date Black liquor Storage Tanks 7-27-95	



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

July 27, 1995

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Ms. Myra J. Carpenter
Environmental Superintendent
Georgia-Pacific Palatka Operations
Packaged Products Division
Post Office Box 919
Palatka, Florida 32178-0919

Re: Permit Applicability - Black Liquor Storage Tanks

Dear Ms. Carpenter:

Your letter of July 17, 1995, regarding permit applicability for construction of a series of 4-million gallon tanks, was referred to me. The company's commitment to close the black liquor pond is appreciated and encouraged.

According to F.A.C. 62-210.300 (1) Air Construction Permits, "An air construction permit shall be obtained by the owner or operator of any proposed new or modified facility or emissions unit prior to the beginning of construction or modification, in accordance with all applicable provisions of this chapter, Chapter 62-212, and Chapter 62-4, F.A.C." The tanks represent a new emissions unit and not a modification of an emissions unit.


Even if the tanks were considered to be a replacement of the previous "storage vessels" (the pond), the new tanks are obviously worth much more than the "replaced tank" and would trip any applicable NSPS requirements based on the value of the project alone despite the emissions reductions.

The tank project appears to be independent of the projects included in the present PSD project. We recommend that you work with the Northeast District to obtain the necessary permit or, if applicable, a case-by-case exemption for the tanks. Adding them to the present permitting effort would represent the submission of additional information and a possible restart of the clock. If you choose the latter route, as suggested by Mr. Hanks, we will endeavor to minimize any delays caused by review of the additional information.

Ms. Myra J. Carpenter
Page Two
July 27, 1995

If you have any questions regarding this matter, please call me
or Mr. Willard Hanks at (904)488-1344.

Sincerely,



A. A. Linero, P.E.
Administrator
New Source Review Section

AAL/kt

cc: Bob Leetch, NED
Willard Hanks, BAR
Jim Pennington, BAR