

APPENDIX A-1 List of Insignificant EU/Activities

Insignificant Air Emissions Units at NAVSTA Mayport				
Bldg. No	AEI EU ID	Location	Description	Basis
Various	AB003	Various	(18) Gloveboxes	62-210.300(3)(a)1 F A C
2195	AB006	Earl Industries	Abrasive Blast Booth	62-210.300(3)(b)1 F A C
1	EC002	Dispensary	0.58 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
242	EC007	CPO Club	0.42 MMBtu/hr Steam Boiler	62-210.300(3)(a)1 F A C
245	EC009	EM Club	1.01 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
298	EC010	Administrative	0.75 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
350	EC013	Chapel	0.84 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
351	EC014	Fleet Training Center	0.97 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
349C	EC015	Golf Course Maintenance	0.20 MMBtu/hr Furnace	62-210.300(3)(a)1 F A C
413	EC017	Weapons	0.36 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
425	EC018	Hotel-north wing	0.60 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
425	EC019	Hotel-north wing	0.60 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
425	EC020	Hotel-south wing	0.50 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
436	EC021	Transmitter	0.54 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
437	EC022	Communications	0.99 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
448	EC023	Destroyer 40 Squad	0.34 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1397	EC025	Laundry	0.50 MMBtu/hr (20) Dryers	62-210.300(3)(a)1 F A C
1333	EC026	ETC Appl. Inst.	0.38 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1343	EC027	Helicopter Man	1.01 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1	EC028	Dispensary	1.05 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1388	EC029	Operations	0.50 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1391	EC030	Gymnasium	0.65 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1391	EC031	Gymnasium	0.18 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
2104	EC032	Medical	0.14 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
2104	EC033	Medical	0.30 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
2104	EC034	Medical	0.30 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
1556	EC039	Appl Inst.	0.19 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1585	EC040	BEQ-East	0.84 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1586	EC042	BEQ-South	0.84 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1587	EC044	BEQ-North	0.84 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1556	EC046	Operations	0.33 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1552	EC047	AIMD-HSL-44	0.33 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1552	EC048	AIMD-HSL-44	0.33 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1552	EC049	AIMD-HSL-42	0.45 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1552	EC050	AIMD-HSL-42	0.45 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1552	EC051	AIMD-HSL-46	0.33 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1552	EC052	AIMD-HSL-46	0.33 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1552	EC053	AIMD-HSL-48	0.33 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
46	EC055	MWR-Single Sailor Rec	0.60 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
425	EC056	Hotel-south wing	0.50 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
1343	EC058	HSL-60	0.33 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
1397	EC059	NEX-Laundry	0.37 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
1397	EC060	NEX-Laundry	0.37 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
1552	EC061	AIMD-HSL-48	0.33 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1553	EC062	AIMD	0.87 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1842	EC066	Fleet Training	0.43 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
1842	EC067	Fleet Training	0.50 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
2105	EC069	BEQ	1.21 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F A C
1980	EC070	Navy Lodge	0.65 MMBtu/hr (9) Dryers	62-210.300(3)(a)1 F A C
1980	EC071	Navy Lodge	1.00 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
1980	EC072	Navy Lodge	0.20 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
1981	EC073	Golf Club House	0.18 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
1981	EC074	Golf Club House	0.18 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C
FF Trainin	EC075	1888	1.00 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F A C

APPENDIX A-1 List of Insignificant EU/Activities

Insignificant Air Emissions Units at NAVSTA Mayport				
Bldg. No	AEI EU ID	Location	Description	Basis
1888	EC076	Fire Fighting School	1.00 MMBtu/hr Hot Water Heater	62-210.300(3)(a)1 F.A.C.
1888	EC077	Fire Fighting School	0.33 MMBtu/hr Hot Water Boiler	62-210.300(3)(a)1 F.A.C.
1613	EC078	Admin/Shops CBU-420	0.30 MMBtu/hr (6) Space Heaters	62-210.300(3)(a)1 F.A.C.
1804/1887	FF001	Fire Fighting Training	Fire Fighting Training	62-210.300(3)(b)1 F.A.C.
345	FR001	Firing Range	Firing Range	62-210.300(3)(b)1 F.A.C.
2039	FS003	NEX	8,000 gal Diesel Fueling Station - ASI	62-210.300(3)(a)19 F.A.C.
1936	FS006	AMI-1 Pump Shop	500 gal Diesel Fueling Station - ASI	62-210.300(3)(b)1 F.A.C.
349	FS007	Golf Cart Fueling	500 gal Diesel Fueling Station - ASI	62-210.300(3)(b)1 F.A.C.
2025A	FS009	Ground Maintenance	500 gal Diesel Fueling Station - ASI	62-210.300(3)(b)1 F.A.C.
2078	FS010	Harbor Ops	500 gal Diesel Fueling Station - ASI	62-210.300(3)(b)1 F.A.C.
1423	IC001	Ribault (Pier C)	80 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
436	IC002	Transmitter	75 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
437	IC003	Communications	163 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
90	IC004	Op. Tower	200 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
164	IC005	IACAN Facility	35 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
23	IC006	Air Field Lighting	200 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
2215	IC007	RATCF-Rada Air Traffic Control	200 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1	IC008	Dispensary	175 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
191	IC009	Gen. Warehouse	84 kW Fire Pump	62-210.300(3)(a)35 F.A.C.
1554	IC010	Gen. Warehouse	100 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
351	IC011	Fleet Training Center	100 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1349	IC012	Main Pump Station	230 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1591	IC013	Security	20 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
365	IC014	Fire Dept/Emergency Services	15 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1444	IC015	Ground Control	60 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1344	IC016	Utility Fire Pump Station	252 kW (3) Fire Pump	62-210.300(3)(a)36 F.A.C.
1828	IC017	Lift Station	50 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1422	IC018	Lift Station	80 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1572	IC019	Sub Station (E-Pier)	150 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1376	IC020	Sub Station	15 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1552	IC021	Aircraft M	75 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
50	IC022	Tel Exchange	320 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
2	IC023	Old Bldg. 2	80 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1491	IC024	Lift Station	35 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
286	IC025	Lift Station	130 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
253	IC026	Lift Station	150 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1233	IC027	Lift Station	17.5 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
306	IC028	Lift Station	50 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
262	IC029	Fuel Farm	350 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1241	IC030	FP/5	400 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
289	IC032	Housing Office	40 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1421	IC033	Lift Station	80 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1430	IC034	CFB Incinerator	100 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
2211	IC035	Beach-Guard Tower #3	15 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
248	IC036	Runway	192 kW (4) Arresting Gear	62-210.300(3)(a)36 F.A.C.
2039	IC037	NEX Gas Station	35 kW Compressor	62-210.300(3)(a)36 F.A.C.
365	IC039	SW Side Bldg EOC	30 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
2078	IC040	Harbor Ops	20 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1352	IC041	SPS-B Pier	130 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1354	IC042	SPS-C Pier	130 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1878	IC043	Southside	350 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
2104	IC044	Branch Medical	250 kW Backup Generator	62-210.300(3)(a)35 F.A.C.
1488	IC045	SERMC-935F	22.4 kW Engine Testing	62-210.300(3)(b)1 F.A.C.
Fuel Farm	LR001	Fuel Farm	Diesel Loading Rack	62-210.300(3)(b)1 F.A.C.

APPENDIX A-1 List of Insignificant EU/Activities

Insignificant Air Emissions Units at NAVSTA Mayport				
Bldg. No	AEI EU ID	Location	Description	Basis
Fuel Farm	LR001	Fuel Farm	JP-5 Loading Rack	62-210.300(3)(b)1 F.A.C.
Flightline	LR002	Flightline	JP-5 Loading Rack	62-210.300(3)(b)1 F.A.C.
1553	MQ002	FRC-51E	Sanding Booth	62-210.300(3)(a)3 F.A.C.
1488	SC004	SERMC-937E	Powder Coat Booth	62-210.300(3)(a)27 F.A.C.
1241-B	ST001	Steam Plant	30,000 gal Diesel UST	62-210.300(3)(b)1 F.A.C.
1241-C	ST002	Steam Plant	30,000 gal Diesel UST	62-210.300(3)(b)1 F.A.C.
1241-D	ST003	Steam Plant	30,000 gal Diesel UST	62-210.300(3)(b)1 F.A.C.
Tank #3	ST004	Fuel Farm	581,887 gal JP-5 AST	62-210.300(3)(b)1 F.A.C.
Tank #4	ST005	Fuel Farm	581,664 gal JP-5 AST	62-210.300(3)(b)1 F.A.C.
Tank #1	ST006	Fuel Farm	1,667,415 gal Diesel AST	62-210.300(3)(b)1 F.A.C.
Tank #1	ST007	Fuel Farm	1,657,303 gal Diesel AST	62-210.300(3)(b)1 F.A.C.
2048	ST008	Flightline	15,000 gal JP-5 AST	62-210.300(3)(b)1 F.A.C.
2049	ST009	Flightline	15,000 gal JP-5 AST	62-210.300(3)(b)1 F.A.C.
1442	ST010	OWWO	910,359 gal Waste Oil (3) AST	62-210.300(3)(b)1 F.A.C.
1488	ST011	SERMC	10,000 gal Diesel AST	62-210.300(3)(b)1 F.A.C.
1620	ST012	Fuel Farm	120,000 gal Lube Oil (6) AST	62-210.300(3)(b)1 F.A.C.
1442	ST013	OWWO	30,000 gal Waste Oil AST	62-210.300(3)(b)1 F.A.C.
0234	SU001	PW	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
25	SU002	PW-Vehicle Maint	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
234	SU003	PW-Vehicle Maint	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
349	SU004	MWR-Golf Maint	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1343	SU005	FRCSE-HSL-60	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
244	SU006	Bowling Alley	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
265	SU007	NEX Auto Maint	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1933	SU008	NF Shipyard	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
414	SU009	MWR Admin	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1471	SU010	FRCSE-VRT	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1488	SU011	SERMC-935I (31D)	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1488	SU012	SERMC-935L (31G)	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1488	SU013	SERMC-935F (31E)	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1488	SU014	SERMC-956F (38B)	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1488	SU015	SERMC-935D (51A)	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1488	SU016	SERMC-935H (41A)	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1488	SU017	SERMC-956H/J (67E)	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1488	SU018	SERMC-935I (31D)	Aqueous Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1488	SU019	SERMC-935F (31E)	Aqueous Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1553	SU020	FRCSE-51E	Dip Tank	62-210.300(3)(a)23 F.A.C.
1553	SU021	FRCSE-900	Dip Tank	62-210.300(3)(a)23 F.A.C.
1553	SU022	FRCSE-400	Dip Tank	62-210.300(3)(a)23 F.A.C.
1936	SU023	Atlantic Marine	Remote Reservoir	62-210.300(3)(a)23 F.A.C.
Various	SU024	Various	Hand Application	62-210.300(3)(b)1 F.A.C.
1553	SU025	FRCSE-500 (51B)	PGW	62-210.300(3)(a)23 F.A.C.
2085	SU026	Airframe Shop	PGW	62-210.300(3)(a)23 F.A.C.
2195	SU027	Earl Industries	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1471	SU028	Shop	Aqueous Parts Washer	62-210.300(3)(b)1 F.A.C.
1343	SU029	FRCSE-HSL-60	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
2025A	SU030	Ground Maint.	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1553	SU031	FRCSE-400	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1553	SU032	FRCSE-400	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1553	SU033	FRCSE-400	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1552	SU034	HSL-40	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
0413	SU035	Security Forces	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
0413	SU036	Security Forces	Cold Solvent DGR	62-210.300(3)(a)23 F.A.C.
1488	SU037	SERMC-CIWS 956J	Aqueous	62-210.300(3)(b)1 F.A.C.

APPENDIX A-1 List of Insignificant EU/Activities

Insignificant Air Emissions Units at NAVSTA Mayport				
Bldg. No	AEI EU ID	Location	Description	Basis
Base Wide	WL001	Welding	Various rods	62-210.300(3)(a)13 F.A.C.
1908	WT001	Potable Water Treatment	Potable water	62-210.300(3)(b)11 F.A.C.
38	WW001	Dust Collector	Woodworking	62-210.300(3)(a)8 F.A.C.
1486	WW002	Woodworking	Woodworking	62-210.300(3)(a)8 F.A.C.