Department of Environmental Protection

Jeb Bush
Governor

Central District
3319 Maguire Boulevard, Suite 232
Orlando, Florida 32803-3767

Colleen M. Castille
Secretary

ELECTRONIC CORRESPONDENCE
Windsormtl@aol.com

Malcolm Brandt, President
Windsor Metal Specialties
1820 Avenue A
Kissimmee, FL 34742

Re: Title V Air Operation Permit Revision
PROPOSED Permit Project No.: 0970042-006-AV
Revision of Title V Air Operation Permit No.: 0970042-005-AV
Surface Coating Facility

Dear Mr. Brandt:

One copy of the "PROPOSED PERMIT DETERMINATION" for the Windsor Metal Specialties, located at 1820 Avenue A, Kissimmee, Osceola County; Florida, is enclosed.

An electronic version of this determination has been posted on the Division of Air Resources Management's world wide web site for the United States Environmental Protection Agency (USEPA) Region 4 office's review. The web site address is *http://www.dep.state.fl.us/air*.

Pursuant to Section 403.0872(6), Florida Statutes, if no objection to the PROPOSED permit is made by the USEPA within 45 days, the PROPOSED permit will become a FINAL permit no later than 55 days after the date on which the PROPOSED permit was mailed (posted) to USEPA. If USEPA has an objection to the PROPOSED permit, the FINAL permit will not be issued until the permitting authority receives written notice that the objection is resolved or withdrawn.

If you have any other questions, please contact Alan Zahm at 407/894-7555.

Sincerely,

L.T. Kozlov, P.E.
Program Administrator
Air Resources Management

LTK/azt
Enclosures

copy furnished to: Alvaro Linero, DARM/BAR (INTERNET E-Mail Memorandum)
Gracy Danois, USEPA, Region 4 (INTERNET E-Mail Memorandum)

PROPOSED PERMIT DETERMINATION

PROPOSED Permit No.: 0970042-006-AV

I. Public Notice.

An "INTENT TO ISSUE TITLE V AIR OPERATION PERMIT" for the Windsor Metal Specialties Company facility located at 1820 Avenue A, Kissimmee, Osceola County, Florida was clerked on September 29, 2005. The "PUBLIC NOTICE OF INTENT TO ISSUE TITLE V AIR OPERATION PERMIT" was published in the Orlando Sentinel newspaper on October 5, 2005. The DRAFT Title V Air Operation Permit was available for public inspection at the permitting authority's office in Orlando. Proof of publication of the "PUBLIC NOTICE OF INTENT TO ISSUE TITLE V AIR OPERATION PERMIT" was received on October 14, 2005.

II. Public Comment(s).

No comments were received during the 30 (thirty) day public comment period. Since no comments were received, the DRAFT Title V Air Operation Permit becomes the PROPOSED Title V Air Operation Permit.

III. Conclusion.

(1) Since there were no comments received during the Public Notice period, no changes were made to the DRAFT Title V Permit and the permitting authority hereby issues the PROPOSED Permit No.: 0970042-006-AV.

Title V Air Operation Permit Revision
PROPOSED Permit No.: 0970042-006-AV
Revision of Title V Air Operation Permit 0970042-005-AV

Table of Contents

Section	Page Number
Placard Page	1
I. Facility Information	2
Subsection A. Facility Description.	
Subsection B. Summary of Emissions Unit ID No(s). and Brief Description(s).	
Subsection C. Relevant Documents.	
II. Facility-wide Conditions	3
III. Emissions Unit(s) and Conditions	
Subsection A. 001 - Surface Coating Process	5
Appendix I-1, List of Insignificant Emission Units and/or Activities	
Appendix TV-5, Title V Conditions (03/28/05)	
Appendix General Conditions	
Appendix Subpart MMMM	

Windsor Metal Specialties, Inc.
Windsor Metal Specialties Facility
Facility ID No.: 0970042
Osceola County

Title V Air Operation Permit Revision
PROPOSED Permit No.: 0970042-006-AV
Revision of Title V Air Operation Permit 0970042-005-AV

Permitting Authority:
Florida Department of Environmental Protection
3319 Maguire Boulevard, Suite 232
Orlando, Florida 32803
Telephone: 407/893-3335
Fax: 407/897-5963

Department of Environmental Protection

Jeb Bush
Governor

Central District
3319 Maguire Boulevard, Suite 232
Orlando, Florida 32803-3767

Colleen M. Castille
Secretary

Permittee:
Windsor Metal Specialties, Inc.
Post Office Box 421210
Kissimmee, FL 34742-1210

PROPOSED Permit No.: 0970042-006-AV
Facility ID No.: 0970042
SIC Nos.: 34
Project: Title V Air Operation Permit Revision

Attention: Malcolm Brandt, President

This permit is to revise the Title V operation permit of the Windsor Metal Specialties Facility. This facility is located at 1820 Avenue A, Kissimmee, Osceola County; UTM Coordinates: Zone 17,452.5 km East and 3125.4 km North; Latitude: 28° 15' 16" North and Longitude: 81° 29' 30" West.

STATEMENT OF BASIS: This Title V air operation permit is issued under the provisions of Chapter 403, Florida Statutes (F.S.) and Florida Administrative Code (F.A.C.) Chapters 62-4, 62-210, 62-213 and 62-214. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents, attached hereto or on file with the permitting authority, in accordance with the terms and conditions of this permit.

Referenced attachments made a part of this permit:

Appendix I-1, List of Insignificant Emission Units and/or Activities
Appendix TV-5, Title V Conditions (03/28/05)
Appendix General Conditions
Appendix Subpart MMMM

Effective Date: **TBD**
Renewal Application Due Date: **March 30,2006**
Expiration Date: **September 30, 2006**

STATE OF FLORIDA DEPARTMENT
OF ENVIRONMENTAL PROTECTION

L.T. Kozlov, P.E.
Program Administrator
Air Resources Management

LTK/azt

Section I. Facility Information.

Subsection A. Facility Description.

The facility contains a surface coating operation consisting of a power washer, drying oven, six paint spray booths where primer, top and/or clear coating materials are electrostatically applied to miscellaneous metal/aluminum parts, a cure oven, and a thermal oxidizer. The paint spray booths are equipped with dry filters which provide a particulate reduction efficiency of approximately 98 to 99 percent. Painted parts from the spray booths are routed to a cure oven for drying. The VOC exhaust from the cure oven is ducted to a thermal oxidizer which provides a VOC destruction efficiency of approximately 95 percent. The exhaust from the thermal oxidizer is ducted to the drying oven which is utilized to dry the washed parts prior to painting. The facility also includes miscellaneous fugitive emissions from the following activities: mixing, coatings with solvents and pigments, spray gun cleaning, solvent recovery and recycling, air drying of cleaned paint containers, and hand lay-up/air drying of touchup paint and finish coatings.

Also included in this permit are miscellaneous unregulated/insignificant emission units and/or activities.

Based on the initial Title V permit renewal application received March 30, 2001, this facility is a major source of hazardous air pollutants (HAPs).

Subsection B. Summary of Emissions Unit ID No(s). and Brief Description(s).

E.U. ID No.	Brief Description
001	Surface Coating Process

Please reference the Permit No., Facility ID No., and appropriate Emissions Unit(s) ID No(s). on all correspondence, test report submittals, applications, etc.

Subsection C. Relevant Documents.

The documents listed below are not a part of this permit, however, are specifically related to this permitting action.

These documents are provided to the permittee for information purposes only:
Appendix A-1, Abbreviations, Acronyms, Citations, and Identification Numbers
Appendix H-1, Permit History / ID Number Changes

These documents are on file with permitting authority:
Initial Title V Permit Operation Permit issued June 16, 1998
Application for Title V Operation Permit renewal received March 30, 2001
Second Title V Operation Permit issued September 24, 2001

Section II. Facility-wide Conditions.

The following conditions apply facility-wide:

1. APPENDIX TV-5, TITLE V CONDITIONS are a part of this permit.

2. **Not Federally Enforceable.** General Pollutant Emission Limiting Standards. Objectionable Odor Prohibited. The permittee shall not cause, suffer, allow, or permit the discharge of air pollutants which cause or contribute to an objectionable odor.
[Rule 62-296.320(2), F.A.C.]

3. General Particulate Emission Limiting Standards. General Visible Emissions Standard. Except for emissions units that are subject to a particulate matter or opacity limit set forth or established by rule and reflected by conditions in this permit, no person shall cause, let, permit, suffer or allow to be discharged into the atmosphere the emissions of air pollutants from any activity, the density of which is equal to or greater than that designated as Number 1 on the Ringelmann Chart (20 percent opacity).
[Rule 62-296.320(4)(b)1., F.A.C.]

4. Prevention of Accidental Releases (Section 112(r) of CAA).
a. The permittee shall submit its Risk Management Plan (RMP) to the Chemical Emergency Preparedness and Prevention Office (CEPPO) RMP Reporting Center when, and if, such requirement becomes applicable. Any Risk Management Plans, original submittals, revisions or updates to submittals, should be sent to:

RMP Reporting Center
Post Office Box 1515
Lanham-Seabrook, Maryland 20703-1515
Telephone: 301/429-5018

and,
b. The permittee shall submit to the permitting authority Title V certification forms or a compliance schedule in accordance with Rule 62-213.440(2), F.A.C.
[40 CFR 68]

5. Insignificant Emissions Units and/or Activities. Appendix I-1, List of Insignificant Emissions Units and/or Activities, is a part of this permit.
[Rules 62-213.440(1), 62-213.430(6), and 62-4.040(1)(b), F.A.C.]

6. **Not Federally Enforceable.** General Pollutant Emission Limiting Standards. Volatile Organic Compounds (VOC) Emissions or Organic Solvents (OS) Emissions. The permittee shall allow no person to store, pump, handle, process, load, unload or use in any process or installation, VOC or OS without applying known and existing vapor emission control devices or systems deemed necessary and ordered by the Department. To comply, procedures to minimize pollutant emissions shall include the following:
   a. Tightly cover or close all VOC containers when they are not in use;
   b. Tightly cover, where possible, all open troughs, basins, baths, tanks, etc.;
   c. Maintain all piping, valves, fittings, etc. in good operating condition;
   d. Prevent excessive air turbulence across exposed VOC; and
   e. Immediately confine and clean up spills of VOC containing materials.

[Rule 62-296.320(1)(a), F.A.C.]

7. All reasonable precautions shall be taken as necessary to prevent emissions of unconfined particulate matter at this facility. Reasonable precautions shall include, but not be limited to, the following:

a. Chemical or water application to unpaved roads and unpaved yard areas;
b. Paving and maintenance of roads, parking areas and yards;
c. Landscaping or planting of vegetation; and
d. Other techniques, as necessary.

[Rule 62-296.320(4)(c)2., F.A.C.]

8. The permittee shall submit all compliance related notifications and reports required of this permit to the air compliance section of this office:

Florida Department of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, Florida 32803
Telephone: 407/893-3333
Fax: 407/897-5963

9. Any reports, data, notifications, certifications, and requests required to be sent to the United States Environmental Protection Agency, Region 4, should be sent to:

United States Environmental Protection Agency
Region 4
Air, Pesticides & Toxics Management Division
Air & EPCRA Enforcement Branch, Air Compliance Section
61 Forsyth Street
Atlanta, Georgia 30303
Telephone: 404/562-9099
Fax: 404/562-9095

10. Annual Operating Report. A DEP Form No. 62-210.900(5), "Annual Operating Report for Air Pollutant Emitting Facility" including the Emissions Report, shall be completed for each calendar year on or before March 1 of the following year and submitted to the air compliance section of this office.
[Rule 62-210.370(3), F.A.C.]

11. Annual Statement of Compliance. The permittee shall submit a statement of compliance with all terms and conditions of the permit using DEP Form No. 62-213.900(7), F.A.C. Such statements shall be accompanied by a certification in accordance with Rule 62-213.420(4), F.A.C. Such statements shall be submitted (postmarked) to the air compliance section of this office and EPA:

a. Annually, within 60 days after the end of each calendar year during which the Title V permit was effective, or more frequently if specified by Rule 62-213.440(2), F.A.C., or by any other applicable requirement; and

b. Within 60 days after submittal of written agreement for transfer of responsibility as required pursuant to 40 CFR 70.7(d)(1)(iv), adopted and incorporated by reference at Rule 62-204.800, F.A.C., or within 60 days after permanent shutdown of a facility permitted under this chapter; provided that, in either such case, the reporting period shall be the portion of the calendar year the permit was effective up to the date of transfer of responsibility or permanent facility shutdown, as appropriate.
[Rule 62-213.440(3)(a)2., F.A.C.]

12. Certification by Responsible Official (RO). In addition to the professional engineering certification required for applications by Rule 62-4.050(3), F.A.C., any application form, report, compliance statement, compliance plan and compliance schedule submitted pursuant to Chapter 62-213, F.A.C., shall contain a certification signed by a responsible official that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete. Any responsible official who fails to submit any required information or who has submitted incorrect information shall, upon becoming aware of such failure or incorrect submittal, promptly submit such supplementary information or correct information. [Rule 62-213.420(4), F.A.C.]

13. At least 180 days prior to the expiration date of this operation permit, the permittee shall submit to this office four copies of the air permit application, DEP Form No. 62-210.900(1). [Rule 62-4.090(1), F.A.C.]

Section III. Emissions Unit(s) and Conditions.

Subsection A. This subsection addresses the following emissions unit(s).

E.U. ID No.	Brief Description
001	The facility contains a surface coating operation consisting of a power washer, drying oven, six paint spray booths where primer, top and/or clear coating materials are electro-statically applied to miscellaneous metal/aluminum parts, a cure oven, and a thermal oxidizer. The paint spray booths are equipped with dry filters which provide a particulate reduction efficiency of approximately 98 to 99 percent. Painted parts from the spray booths are routed to a cure oven for drying. The VOC exhaust from the cure oven is ducted to a thermal oxidizer which provides a VOC destruction efficiency of approximately 95 percent. The exhaust from the thermal oxidizer is ducted to the drying oven which is utilized to dry the washed parts prior to painting. The facility also includes miscellaneous fugitive emissions from the following activities: mixing, coatings with solvents and pigments, spray gun cleaning, solvent recovery and recycling, air drying of cleaned paint containers, and hand lay-up/air drying of touchup paint and finish coatings.

The following specific conditions apply to the emissions unit(s) listed above:

Essential Potential to Emit (PTE) Parameters

A1. Capacity and Emission Limit. Volatile Organic Compound (VOC) usage at the facility shall not exceed 30,000 gallons of paints and solvents per consecutive twelve months. VOC, any single HAP and combined HAP emissions shall not exceed 90 tons per consecutive twelve months.
[Rule 62-210.200, (PTE), F.A.C. and permit 0970042-003-AC, conditions A1, A5, A6]

A2. Hours of Operation. The hours of operation shall not exceed 3165 hours per consecutive twelve months.
[Rules 62-4.160(2), and 62-210.200, (PTE), F.A.C., permit modification dated 12/21/99]

A3. Emissions Unit Operating Rate Limitation After Testing. See specific condition A8.
[Rule 62-297.310(2), F.A.C.]

Emission Limitations and Standards

A4. Visible emissions from the exhaust stacks, from the primer coating booths #1 and #2, top coating booths #1 and #2, clear coating booths #1 and #2, and the drying oven are subject to the general visible emission standard as specified by facility-wide condition no. 3.

A5. The maximum permitted VOC emission rate shall not exceed 90.0 tons per consecutive twelve months, updated monthly.
[construction permit 0970042-003-AC]

A6. The maximum permitted emission rate of any single HAP and combined HAPs shall not exceed 90.0 tons per consecutive twelve months, updated monthly.
[construction permit 0970042-003-AC]

Test Methods and Procedures

A7. The exhaust stacks from each primer/coating booth and the drying oven must be compliance tested for visible emissions in accordance with DEP Method 9 prior to permit expiration date. The test shall be conducted for 30 minutes or the length of the batch/cycle.
[Rules 62-297.401(9)(c), 62-297.310(7)(a)4.a., and 62-297.310(4)(a)2., F.A.C.]

A8. DEP Method 9. The provisions of EPA Method 9 (40CFR60, Appendix A) are adopted by reference with the following exceptions:

a) EPA Method 9, Section 2.4, Recording Observations. Opacity observations shall be made and recorded by a certified observer at sequential fifteen second intervals during the required period of observation.

b) EPA Method 9, Section 2.5, Data Reduction. For a set of observations to be acceptable, the observer shall have made and recorded, or verified the recording of, at least 90 percent of the possible individual observations during the required observation period. For single-valued opacity standards (e.g. 20 percent opacity), the test result shall be the highest valid six-minute average for the set of observations taken. For multiple-valued opacity standards (e.g. 20 percent opacity, except that an opacity of 40 percent is permissible for not more than two minutes per hour) opacity shall be computed as follows:

A9. At least 15 days prior to the date on which each formal compliance test is due to begin, the permittee shall provide written notification of the test to the air compliance section of this office. The notification must include the following information: the date, time and location of each test; the name and telephone number of the facility's contact person who will be responsible for coordinating the test; and the name, company, and telephone number of the person conducting the test.
[Rule 62-297.310(7)(a)9, F.A.C.]

A10. Testing of emissions shall be conducted with the emissions unit operation at permitted capacity. Permitted capacity is defined as 90 to 100 percent of the maximum operation rate allowed by the permit. If it is impractical to test at permitted capacity, an emissions unit may be tested at less than the minimum permitted capacity; in this case, subsequent emissions unit operation is limited to 110 percent of the test load until a new test is conducted. Once the unit is so limited, operation at higher capacities is allowed for no more than 15 consecutive days for the purpose of additional compliance testing to regain the authority to operate at the permitted capacity.
[Rule 62-297.310(2)& (2) (b), F.A.C.]

Monitoring of Operations

A.11. Determination of Process Variables.
(a) Required Equipment. The owner or operator of an emissions unit for which compliance tests are required shall install, operate, and maintain equipment or instruments necessary to determine process variables, such as process weight input or heat input, when such data are needed in conjunction with emissions data to determine the compliance of the emissions unit with applicable emission limiting standards.
(b)Accuracy of Equipment. Equipment or instruments used to directly or indirectly determine process variables, including devices such as belt scales, weight hoppers, flow meters, and tank scales, shall be calibrated and adjusted to indicate the true value of the parameter being measured with sufficient accuracy to allow the applicable process variable to be determined within 10% of its true value.
[Rule 62-297.310(5), F.A.C.]

Recordkeeping and Reporting Requirements

A12. In order to demonstrate compliance with conditions no. A1 and A2, the permittee shall maintain a log at the facility. The log at a minimum shall contain the following:

Monthly
a) month
b) consecutive 12 month total of material usage, hours, VOC, single HAP and combined HAP emissions

[Rules 62-4.070(3), and 62-213.440(1)(b)2., F.A.C.]

A13. Supporting documentation, such as Material Safety Data Sheets, purchase orders, etc., shall be kept which includes sufficient information to determine compliance. The log and documents shall be kept at the facility for at least 5 years and made available to the Department. The monthly logs shall be completed by the end of the following month.
[Rules 62-4.070(3), and 62-213.440(1)(b)2.b., F.A.C.]

A14. Reports of the required test report shall be filed with the air compliance section of this office as soon as practical but no later than 45 days after the last test is completed.
[Rule 62-297.310(8), F.A.C.]

A15. Compliance Assurance Monitoring.
The company shall install and operate a temperature recorder with a chart to record the thermal oxidizer outlet temperature. The outlet temperature shall exceed the outlet temperature recorded during the compliance test.

40 CFR 63, Subpart WWWW

A16. The emissions unit(s) in this subsection are subject to the applicable requirements contained in 40 C.F.R. 63, Subpart A, which is incorporated by reference and attached to this permit, Appendix General Provisions.

A17. Beginning January 2, 2007, the facility is subject to the applicable requirements contained in 40 C.F.R. 63, Subpart MMMM, which is incorporated by reference and attached to this permit. The company will maintain records to show compliance with Subpart MMMM. Rule 63.3891 allows three methods to comply:

a) Compliant material option.
b) 12-month emission rate without control device
c) 12-month emission rate with control device.

Appendix H-1, Permit History/ID Number Changes

Windsor Metal Specialties, Inc.
Windsor Metal Specialties Facility

PROPOSED Permit No.: 0970042-006-AV
Facility ID No.: 0970042

Permit History (for tracking purposes):

E.U. ID No.	Description	Permit No.	Issue Date	Expiration Date	Extended Date 1, 2	Revised Date(s)
-001	Surface Coating Process	0970042-005-AV	10/15/01	09/30/06		
		0970042-004	12/21/99	09/30/01		
		0970042-003-AC	03/22/99	03/30/04		
		0970042-002-AV	06/16/98	09/30/01		1/30/00 12/21/99
		AC49-205815	05/12/92	02/28/94		
		AO49-244996	02/24/94	01/30/99	-	11/30/95 06/19/96

Notes:
1 - AO permit(s) automatic extension(s) in Rule 62-210.300(2)(a)3.a., F.A.C., effective 03/21/96.
2 - AC permit(s) automatic extension(s) in Rule 62-213.420(1)(a)4., F.A.C., effective 03/20/96.

{Rule 62-213.420(1)(b)2., F.A.C., effective 03/20/96, allows Title V Sources to operate under existing valid permits}

Appendix I-1, List of Insignificant Emissions Units and/or Activities.

Windsor Metal Specialties, Inc.	**PROPOSED Permit No.:** 0970042-006-AV
Windsor Metal Specialties Facility	**Facility ID No.:** 0970042

The facilities, emissions units, or pollutant-emitting activities listed in Rule 62-210.300(3)(a), F.A.C., Categorical Exemptions, are exempt from the permitting requirements of Chapters 62-210 and 62-4, F.A.C.; provided, however, that exempt emissions units shall be subject to any applicable emission limiting standards and the emissions from exempt emissions units or activities shall be considered in determining the potential emissions of the facility containing such emissions units. Emissions units and pollutant-emitting activities exempt from permitting under Rule 62-210.300(3)(a), F.A.C., shall not be exempt from the permitting requirements of Chapter 62-213, F.A.C., if they are contained within a Title V source; however, such emissions units and activities shall be considered insignificant for Title V purposes provided they also meet the criteria of Rule 62-213.430(6)(b), F.A.C. No emissions unit shall be entitled to an exemption from permitting under Rule 62.210.300(3)(a), F.A.C., if its emissions, in combination with the emissions of other units and activities at the facility, would cause the facility to emit or have the potential to emit any pollutant in such amount as to make the facility a Title V source.

The below listed emissions units and/or activities are considered insignificant pursuant to Rule 62-213.430(6), F.A.C.

Brief Description of Emissions Units and/or Activities

1. Home Heating & Comfort Heating
2. Steam Cleaning Equipment
3. Belt or Drum Sanders
4. Space Heating Equipment
5. Lab Equipment
6. Brazing, Soldering or Welding Equipment
7. Water Treatment System
8. Chemical Storage Area
9. Calibration & Maintenance of Lab Equipment & Analytical Instruments
10. Paint Storage Area
11. Drum Storage Area
12. Hazardous Waste Storage Area
13. Propane Storage Area
14. I. C. Engines used for Landscaping
15. Air Compressors & Pneumatic Equipment
16. Combustion Emissions From Mobile Sources
17. Office Area Air-Conditioning/Ventilation Units
18. Office Equipment and Product Use
19. Janitorial Related Services
20. Bathroom/Toilet Vents
21. Tobacco Smoking Rooms and Areas
22. Plant/Equipment Maintenance and Upkeep
23. Miscellaneous Repair or Maintenance Shop Activities
24. Portable Electric Generators
25. Hand-Held Equipment for Buffing, Polishing, Cutting, Drilling, Sawing Grinding, Turning or Machining Wood and Metal
26. Batteries & Battery Charging Stations
27. Paper Trimmers/Binders
29. QC Area
30. QC/Assurance & Sampling Equipment
31. Hydraulic and Hydrostatic Testing
32. Fire Suppression Systems
33. Safety Equipment

Updated 4/26/04

40 CFR 63 Subpart A - General Provisions

§ 63.1 Applicability.

(a) *General.*

(1) Terms used throughout this part are defined in § 63.2 or in the Clean Air Act (Act) as amended in 1990, except that individual subparts of this part may include specific definitions in addition to or that supersede definitions in § 63.2.

(2) This part contains national emission standards for hazardous air pollutants (NESHAP) established pursuant to section 112 of the Act as amended November 15, 1990. These standards regulate specific categories of stationary sources that emit (or have the potential to emit) one or more hazardous air pollutants listed in this part pursuant to section 112(b) of the Act. This section explains the applicability of such standards to sources affected by them. The standards in this part are independent of NESHAP contained in 40 CFR part 61. The NESHAP in part 61 promulgated by signature of the Administrator before November 15, 1990 (i.e., the date of enactment of the Clean Air Act Amendments of 1990) remain in effect until they are amended, if appropriate, and added to this part.

(3) No emission standard or other requirement established under this part shall be interpreted, construed, or applied to diminish or replace the requirements of a more stringent emission limitation or other applicable requirement established by the Administrator pursuant to other authority of the Act (section 111, part C or D or any other authority of this Act), or a standard issued under State authority. The Administrator may specify in a specific standard under this part that facilities subject to other provisions under the Act need only comply with the provisions of that standard.

(4) (i) Each relevant standard in this part 63 must identify explicitly whether each provision in this subpart A is or is not included in such relevant standard.

(ii) If a relevant part 63 standard incorporates the requirements of 40 CFR part 60, part 61, or other part 63 standards, the relevant part 63 standard must identify explicitly the applicability of each corresponding part 60,part 61, or other part 63 subpart A (General) Provision.

(iii) The General Provisions in this Subpart A do not apply to regulations developed pursuant to section112(r) of the amended Act., unless otherwise specified in those regulations.

(5) [Reserved]

(6) To obtain the most current list of categories of sources to be regulated under section 112 of the Act, or to obtain the most recent regulation promulgation schedule established pursuant to section 112(e) of the Act, contact the Office of the Director, Emission Standards Division, Office of Air Quality Planning and Standards, U.S. EPA (MD–13), Research Triangle Park, North Carolina 27711.

(7) [Reserved]

(8) [Reserved]

(9) [Reserved]

(10) For the purposes of this part, time periods specified in days shall be measured in calendar days, even if the word ''calendar'' is absent, unless otherwise specified in an applicable requirement.

(11) For the purposes of this part, if an explicit postmark deadline is not specified in an applicable requirement for the submittal of a notification, application, test plan, report, or other written communication to the Administrator, the owner or operator shall postmark the submittal on or before the number of days specified in the applicable requirement. For example, if a

Updated 4/27/04

Source: Federal Register dated 1/2/04

Subpart MMMM--National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products

What This Subpart Covers
63.3880 What is the purpose of this subpart?
63.3881 Am I subject to this subpart?
63.3882 What parts of my plant does this subpart cover?
63.3883 When do I have to comply with this subpart?

Emission Limitations
63.3890 What emission limits must I meet?
63.3891 What are my options for meeting the emission limits?
63.3892 What operating limits must I meet?
63.3893 What work practice standards must I meet?

General Compliance Requirements
63.3900 What are my general requirements for complying with this subpart?
63.3901 What parts of the General Provisions apply to me?

Notifications, Reports, and Records
63.3910 What notifications must I submit?
63.3920 What reports must I submit?
63.3930 What records must I keep?
63.3931 In what form and for how long must I keep my records?

Compliance Requirements for the Compliant Material Option
63.3940 By what date must I conduct the initial compliance demonstration?
63.3941 How do I demonstrate initial compliance with the emission limitations?
63.3942 How do I demonstrate continuous compliance with the emission limitations?

Compliance Requirements for the Emission Rate Without Add-On Controls Option
63.3950 By what date must I conduct the initial compliance demonstration?
63.3951 How do I demonstrate initial compliance with the emission limitations?
63.3952 How do I demonstrate continuous compliance with the emission limitations?

Compliance Requirements for the Emission Rate With Add-On Controls Option
63.3960 By what date must I conduct performance tests and other initial compliance demonstrations?
63.3961 How do I demonstrate initial compliance?
63.3962 [Reserved]
63.3963 How do I demonstrate continuous compliance with the emission limitations?
63.3964 What are the general requirements for performance tests?
63.3965 How do I determine the emission capture system efficiency?
63.3966 How do I determine the add-on control device emission destruction or removal efficiency?
63.3967 How do I establish the emission capture system and add-on control device operating limits during the performance test?

STATEMENT OF BASIS

Windsor Metal Specialties, Inc.
Windsor Metal Specialties Facility
Facility ID No.: 0970042
Osceola County

Title V Air Operation Permit Revision
PROPOSED Permit No.: 0970042-006-AV

The initial title V Air Operation Permit, No. 0970042-002-AV was issued on June 16, 1998. This Title V air operation permit is issued under the provisions of Chapter 403, Florida Statutes (F.S.), and Florida Administrative Code (F.A.C.) Chapters 62-4, 62-210, and 62-213. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents, attached hereto or on file with the permitting authority, in accordance with the terms and conditions of this permit.

The subject of the Title V Operating Permit Revision is to incorporate the terms and conditions of 40 CFR 63, Subpart MMMM, National Emission Standards for Miscellaneous Metal Parts and Product Surface Coating.

The facility contains a surface coating operation consisting of a power washer, drying oven, six paint spray booths where primer, top and/or clear coating materials are electrostaticly applied to miscellaneous metal/aluminum parts, a cure oven, and a thermal oxidizer. The paint spray booths are equipped with dry filters which provide a particulate reduction efficiency of approximately 98 to 99 percent. Painted parts from the spray booths are routed to a cure oven for drying. The VOC exhaust from the cure oven is ducted to a thermal oxidizer which provides a VOC destruction efficiency of approximately 95 percent. Continuous compliance monitoring of the process is undertaken with a temperature recorder and the temperature used during the successful compliance test. The exhaust from the thermal oxidizer is ducted to the drying oven, which is utilized to dry the washed parts prior to painting. The facility also includes miscellaneous fugitive emissions from the following activities: mixing, coatings with solvents and pigments, spray gun cleaning, solvent recovery and recycling, air drying of cleaned paint containers, and hand lay-up/air drying of touchup paint and finish coatings.

The applicable emission limitations are as follows:

a) General VE limit per Rule 62-296.320(4)(b)1., F.A.C.
b) Facility-wide - general VOC standard per Rule 62-296.320(1)(a), F.A.C. and objectionable odor prohibited per Rule 62-296.320(2), F.A.C.

Also included in this permit are miscellaneous insignificant emission units and/or activities.

Based on the initial Title V permit application received March 20, 2001, this facility is a major source of hazardous air pollutants (HAPs).