

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

	RE-INSPECTION (FUI)	COMPLAINT/DISCO ARMS COMPLAINT	, ,	
	. ,			
AIRS ID#: 0990343 DA	TE: <u>5/3/2006</u>	ARRIVE: <u>9:30</u>	DEPART: <u>1</u>	1:00
FACILITY NAME: PALMS WEST CREMATORY (ROYAL PALM BEACH)				
FACILITY LOCATION	N: 110 Business Park Way	y		
	ROYAL PALM BEAC	CH 33411		
RESPONSIBLE OFFIC	CIAL: JULIAN ALMEIDA	РНО	ONE: (561)753-6004	
CONTACT NAME: W	ALLACE HICKMAN	РНО	ONE: (753)600-4	
REMITTANCE YEAR:	ENTITI	LEMENT PERIOD: 9/17/2 (effective		06
☐ IN COMPLIAN	CE MINOR Non-COM	IPLIANCE SIGNIFIC	CANT Non-COMPLIA	ANCE
PART II: TESTING/RE (check ☑ appropria	ECORDKEEPING REQUIRE te box(es))	EMENTS – Rule 62-296.401	, F.A.C.	
 (check ☑ appropria Were there any ob Was a visible emi 62-297, F.A.C.)? In order to demon days prior to the A (Rule 62-296.401 In order to demon completed within a) Carbon Monor volume, dry basis 10 (Ref.: Chapter 		ance, was an annual visible ention, and within 60 days prior ance were the remaining application form submission? (Resolution to be below the requirements of 10 rly average basis and tested as	Method 9 (Ref.: Chap missions test conducte to each anniversary da icable standards testin ule 62-210.300(4), F.A 00 parts per million by ccording to EPA Meth	ter

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))	
1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record	temperatures in the
primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber co	ombustion zone in
accordance with the manufacturer's instructions?	
a) Do temperature probes seem to be properly placed?	
b) Are the following records kept on file, available for inspection for at least two years following the re	
measurements, maintenance, reports and records?	cording or such
1) All measurements (including CEMS)	□Yes □ No
2) Monitoring device	☐Yes ☐ No
3) Performance Testing Measurements	
4) CEMS Performance Evaluation	
5) All CEMS or monitoring device calibration checks	Yes No
6) Adjustments	= =
	∐Yes ∐ No
7) Preventive maintenance performed on systems/devices	∐Yes ∐ No
8) Corrective maintenance performed on systems/devices	∐Yes ∐ No
2. Was this crematory unit constructed: (check only one box)	
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4)	
b) ON or AFTER August 30, 1989? (If this box checked, skip #3 and continue on to #4)	
3. If constructed BEFORE August 30, 1989 is the:	
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F?	☐Yes ☐ No
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F	
throughout the combustion process in the primary chamber?	☐Yes ☐ No
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature	
is equal to or greater than 1400°F ?	☐Yes ☐ No
d) required monitoring equipment installed and operational, and providing continuous monitoring to	
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the	
secondary chamber combustion zone according to the manufacturer's instructions?	☐Yes ☐ No
4. If constructed ON or AFTER August 30, 1989 is the:	
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence times.	ne
@ 1800° F?	⊠Yes □ No
b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F	
throughout the combustion process in the primary chamber?	⊠Yes □ No
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic	
process begins in the primary chamber?	Yes ☐ No
5. Are appropriate cremation containers containing no more than 0.5 % (percent) by weight chlorinated	
plastics used during the cremation of dead human bodies?	□Yes ⊠ No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that the	
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of	y f
their use and for at least two years after their use?	Yes No
b) Are there any other materials, including biomedical wastes (Rule 62-210.200, FAC) incinerated at	
this location?	□Vos ⋈ No
6. Have all crematory operators been trained and certified by a Department-approved training program?	∐Yes ⊠ No
, ,	⊠Yes □ No
a) Are copies of the training certificates for all crematory operators kept on file at the facility for the du	
of the operator's employment & for an additional two years after termination of employment?	⊠Yes ☐ No

PART IV: SPECIAL CONDITIONS AND PROCEDUR A. New or Modified Process Equipment	<u>ES</u> – Rule 62-296.401, F.A.C.			
 Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment with c) replacement of existing equipment substantiall 	out replacement? \Box Yes $\overline{\boxtimes}$ No y different than that noted on the most			
recent notification form?				
was required, have all operators been retrained to operate the modified unit? 3. In the case of new or modified equipment, where a Department air construction permit was required, has the owner submitted copies of all operator training certificates?				
Paul Kalamaras	5/3/2006			
Inspector's Name (Please Print)	Date of Inspection			
	5/3/2007			
Inspector's Signature	Approximate Date of Next Inspection			

COMMENTS: I conducted VE test along with South Florida Environmental. Highest 3 minute avg opacity was 1.25%. Overall avg opacity .13%. Brief puff of smoke 15% opacity for 15secs @9:59. Made recommendations to have chart recorder temperature to be adjusted read a little too high. Digital readout of secondary Temperature of PowerPakII Crematory unit at 10:27 was 1651 degrees F. All functions were normal. Load was 105 lbs.