

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVER	RY (CI)	
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO:		
AIRS ID#: 0250897 DA	ΓΕ: <u>03/31/2009</u>	ARRIVE: <u>12;15P.M.</u>	DEPART: <u>12;30P.M.</u>	
FACILITY NAME: OP	TIMA CLEANERS			
FACILITY LOCATION	: 3013 AVENTURA BI	LVD		
	AVENTURE 33180-	3106		
OWNER/AUTHORIZE	D REPRESENTATIVE: RIG	CHARD ALTMEN PHONE	: (305)937-2188	
CONTACT NAME:		PHONE	:	
ENTITLEMENT PERIO	DD: 7/21/2007 / 7/21/201	2		
	(effective date) (end date)			
PART I: INSPECTION	COMPLIANCE STATUS (check 🗹 only one box)		
IN COMPLIANC			T Non-COMPLIANCE	
PART II. FACII ITV C	LASSIFICATION - Rule 62-	.213 300 FAC		
	y one box in A)	213.500 FAC		
A. 1. Existing smal	l area source ly, x < 140 gal/yr	2. New small area source dry-to-dry only, x < 140		
transfer only,	x < 200 gal/yr	transfer only, $x < 200 g$	al/yr	
both types, x (constructed by	< 140 gal/yr before 12/9/91)	both types, x < 140 gal/ (constructed on or after		
3. Existing large	e area source	4. New large area source	П	
dry-to-dry on	ly, $140 \le x \le 2{,}100 \text{ gal/yr}$	dry-to-dry only, $140 \le 2$	$x \le 2\overline{,100}$ gal/yr	
	$200 \le x \le 1,800 \text{ gal/yr}$ $10 \le x \le 1,800 \text{ gal/yr}$	transfer only, $200 \le x \le$ both types, $140 \le x \le 1$.		
	pefore 12/9/91)	(constructed on or after		
O	General Permit			
	t of business/petroleum ds above limits			
B . The total quantity cleaning facility	y of perchloroethylene (perc) p	ourchased within the preceding 12	months by this dry	

PART III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC Does the responsible official of the dry cleaning facility:		(check ☑ only one box for each question)				
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	□Yes □No □N/A				
	Examine the containers for leakage?	☐Yes ☐ No ☐ N/A				
	Close and secure machine doors except during loading/unloading?	Yes No				
4.	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	☐Yes ☐ No ☐ N/A				
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	☐Yes ☐ No ☐ N/A				
	ART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)					
	1. If the facility classification is a Existing small area source, no controls are requi	ired. Proceed to Part V.				
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.					
 If the facility classification is a <u>Existing large area source</u>, the machine should be equipped with either a refrigerated condenser or a carbon adsorber. <u>Complete both sections A and B below</u>. Carbon adsorber must have been installed prior to September 22, 1993 If the facility classification is a <u>New large area source</u>, the machine should be equipped with a refrigerated condenser. <u>Complete both sections A and B below</u>. 						
A.	Has the responsible official of all <u>existing large</u> <u>area & new sources</u> :	(check ☑ only one box for each question)				
1.	Equipped all machines with the appropriate vent controls?	Yes No				
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	Yes No N/A				
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	- Yes No N/A				
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	- Yes No				
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- Yes No N/A				
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	Yes No				

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)					
B. Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)				
1. Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No				
Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- Yes No N/A				
a) Is the temperature differential equal to, or greater than 20° F?	□Yes □ No □ N/A				
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A				
a) Is the perc concentration equal to, or less than 100 ppm?	□Yes □ No □ N/A				
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	☐Yes ☐ No ☐ N/A				
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- Yes No N/A				
6. Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☐ N/A				
PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC	(check ✓ only one box for				
PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC Does the responsible official:	(check ☑ only one box for each question)				
	each question)				
Does the responsible official:	each question) - Yes No				
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) - Yes No				
Does the responsible official: 1. Maintain receipts for perc purchased? 2. Maintain rolling monthly total of yearly perc consumption?	each question) - Yes No Yes No				
Does the responsible official: 1. Maintain receipts for perc purchased? 2. Maintain rolling monthly total of yearly perc consumption? 3. Maintain leak detection inspection and repair reports for the following:	each question) - Yes No Yes No				
Does the responsible official: 1. Maintain receipts for perc purchased? 2. Maintain rolling monthly total of yearly perc consumption? 3. Maintain leak detection inspection and repair reports for the following: a) documentation of leaks repaired w/in 24 hrs? or; b) documentation of parts ordered to repair leak and leak repaired w/in 2 days	each question) - Yes No Yes No - Yes No				
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -				
 Maintain receipts for perc purchased?	each question) -				
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -				
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -				
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -				

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check **☑** only one box for each question)

detection and repair inspection? Yes No	
2. Does the facility maintain a leak log? Yes No	
3. Does the responsible official check the following areas for leaks? a) Hose connections, fittings, couplings, and valves	
4. Which method(s) of detection (is/are) used by the responsible official?	
a) Visual examination (condensed solvent on exterior surfaces) ————————————————————————————————————	
MARUFUL MALIK 03/31/2009	
Inspector's Name (Please Print) Date of Inspection	
Inspector's Signature Approximate Date of Next Inspection	

COMMENTS: On March 31, 2009 I visited this facility to conduct an annual compliance inspection. On site I met Mr.Jonathan Blanco, an attendant of the facility. This facility is a drop store and the dry cleaning machine was removed.