



# CONCRETE BATCHING PLANT

## COMPLIANCE INSPECTION CHECKLIST



**INSPECTION TYPE:** ANNUAL (INS1, INS2)  COMPLAINT/DISCOVERY (CI)   
 RE-INSPECTION (FUI)  ARMS COMPLAINT NO:

**AIRS ID#:** 0951239 **DATE:** 12/13/06 **ARRIVE:** 1:41 PM **DEPART:** 4:00 PM

**FACILITY NAME:** RINKER/WEST ORANGE

**FACILITY LOCATION:** 12601 AVALON RD (SR 545)  
SOUTH OF WINTER GARDEN 34787

**RESPONSIBLE OFFICIAL:** **PHONE:** (561)820-8415

**CONTACT NAME:** Terry Upson, Operations Foreman WO Plant **PHONE:** (407)238-1140

**REMITTANCE YEAR:** **ENTITLEMENT PERIOD:** 3/4/2006 / 3/4/2011  
(effective date) (end date)

**PART I: INSPECTION COMPLIANCE STATUS** (check  only one box)

IN COMPLIANCE     MINOR Non-COMPLIANCE     SIGNIFICANT Non-COMPLIANCE

**PART II: TESTING/RECORDKEEPING REQUIREMENTS – Rule 62-296.414, F.A.C.**  
 (check  appropriate box(es))

**Stack Emissions**

1. Were visible emissions tests conducted during this site visit according to EPA Method 9 (Ref.: Chapter 62-297, F.A.C.)?-----  Yes  No
2. Are emissions from silos, weigh hoppers (batchers), and other enclosed storage and conveying equipment controlled to the extent necessary to limit visible emissions to 5 percent opacity?-----  Yes  No
3. During visible emissions tests of the silo dust collector exhaust points was the loading of the silo conducted at a rate that is representative of the normal silo loading rate, or at least at the minimum 25 tons per hour rate, unless such rate is unachievable in practice?-----  Yes  No
4. Are emissions from the weigh hopper (batcher) operation controlled by the silo dust collector? (If answer to this question is “Yes”, then continue on to questions 4.a) and 4.b) below. If answer is “No” then skip 4.a) and 4.b) and continue on to question 5.)-----  Yes  No
  - a) Was the batching operation in operation during the visible emissions test?-----  Yes  No
  - b) During the visible emissions test, was the batching rate representative of the normal batching rate and duration?-----  Yes  No
5. If emissions from the weigh hopper (batcher) operation are controlled by a dust collector, which is separate from the silo dust collector, are the visible emissions tests of the weigh hopper (batcher) dust collector conducted while batching at a rate that is representative of the normal batching rate and duration?-----  Yes  No

**PART II: TESTING/RECORDKEEPING REQUIREMENTS – Rule 62-296.414, F.A.C. – (continued)**

(check  appropriate box(es))

**Compliance Demonstration - (Rule 62-296.401(5)(i), F.A.C.)**

1. Is each dust collector exhaust point tested according to the visible emissions limiting standard as part of the annual compliance demonstration? (Rule 62-297.310(7)(a), F.A.C.)-----  Yes  No

**New Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits)**

2. Did this facility demonstrate:
- a) initial compliance no later than 30 days after beginning operation?-----  Yes  No
- b) annual compliance within 60 days prior to each anniversary of the air general permit notification form submittal date?-----  Yes  No

**Existing Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits)**

3. In order to demonstrate annual compliance, was an annual visible emissions test conducted 60 days prior to the AGP Notification form submission, and within 60 days prior to each anniversary date?-----  Yes  No

**Test Reports – (Rules 62-213.440, F.A.C. and 62-297.310(8)(b), F.A.C.)**

4. Was the required test report filed with the department as soon as practical, but no later than 45 days after the test was completed?-----  Yes  No

**PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-210.300(4)(c)2., F.A.C.**

(check  appropriate box(es))

1. Is this facility: 1) a stationary ; 2) a relocatable ; or does it have: 3) both, stationary and relocatable  concrete batching and/or nonmetallic mineral processing plants? (*Please check  only one box.*)
2. If this is a stationary concrete batching plant, is there one or more relocatable nonmetallic mineral processing plants using individual air general permits at the same location? (*If your answer to this question is YES, then proceed to questions 2.a), thru 2.d), below.*)-----  Yes  No
- a) Are there any additional nonexempt units located at this facility?-----  Yes  No
- b) Is the total combined annual facility-wide fuel oil usage of all plants less than 240,000 gallons per calendar year?-----  Yes  No
- c) Is the quantity of material processed less than ten million tons per calendar year?-----  Yes  No
- d) Is the fuel oil sulfur content 0.5% by weight or less?-----  Yes  No
3. Does the owner/operator of the concrete batching plant maintain a log book or books to account for:
- a) fuel consumption on a monthly basis?-----  Yes  No
- b) material processed on a monthly basis?-----  Yes  No
- c) the sulfur content of the fuel being burned (Fuel supplier certifications)?-----  Yes  No

**PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-296.414(2)(a) and (b), F.A.C. (continued)**

(check  appropriate box(es))

**Unconfined Emissions** – (Rule 62-296.320(4)(c), F.A.C.)

1. Does the owner /operator of the concrete batching plant take reasonable precautions to control unconfined emissions by:
- a) management of roads, parking areas, stock piles, and yards, which shall include one or more of the following:
    - 1) paving and maintenance of roads, parking areas, stock piles, and yards?-----  Yes  No
    - 2) application of water or environmentally safe dust-suppressant chemicals when necessary to control emissions?-----  Yes  No
    - 3) removal of particulate matter from roads and other paved areas under control of the owner/operator to re-entrainment, and from building or work areas to reduce airborne particulate matter?-----  Yes  No
    - 4) reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of particulate matter from stock piles?-----  Yes  No
  - b) use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck?-----  Yes  No

**PART IV: SPECIAL CONDITIONS AND PROCEDURES – Rule 62-210.300(4)(d)4., F.A.C.**

**A. New or Modified Process Equipment**

1. Since the last inspection has there been
- a) installation of any new process equipment?-----  Yes  No
  - b) alterations to existing process equipment without replacement?-----  Yes  No
  - c) replacement of existing equipment substantially different than that noted on the most recent notification form?-----  Yes  No
  - d) If you answered **YES** to any of the above, did the owner submit a new and complete notification form and appropriate fee (Rule 62-4.050, FAC) to the appropriate DEP or local program office?-----  Yes  No

Norma Alli

12/13/06

\_\_\_\_\_  
Inspector's Name (Please Print)

\_\_\_\_\_  
Date of Inspection

~ 12/13/06

\_\_\_\_\_  
Inspector's Signature

\_\_\_\_\_  
Approximate Date of Next Inspection

**COMMENTS:** I met with Terry Upson, Operations Foreman of the West Orange Plant and Bill Arlington, Consultant who was there to perform the VE's.  
4 Tankers uploaded Cement, 2 of the silos are divided and Cement was pumped up in each half. One more tanker for Fly Ash. Everything went Ok 0% opacity on all.  
One truck loaded out on the right side, while loading up. Sprinklers watering the piles of materials, which have walls around. Paved ground wet. No dust leaving the property. No objectionable odors noticed.  
Mr. Upson provided a copy of the fuel consumption and a copy of the total amount of materials processed in Nov '06, as an example of their records.  
Loading rates:  
First silo (cement) from left to right (right half-side) 25.52 Tons./50 min.\* 60 min = 30.624 TPH  
First silo (cement) from left to right (lefts half-side) 26.03 Tons/50 min. \* 60 min = 31.236 TPH  
Second silo (Fly Ash) 26.93 Tons / 75 min. \* 60 min = 21.544 TPH  
Third silo (cement) (right half-side) 26.21 Tons./50 min \* 60 min = 31.452 TPH  
Third silo (cement) (left half-side) 26.26 Tons/50 min \* 60 min = 31.512 TPH