

PRINTING OPERATIONS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI) RE-INSPECTION (FUI) ARMS COMPLAINT NO:
AIRS ID#: 0112553 DATE: 9/12/08 ARRIVE: 0930 DEPART: 1040
FACILITY NAME: FIRST MARKETING CORPORATION
FACILITY LOCATION: 3300 GATEWAY DR
POMPANO BEACH 33069
OWNER/AUTHORIZED REPRESENTATIVE: VICTOR HAIR Ph. NE: (954)977-00
CONTACT NAME: same
ENTITLEMENT PERIOD: 8/16/2007 / 8/16/2012 (effective date) (end date)
PART I: INSPECTION COMPLIANCE STATUS (check only one box)
☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE
PART II: ELIGIBILITY REQUIREMENTS – It le 62-210.30 J, F.A.C. (check ☑ appropriate box(es))
CATEGORICAL & CONDITIONAL EXAMPTION (RITH RIA – Rule 62-210.300 (3) (a) 37., F.A.C. 1. Is the facility subject to any unit-pecific applicable requirement?;————————————————————————————————————
(I)only heatset offset lithographic princing lines and use less than 20,000 pounds combined, of ink, cleaning solvent a countain solution as litives in any consecutive twelve (12) months?; Yes No N/A (II)only non-heat of offset lithographic printing lines and use less than 2,850 gallons, combined,
of cleaning oly nt and fountain solution additives in any consecutive twelve (12) months?; Yes No N/A (III)only dig tan Inting lines of the less than 2,425 gallons, combined, of solvent based inks,
Clean-it solutions and other of vent-containing materials in any consecutive twelve (12) month 9:
(namonths?;
in any consecutive twelve (12) months?; or
(VI)only solvent-based material flexographic or rotogravure printing lines and use less than 20,000 jounds, combined, of inks, dilution solvents, coatings, cleaning solutions, and adhesives in any consecutive twelve (12) months?
PART U. SUICIBILITY REQUIREMENTS – Rule 62-210.300, F.A.C. (continued)

Lot 4 Revised 09/14/07

GENERIC EMISSIONS UNIT EXEMPTION CRITERIA - Rule 62-210.300 (3) (b)1., F.A.C.	
1. Is the facility subject to any unit-specific applicable requirement?;	☐Yes ☐ No 🚺 N/A
2. Does this facility emit or have the potential to emit:	
(i) 500 pounds per year or more of lead and lead compounds expressed as lead?;	□Yes ☑ No □ N/A
(ii) 1000 pounds per year or more of any hazardous air pollutant?;	☐Yes ☐ N/A
(iii) 2,500 pounds per year or more of total hazardous air pollutants?; or	☐Yes ☑ NO ☐ N/A
(iv) 5.0 tons per year or more of any other regulated pollutasnt?	□Yes ⋈ No □ 1 //A
GENERIC FACILITY EXEMPTION CRITERIA – Rule 62-210.300 (3) (b)2., F.A.C.	
1. Is the facility subject to any unit-specific applicable requirement?;	Yes No NA
2. Does this facility emit or have the potential to emit:	
(i) 1000 pounds per year or more of lead and lead compounds expressed as lead?;	Yes N/A
(ii) 1.0 ton per year or more of any hazardous air pollutant?;	Yes N/A
(iii) 2.5 tons per year or more of total hazardous air pollutants?;	Yes N/A
(iv) 25 tons per year or more of carbon monoxide, nitrogen oxides and sulfur dioxic 2 or	□Y No □ N/A
(v) 10 tons per year or more of any other regulated pollutant?	□Y No □ N/A
DARWAY AND GENERAL REPLACES TO A COMMON TO THE	<u> </u>
PART III: AIR GENERAL PERMITS – Rule 62-210.310, F.A.C.	
(check ☑ appropriate box(es))	•
GENERAL PROCEDURES - Determination of Eligibility - Rule 62-10.510(2)(a)1. and 2., F.A	.C.
1. Does this facility emit or have the potential to emit:	
a) ten (10) tons per year or more of any hazardous air pollutare.	□Yes ⊠ No □ N/A
b) twenty-five (25) tons per year or more of any combination of a zardous air po uta ts?; or-	☐Yes ⊠ No ☐ N/A
c) one hundred (100) tons per year or more of any other regulated air pollutant.	☐Yes ⊠ No ☐ N/A
2. Has this facility:	
a) been collocated with, or relocated to such a facility as excribed in que to #1. a), b), or	
c) above?;	□Yes ⊠ No □ N/A
b) created such a facility in combination with any other collocated facility, emission units, or	
pollutant-emitting activities, including any such facility, emission und, or activity that is other	rwise
exempt from air permitting?	□Yes □ No □ N/A
3. Does this facility contain:	
a) any emission units or activities not cove. d by the appl cable air general permit with the exce	ption
of units and activities that are exempt in m permitting resuant to subsection Rule 62-210.30	0(3), F.A.C
or Rule 62-4.040, F.A.C.?;	∏Yes ⊠ No □ N/A
b) any emission units or activities outhorized by another air general permit where such other air	
general permit and the air gen, cal permit of in early st specifically allow the use of one another	
at the same facility?	□Yes ⊠ No □ N/A
GENERAL PROCEDUR'S Initial Registration - Rule 62-210.310(2)(b), F.A.	
1. Has the owner or operator of this facility contributed and submitted the proper registration form to	the
Department for the specific air general permit to be used?;	
2. Does this facility have a current valid or go leral permit (entitlement to operate)?;	
3. Has there been a change of ownership or all or part of the facility?;	
4. Have there bee an new administrative, construction, modification, or equipment changes that re-	
a re-registratio ?	☐Yes ⊠ No ☐ N/A
PART III: A'R L'NERAL PER V. IS – Rule 62-210.310, F.A.C. (continued)	
(chec. 2) appropriate bo (es)	
<u>GFYER L CONDITYO</u> 5 – Rule 62-210.310(3), F.A.C.	
At Does the air general permit registration form contain all current information regarding the	May. May May
facility?;	
2. Has the owner of operator allowed the circumvention of any air pollution control device, or allow	veu
the emiss of of air pollutants without the proper operation of all applicable air pollution control devices?	DVac Na D N/A
3. Does not when or operator:	□ 1 es □ NO □ N/A
a) mary an the authorized facility in good condition?;	⊠Yes □ No □ N/Δ
encire that the facility maintains its eligibility to use the air general permit and complies with	
	**

terms and conditions of the air general permit?;	
4. Has the owner or operator allowed you, as the duly authorized representative of t	the Department, access
to the facility at reasonable times to inspect and test and to determine compliance	
permit and Department rules?	\(\text{Yes} \) \(\text{Nc} \) \(\text{N/A}\)
	<u>~0</u>
PART IV: <u>SPECIFIC</u> <u>CONTROL/OPERATING/RECORDKEEPING CRITERIA</u>	_ Rule 62-210.310(4)(_), F.A.C.
(check ☑ appropriate box(es))	
SPECIFIC CONDITIONAL EXEMPTION REQUIREMENTS FROM TITLE	V AIR PER IN TING
1 Does the facility have any other air general permits?	IVes X N/A
2. Is this printing operation subject to any unit-specific applicable requirement?;	
- Angular questions 2 a) b) l a) and 1 below if the facility uses the mass below	accompagab to adjustate as the same
Answer questions 3. a), b), & c), and 4. below if the facility uses the <u>mass balan</u> If the <u>materials usage limitation approach</u> is used, skip questions 3. and 4. b	
if the materials usuge umunion approach is used, skip questions 3. and 4. b	rete dua proceed to his mon 3.
Mass Balance Approach	
	Y O'
3. Does the facility emit:	
a)eighty (80) tons or more of VOC's?;b)eight (8) tons or more of any individual HAP?;	Yes No N/A
c)eright (8) tons or more of any individual HAP?;c)or twenty (20) tons or more of any combination of HAP's in any consecuti	Yes No N/A
months?;	
4. Does the facility rely upon add-on controls to meet any of the vectoristics is	$(1, 1)$, or c)?; $\square Yes \square No \square N/A$
Materials Usage Limitation Approach	
	•
5. In any consecutive twelve (12) months, does the facility unless than:	
a)thirteen hundred and thirty-three (1,333) gallogs of materials containing ha pollutants (HAP's)?;	
politicalits (ITAI 8):,	
and (choose only one category below, I thru VL or VII).	
I Operate only heatset offset lithograph printing her and use less than 1	
cleaning solvent, and fountain so tio additives con. ned?;	
IIOperate only <u>non-heatset offset limographic rine g</u> lines and use less to cleaning solvent and four air, olynon additives on ined?;	nan 14,250 gations of
IIIOperate only <u>digital pr. tin.</u> lines and use less than 12,100 gallons of solv	
solutions and other solvent-ontaining mater 4s combined?;	□Yes □ No ⊠ N/A
IVOperate only screen or repress print and lines and use less than 14,250	gallons of solvent based
inks, clean-up solving and other solving staining materials combined?;	
DADE NA CRECIEIO CONTROL (ORERA MAIGNECORRANGERINO CRITERIA	D 1 (2 210 210(4)(6) E 1 C
PART IV: <u>SPECIFIC</u> <u>CONTROL/OPERATENG/RECORDKEEPING CRITERIA</u> (check ✓ appropriate (xx(es))	<u>1</u> – Rule 62-210.310(4)(1), F.A.C.
SPECIFIC CONI (T) DNAL EXEM TO DN REQUIREMENTS FROM TITLE	<u>V AIR PERMITTING</u> (continued)
V. Once any water based a ultraviolet aured material flevorrenbia or rate	gravura printing lines
V Operationly water-based of ultraviolet-cured material flexographic or roto ar a region less than 400, 00 pounds of water-based inks, coatings and adhesive	
VIOp the only solvent and material flexographic or rotogravure printing li	nes and use less
th. 100,000 pourus inks, dilution solvents, coatings, cleaning solutions	
combined?;	
VII Operat any combination of heatset lithographic, non-heatset lithographic printing lines and use no more than the most at	
rotograve for flexographic printing lines and use no more than the most st contained in sub-sub-subparagraphs 62-210.310(4)(f)2.b.(I) through (VI), I	
feeila. For purposes of determining which limit is the most stringent, the p	
lithographic lines and flexographic lines shall be converted to the equivaler	
n and shall be compared with the limits for non-heatset offset lithographic	
applicable, for the type of printing lines at the facility. The most stringent li	imit shall apply to the total of all solvent-
Containing material used?;	

3 of 4 Revised 09/14/07

(Refer to the chart & information below to identify the Printing Process combination(s) and to determine the most stringent limit for the combination(s) chosen.)

	PRINTING PROCESS	INDIVIDUAL PROCESS LIMITS (IPL)	STRINGENT LIN 1 STOR COMBINATIONS (3LC) (SLC = IPL* ÷ a \$ res/gal.**)
#1	Heatset Offset Lithographic	100,000 lbs.*	1 3 of gals.**
#2	Non-heatset Offset Lithographic	14,250 gals.	(4,350 gals
#3	Digital	12,100 gals.	1',100 gals.
#4	Screen or Letterpress	14,250 gals.	14,250 gai.
#5	Water-based or UV cured Rotogravure or Flexographic	400,000 lbs.*	47,059 gals. **
#6	Solvent-based Rotogravure or Flexographic	100,000 lbs*	11,765 21,3**

(Example: If you were a printer and your combination printing processes in add d both Printing I roc ss numbers two (2) and five (5), then the most stringent limit shall apply to the total of all solvent-containing material used. In this example, the individual Stringent Limit for Combinations (SLC) for each process is 1 (2) gals, and 47, (5) gals, respectively. Therefore, the most stringent limit for this combination would be 14, 250 gals.)

6. Does the facility cause, suffer, allow or pe	ermit the discharge of .	r pollutants which cause or con	ntribute to
an objectionable odor? (Rule 62.296.320)	(2), F.A.C.)		☐Yes ⋈ No ☐ N/A
,			
Art Pennetta		9/13/08	
Inspector's Name (Please Print)		I ate f Inspection	

Inspector's Name (Please Pri	int)		I ate f Inspection
			, no
Inspector's Signature	• 0	X	Approximate Date of Next Inspection

COMMENTS: