A AND
FLORIDA

## HUMAN CREMATORY



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVE			
AIRS ID#: 0850137 DA FACILITY NAME: MA	<b>TE: <u>2/14/2006</u></b> ARTIN FUNERAL HOME AND	ARRIVE: <u>1:30</u> CREMATORY	DEPART: <u>2:30</u>		
FACILITY LOCATION	STUART 34994-				
RESPONSIBLE OFFIC	IAL: DAVID SEYFFART	PHONE	E: (772)223-5550		
REMITTANCE YEAR:	<u>0</u> ENTITLE	EMENT PERIOD: 2/16/2004 (issue date)			
PART I: INSPECTION COMPLIANCE STATUS (check I only one box)         IN COMPLIANCE       MINOR Non-COMPLIANCE         SIGNIFICANT Non-COMPLIANCE					
PART II: <u>TESTING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))					
<ol> <li>Was a visible emis 62-297, F.A.C.)?</li> <li>In order to demons days prior to the A (Rule 62-296.4010)</li> <li>In order to demons completed within a) Carbon Monox volume, dry basis, 10 (Ref.: Chapter b) Oxygen test pe c) Particulate mat dry standard cubic (Ref.: Chapter.62-</li> </ol>	jectionable odor(s) detected? ssions test conducted during this s strate individual source complian AGP Notification form submission (5)(i), F.A.C.)	site visit according to EPA Me ince, was an annual visible emission, and within 60 days prior to e ince were the remaining application form submission? (Rule below the requirements of 100 p y average basis and tested according od 3 (Ref.: Chapter 62-297, F.4 ual to or below the requirement to 7% $O_2$ and tested according to	thod 9 (Ref.: Chapter sions test conducted 60 each anniversary date? ble standards testing 62-210.300(4), F.A.C.) parts per million by rding to EPA Method A.C.)?	⊠Yes □No ⊠Yes □ No ⊠Yes □ No	

## PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))

1. Is there <b>Continuous Emissions Monitoring System</b> (CEMS) equipment installed on each unit to record	
primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber of accordance with the manufacturer's instructions?	
a) Do temperature probes seem to be properly placed?	
b) Are the following records kept on file, available for inspection for at least two years following the re	cording of such
measurements, maintenance, reports and records?	
<ol> <li>All measurements (including CEMS)</li> <li>Manitoring during</li> </ol>	$\boxtimes$ Yes $\square$ No
2) Monitoring device	$\bigvee$ Yes $\square$ No
3) Performance Testing Measurements	$\boxtimes$ Yes $\square$ No
4) CEMS Performance Evaluation	$\boxtimes$ Yes $\square$ No
5) All CEMS or monitoring device calibration checks	Yes No
6) Adjustments	Yes No
7) Preventive maintenance performed on systems/devices	$\boxtimes$ Yes $\square$ No
8) Corrective maintenance performed on systems/devices	Yes 🗌 No
2. Was this crematory unit constructed: (check only one ☑ box)	
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4)	
b) ON or AFTER August 30, 1989? (If this box checked, skip #3 and continue on to #4)	
3. If constructed <b>BEFORE</b> August 30, 1989 is the:	
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F?	Yes No
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F	
throughout the combustion process in the primary chamber?	Yes No
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature	
is equal to or greater than 1400°F?	Yes No
d) required monitoring equipment installed and operational, and providing continuous monitoring to	
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the	
secondary chamber combustion zone according to the manufacturer's instructions?	Yes No
4. If constructed <u>ON</u> or <u>AFTER</u> August 30, 1989 is the:	
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence tir	
@ 1800° F?	Yes 🗌 No
b) the actual operating temperature of the secondary chamber combustion zone no less than $1600^{\circ}F$	
throughout the combustion process in the primary chamber?	⊠Yes □ No
c) secondary chamber combustion zone temperature equal to or greater than <b>1600°F</b> before the crematic	
process begins in the primary chamber?	Yes 🗌 No
5. Are appropriate cremation containers containing no more than 0.5 % (percent) by weight chlorinated	
plastics used during the cremation of dead human bodies?	Yes 🗌 No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that the	
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration o	
their use and for at least two years after their use?	🛛 Yes 🗌 No
b) Are there any other materials, including biomedical wastes (Rule 62-210.200, FAC) incinerated at	
this location?	⊠Yes □ No
6. Have all crematory operators been trained and certified by a Department-approved training program?	Yes 🗌 No
a) Are copies of the training certificates for all crematory operators kept on file at the facility for the du	
of the operator's employment & for an additional two years after termination of employment?	🛛 Yes 🗌 No

PART IV: <u>SPECIAL CONDITIONS AND PROCEDURE</u> A. <u>New or Modified Process Equipment</u>	<u>- Rule 62-296.401, F.A.C.</u>			
<ol> <li>Since the last inspection has there been         <ul> <li>a) installation of any new process equipment?</li></ul></li></ol>				
Darrel J. Graziani, P.E. / Robert Duke	2/14/2006			
Inspector's Name (Please Print)	Date of Inspection			
	9/30/2007			
Inspector's Signature	Approximate Date of Next Inspection			

**COMMENTS:** Facility failed to test the unit 60 days prior to the anniversary date. VE test showed compliance with the VE limit. Records were in good shape and chart recorder was operating properly.