

Jeb Bush  
Governor

# Department of Environmental Protection

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Colleen M. Castille  
Secretary

June 29, 2006

Mr. David Sideri  
Adtec II Tampa, Incorporated  
5440 70<sup>th</sup> Avenue North  
Pinellas Park, Florida 33781

Re: Facility No.: 1030353-003

Dear Mr. Sideri:

The Department has received the Title V General Permit Notification Form for the chromium electroplating and anodizing facility that you submitted on May 26, 2006.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,

  
Joseph Kahn, Chief  
Bureau of Air Monitoring  
and Mobile Sources

JK/jw

cc: Mr. Gary Robbins, Pinellas County

"More Protection, Less Process"

Printed on recycled paper.

EMISSION FEE DATES <sup>196'2005</sup>.....  
NO ACTIVITY FOR FACILITY.....  
SOC REPORTS <sup>5</sup>.....

<sup>3/21/2005</sup>  
COMP. STATUS - SNC MNC

TRPT - SOCR - Statement of  
Compliance Report

Insp. Pinellas Co - CR

RECEIVED

MAY 26 2006

CHROMIUM ELECTROPLATING AND ANODIZING  
AIR GENERAL PERMIT NOTIFICATION FORM

Bureau of Air Management  
& Mobile Sources

Part III. Notification of Intent to Use General permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	David Sideri / Adtec II, Tampa, Inc.
2. Site Name (For example, plant name or number):	Adtec II Tampa, Inc.
3. Hazardous Waste Generator Identification Number:	FLD984238378
4. Facility Location: Street Address:	5440 70th Avenue North City: Pinellas Park County: Pinellas Zip Code: 33781
5. Facility Identification Number (DEP Use ONLY - do not fill in):	1030353-003

Responsible Official

6. Name and Title of Responsible Official: Name:	David Sideri	Title:	Owner
7. Responsible Official Mailing Address: Organization/Firm:	Adtec II Tampa	Street Address:	5440 70th Avenue North City: Pinellas Park County: Pinellas Zip Code: 33781
8. Responsible Official Telephone Number: Telephone:	(727) 522-4653	Fax:	(727) 525-4368

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	Halina Lesniak Lab Manager		
10. Facility Contact Address: Street Address:	5440 70th Avenue North City: Pinellas Park County: Pinellas Zip Code: 33781		
11. Facility Contact Telephone Number: Telephone:	(727) 522-4653	Fax:	(727) 525-4368

**Facility Information**

1.a. Provide the information below for each hard electroplating machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

**HARD CHROMIUM PLATING TANKS**

DATE PURCHASED	UNIT CLASS (circle one)	DATE CNTRL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			

Key for Control Device Type

PBS = packed-bed scrubber  
 CMP = composite mesh pad  
 PBS/CMP = packed-bed scrubber and composite mesh pad  
 FS = fume suppressant only  
 FS/WA = fume suppressant with a wetting agent  
 FM = fiber-bed mist eliminator  
 WA = wetting agent

Applicable Standard Key

a = 0.03 mg/dscm  
 b = 0.015 mg/dscm  
 c = alternative standard for multiple tanks under common control

Is the facility's cumulative potential rectifier capacity greater than 60 million ampere-hours per year?

Yes  No

1.b. Provide the information below for each decorative electroplating or anodizing machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

**DECORATIVE AND ANODIZING TANKS**

DATE PURCHASED	UNIT CLASS (circle one)	DATE CNTRL DEVICE INSTALLED	CONTROL DEVICE (see key)	APPLICABLE STANDARD (see key)
02/20/92	New/Existing	10/20/95	FS/WA	Y
02/20/92	New/Existing	10/20/95	FS/WA	Y
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			
	New/Existing			

Key for Control Device Type

PBS = packed-bed scrubber  
CMP = composite mesh pad  
PBS/CMP = packed-bed scrubber and composite mesh pad  
FS = fume suppressant only  
FS/WA = fume suppressant with a wetting agent  
FM = fiber-bed mist eliminator  
WA = wetting agent

Applicable Standard Key

x = 0.01 mg/dscm  
y = 45 dynes/cm  
z = records of bath components  
(trivalent Cr tanks only)  
c = alternative standard for multiple tanks  
under common control

2. Indicate the date by which the facility must meet the requirements of paragraph (5) of Part II:  
(Note: if your facility contains both hard and decorative plating or anodizing units, you must check each applicable date)

January 25, 1996       January 25, 1997

3. Indicate how the facility will fulfill the compliance demonstration:

- The facility will conduct an initial performance test
- The facility will use a wetting agent to reduce emissions and will meet the existing surface tension limit in No. 1 above.

4. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Equipment maintenance
- (b) Equipment inspection and repair
- (c) Equipment malfunctions
- (d) Operation and maintenance checklist
- (e) Instrument calibration   
(used during initial performance test)
- (f) Start-up, shutdown, malfunction plan
- (g) Performance test results
- (h) Equipment monitoring
- (i) Excess emissions
- (j) Operating periods
- (k) Rectifier capacity
- (l) Fume suppressant records
- (m) Purchase records of wetting agent components

5. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are:

1020353-002-AG


No DEP air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

DAVID SIDERI PRES  
Print name of responsible official

  
Signature

5-3-06  
Date

**BOARD OF COUNTY  
COMMISSIONERS**

Kenneth T. Welch - Chairman  
Ronnie E. Duncan - Vice Chairman  
Calvin D. Harris  
Susan Latvala  
John Morroni  
Karen Williams Seel  
Robert B. Stewart



May 23, 2006

Sandy Bowman  
General Permits Section  
Bureau of Air Monitoring and Mobile Sources, MS 5510  
Florida Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

**Re: Adtec II, Tampa, Inc. – New Facility Name and Owner (currently 1030353-002-AG)**

Ms. Bowman:

Enclosed is a Title V General Permit Notification for Adtec II, Tampa, Inc., 5440 70th Avenue North, Pinellas Park, FL, 33781, which was recently collected. During the most recent inspection on May 3, 2006, it was discovered that the new owner had failed to submit the required notification. The ownership changed effective November 1, 2005. Our office assisted the facility in processing this notification.

If you have any questions concerning this mailing, you may contact me at Suncom 570-4422, or by E-mail.

Sincerely,

A handwritten signature in black ink, appearing to read "Matt McCann".

Matt McCann, Environmental Program Manager  
Air Quality Division

cc: RF, PF (103 0353)

H:\USERS\WPDOCS\Airqual\Air\_Compliance\AQ\0353 002 newnot\_jhm.doc

PLEASE ADDRESS REPLY TO:

300 S. Garden Avenue  
Clearwater, Florida 33756  
Phone: (727) 464-4422  
FAX: (727) 464-4420  
TDD: (727) 464-4106

Website: [www.pinellascounty.org](http://www.pinellascounty.org)



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

466261 DEC20 2006

X

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID 1030353  
 ADTEC II  
 5440 70th Ave North  
 PINELLAS PARK, FLORIDA 33781

Bureau of Air Monitoring  
& Mobile Sources

FLAIR ACCT. CODE 372020350013755010000  
 BENEFITTING OBJECT CODE 002000  
 BENEFITTING CATEGORY 000200

FOR GOVERNMENT USE ONLY  
 ORG.: 37550101000 EO: A1  
 FUND: 20-2-035001  
 OBJECT: 002273

DEC 21 2006

Printed on recycled paper

ADTEC II TAMPA, INC.

Department Of Environmental Protection

11781

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
12/12/2006	Bill	1030353	50.00	50.00		50.00
				Check Amount		50.00

12/18/2006

Wachovia Bank

50.00